

ULLI

Saint Petersburg Pulkovo

—


UDD

Moscow Domodedovo

2024/05/12 1608Z

ULLI UD **B160** BD UDD

391.21 nm / 724.52 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 30000ft
- Cruise Speed: 320kts
- Descent Rate: 1800ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ULLI APT	-	59.80029 30.26250	0 ft 0 m	-	Saint Petersburg Pulkovo
UD NDB	-	59.11667 31.65000	21,000 ft 6,401 m	58	CHUDOVO NDB
OKULO FIX	B160 AWY-HI	58.40333 33.38944	35,000 ft 10,668 m	69	-
NUKOL FIX	B160 AWY-HI	58.08333 34.13111	35,000 ft 10,668 m	30	-
DB NDB	B160 AWY-HI	57.71306 34.97194	35,000 ft 10,668 m	34	POCHINOK NDB
BD NDB	B160 AWY-HI	57.10778 37.71194	21,900 ft 6,675 m	95	BOGDANOVO NDB
UDD APT	-	55.40919 37.90143	0 ft 0 m	102	Moscou Domodedovo

ULLI

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 79 ft / 24 m
Location: 59.800300 30.262500
Magnetic Var: 11.655 E

METAR

ULLI 121530Z 10002MPS CAVOK 11/M01 Q1021 R88/090060 NOSIG

TAF

TAF ULLI 121351Z 1215/1315 26003MPS 9999 BKN016 TEMPO 1306/1315 31005G10MPS

Frequencies

REC - 127.30 MHz - PULKOVO ATIS	REC - 127.40 MHz - PULKOVO ATIS
TWR - 118.70 MHz - PULKOVO TOWER	TWR - 118.10 MHz - PULKOVO TOWER
TWR - 133.50 MHz - PULKOVO TOWER	GND - 121.70 MHz - PULKOVO GROUND
GND - 119.00 MHz - PULKOVO RAMP	GND - 120.90 MHz - PULKOVO APRON
CLD - 121.90 MHz - PULKOVO DELIVERY	APP - 125.20 MHz - PETERSBURG APPROACH
APP - 119.30 MHz - PETERSBURG APPROACH	APP - 120.30 MHz - PETERSBURG KRUG RADAR
DEP - 120.30 MHz - PETERSBURG KRUG RADAR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	197 ft	12,379 ft	106.40	CONCRETE	0 ft	0 ft
	60 m	3,773 m	94.75		0 m	0 m
28L	197 ft	12,379 ft	286.46	CONCRETE	0 ft	0 ft
	60 m	3,773 m	274.80		0 m	0 m
10L	197 ft	11,132 ft	106.51	CONCRETE	0 ft	0 ft
	60 m	3,393 m	94.86		0 m	0 m
28R	197 ft	11,132 ft	286.56	CONCRETE	0 ft	0 ft
	60 m	3,393 m	274.91		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	IPU	110.50 MHz	18 nm	106.54	-	79 ft
				33 km	94.89		79 m
10R	LOC-ILS	IPK	111.90 MHz	18 nm	106.43	-	79 ft
				33 km	94.78		79 m
28L	LOC-ILS	IPO	108.90 MHz	18 nm	286.43	-	79 ft
				33 km	274.78		79 m
28R	LOC-ILS	IPL	111.30 MHz	18 nm	286.54	-	79 ft
				33 km	274.89		79 m
10L	GS	IPU	110.50 MHz	10 nm	106.54	3.00	79 ft
				19 km	94.89		79 m
10R	GS	IPK	111.90 MHz	10 nm	106.43	3.00	79 ft
				19 km	94.78		79 m
28L	GS	IPO	108.90 MHz	10 nm	286.43	3.00	79 ft
				19 km	274.78		79 m
28R	GS	IPL	111.30 MHz	10 nm	286.54	3.00	79 ft
				19 km	274.89		79 m

UDD

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 592 ft / 180 m
Location: 55.409200 37.907500
Magnetic Var: 11.823 E

METAR

UDD 121530Z 35005MPS CAVOK 05/M03 Q1018 R32L/CLRD60 NOSIG

TAF

TAF UDD 121353Z 1215/1321 34003G08MPS 9999 BKN016 TX10/1312Z TN01/1301Z TEMPO 1215/1216 32008G13MPS

Frequencies

APP - 125.30 MHz - DOMODEDOVO RADAR	APP - 129.80 MHz - DOMODEDOVO RADAR
APP - 127.70 MHz - DOMODEDOVO RADAR	APP - 119.40 MHz - DOMODEDOVO RADAR
APP - 132.05 MHz - DOMODEDOVO RADAR	APP - 134.67 MHz - DOMODEDOVO RADAR
TWR - 118.60 MHz - DOMODEDOVO TOWER	TWR - 119.70 MHz - DOMODEDOVO TOWER
TWR - 127.30 MHz - DOMODEDOVO TOWER	CLD - 129.15 MHz - DOMODEDOVO DELIVERY
REC - 128.30 MHz - ATIS	REC - 122.95 MHz - ATIS
GND - 119.00 MHz - DOMODEDOVO APRON	APP - 118.95 MHz - MOSCOW APPROACH
APP - 118.55 MHz - MOSCOW APPROACH	APP - 130.37 MHz - MOSCOW APPROACH
APP - 124.20 MHz - MOSCOW APPROACH	APP - 127.20 MHz - MOSCOW APPROACH
APP - 128.00 MHz - MOSCOW APPROACH	APP - 134.00 MHz - MOSCOW APPROACH
APP - 131.20 MHz - MOSCOW APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14L	174 ft	7,762 ft	145.68	CONCRETE	0 ft	0 ft
	53 m	2,366 m	133.85		0 m	0 m
32R	174 ft	7,762 ft	325.70	CONCRETE	0 ft	0 ft
	53 m	2,366 m	313.87		0 m	0 m
14R	197 ft	11,459 ft	145.68	CONCRETE	0 ft	0 ft
	60 m	3,493 m	133.85		0 m	0 m
32L	197 ft	11,459 ft	325.70	CONCRETE	0 ft	0 ft
	60 m	3,493 m	313.88		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32R	DME	IDE	111.90 MHz	18 nm	-	-	588 ft
				33 km	-		588 m
14R	LOC-ILS	IDM	110.10 MHz	18 nm	145.70	-	592 ft
				33 km	133.88		592 m
32L	LOC-ILS	IDO	109.30 MHz	18 nm	325.70	-	592 ft
				33 km	313.88		592 m
14R	GS	IDM	110.10 MHz	10 nm	145.70	3.00	592 ft
				19 km	133.88		592 m
32L	GS	IDO	109.30 MHz	10 nm	325.70	3.00	592 ft
				19 km	313.88		592 m