

DAAG

Alger/Houari Boumediene


DA00

ES SENIA

2024/06/06 1626Z

DAAG ESNAM DA00

197.20 nm / 365.22 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DAAG	-	36.69750	0 ft	-	Alger/Houari Boumediene
APT	-	3.21225	0 m		
ESNAM	-	36.11610	23,000 ft	89	-
FIX	-	1.50000	7,010 m		
DA00	-	35.62390	0 ft	107	ES SENIA
APT	-	-0.62118	0 m		

DAAG

Region: ALGERIA
Timezone: AFRICA/ALGIERS
Runways: 2

Elevation: 82 ft / 25 m
Location: 36.697500 3.212250
Magnetic Var: 1.715 E

METAR

DAAG 061600Z 05010KT CAVOK 30/14 Q1014

TAF

TAF TAF DAAG 061100Z 0612/0712 06010KT CAVOK PROB30 TEMPO 0615/0620 FEW030CB BECMG 0619/0621 VRB02KT BECMG 0708/0

Frequencies

GND - 121.80 MHz - ALGIERS GROUND
TWR - 119.70 MHz - ALGIERS TOWER
REC - 128.52 MHz - ATIS

TWR - 118.70 MHz - ALGIERS TOWER
APP - 121.40 MHz - ALGIERS APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	12,468 ft	91.69	CONCRETE	984 ft	0 ft
	45 m	3,800 m	89.98		300 m	0 m
27	148 ft	12,468 ft	271.72	CONCRETE	0 ft	0 ft
	45 m	3,800 m	270.00		0 m	0 m
05	197 ft	11,494 ft	52.68	CONCRETE	0 ft	0 ft
	60 m	3,503 m	50.97		0 m	0 m
23	197 ft	11,494 ft	232.70	CONCRETE	0 ft	0 ft
	60 m	3,503 m	230.98		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	HB	108.50 MHz	18 nm	91.70	-	82 ft
				33 km	89.99		82 m
23	LOC-ILS	AG	110.30 MHz	18 nm	232.70	-	82 ft
				33 km	230.99		82 m
27	LOC-ILS	AL	109.50 MHz	18 nm	271.70	-	82 ft
				33 km	269.99		82 m
09	GS	HB	108.50 MHz	10 nm	91.70	3.00	82 ft
				19 km	89.99		82 m
23	GS	AG	110.30 MHz	10 nm	232.70	3.00	82 ft
				19 km	230.99		82 m
27	GS	AL	109.50 MHz	10 nm	271.70	3.00	82 ft
				19 km	269.99		82 m

DA00

Region: ALGERIA
Timezone: AFRICA/ALGIERS
Runways: 2

Elevation: 299 ft / 91 m
Location: 35.621100 -0.624663
Magnetic Var: 0.829 E

METAR

DA00 061600Z 01007KT 340V070 9999 FEW023 SCT233 35/09 Q1010

TAF

TAF DA00 061100Z 0612/0712 VRB02KT 8000 SCT026 SCT100 BECMG 0612/0615 05012KT PROB30 TEMPO 0612/0618 FEW026CB BEC

Frequencies

TWR - 118.10 MHz - ORAN TOWER
APP - 128.20 MHz - ORAN APPROACH

TWR - 119.70 MHz - ORAN TOWER
APP - 121.10 MHz - ORAN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	11,798 ft	67.15	ASPHALT	0 ft	322 ft
	45 m	3,596 m	66.32		0 m	98 m
25R	148 ft	11,798 ft	247.18	ASPHALT	203 ft	322 ft
	45 m	3,596 m	246.35		62 m	98 m
07R	148 ft	9,834 ft	67.15	ASPHALT	0 ft	322 ft
	45 m	2,997 m	66.32		0 m	98 m
25L	148 ft	9,834 ft	247.17	ASPHALT	0 ft	318 ft
	45 m	2,997 m	246.34		0 m	97 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25L	LOC-ILS	OR	109.90 MHz	18 nm	247.16	-	299 ft
				33 km	246.33		299 m
25R	LOC-ILS	RN	108.90 MHz	18 nm	247.17	-	299 ft
				33 km	246.34		299 m
25L	GS	OR	109.90 MHz	10 nm	247.16	3.00	299 ft
				19 km	246.33		299 m
25R	GS	RN	108.90 MHz	10 nm	247.17	3.00	299 ft
				19 km	246.34		299 m