


2024/05/08 1520Z

LFBD LMG **UN10** BEBIX **UM129** RESPO LFST

416.76 nm / 771.84 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 25000ft
- Cruise Speed: 320kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFBD	-	44.82880	0 ft	-	Bordeaux Merignac
APT	-	-0.71476	0 m		
LMG	-	45.81590	25,000 ft	94	LIMOGES
VOR	-	1.02558	7,620 m		
BEBIX	UN10	45.94920	25,000 ft	17	-
FIX	AWY-HI	1.39972	7,620 m		
GUERE	UM129	46.19000	25,000 ft	32	-
FIX	AWY-HI	2.08944	7,620 m		
LARON	UM129	46.22750	25,000 ft	5	-
FIX	AWY-HI	2.19833	7,620 m		
KUKOR	UM129	46.54190	25,000 ft	42	-
FIX	AWY-HI	3.12917	7,620 m		
ENUPA	UM129	46.64830	25,000 ft	14	-
FIX	AWY-HI	3.45278	7,620 m		
MOU	UM129	46.70680	25,000 ft	8	MOULINS
VOR	AWY-HI	3.63167	7,620 m		
PIBAT	UM129	46.80580	25,000 ft	26	-
FIX	AWY-HI	4.25917	7,620 m		
DJL	UM129	47.27080	25,000 ft	44	DIJON LONGVIC
VOR	AWY-HI	5.09733	7,620 m		
RESPO	UM129	47.83280	25,000 ft	39	-
FIX	AWY-HI	5.60800	7,620 m		
LFST	-	48.53830	0 ft	91	Entzheim
APT	-	7.62826	0 m		

LFBD

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 166 ft / 51 m
Location: 44.828700 -0.714790
Magnetic Var: 0.737 E

METAR

LFBD 081500Z AUTO 03009KT 330V060 CAVOK 21/10 Q1024 NOSIG

TAF

TAF LFBD 081100Z 0812/0918 03010KT 9999 SCT040 TX25/0914Z TN10/0905Z BECMG 0812/0814 CAVOK PROB30 TEMPO 0903/0906

Frequencies

REC - 131.15 MHz - ATIS MERIGNAC
TWR - 118.30 MHz - MERIGNAC TOWER
APP - 121.20 MHz - MERIGNAC APPROACH

GND - 121.90 MHz - MERIGNAC GROUND
APP - 129.87 MHz - AQUITAINE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	7,927 ft	106.46	ASPHALT	0 ft	1,204 ft
	45 m	2,416 m	105.72		0 m	367 m
29	148 ft	7,927 ft	286.48	ASPHALT	0 ft	1,204 ft
	45 m	2,416 m	285.74		0 m	367 m
05	148 ft	10,181 ft	45.35	ASPHALT	0 ft	1,161 ft
	45 m	3,103 m	44.61		0 m	354 m
23	148 ft	10,181 ft	225.37	ASPHALT	0 ft	1,289 ft
	45 m	3,103 m	224.63		0 m	393 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	DME	BD	110.30 MHz	18 nm	-	-	207 ft
				33 km	-		207 m
29	DME	BEI	111.15 MHz	18 nm	-	-	214 ft
				33 km	-		214 m
23	LOC-ILS	BD	110.30 MHz	18 nm	225.36	-	166 ft
				33 km	224.62		166 m
29	LOC-ILS	BEI	111.15 MHz	18 nm	286.47	-	166 ft
				33 km	285.73		166 m
23	GS	BD	110.30 MHz	10 nm	225.36	3.00	166 ft
				19 km	224.62		166 m
29	GS	BEI	111.15 MHz	10 nm	286.47	3.00	166 ft
				19 km	285.73		166 m

LFST

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 504 ft / 154 m
Location: 48.538300 7.628260
Magnetic Var: 2.909 E

METAR

LFST 081500Z AUTO 01011KT 9999 FEW038 18/09 Q1025 NOSIG

TAF

TAF LFST 081100Z 0812/0912 03011KT 9999 FEW035 BKN050 BECMG 0901/0904 32004KT BECMG 0907/0910 03010KT

Frequencies

REC - 126.92 MHz - LFST ATIS
TWR - 126.87 MHz - STRASBOURG TWR
APP - 119.57 MHz - STRASBOURG APP
GND - 121.80 MHz - STRASBOURG GND
APP - 119.45 MHz - STRASBOURG APP
APP - 120.70 MHz - STRASBOURG APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	7,899 ft	48.60	ASPHALT	0 ft	860 ft
	45 m	2,408 m	45.69		0 m	262 m
23	148 ft	7,899 ft	228.62	ASPHALT	0 ft	902 ft
	45 m	2,408 m	225.71		0 m	275 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	ENT	108.55 MHz	18 nm	-	-	504 ft
				33 km	-		504 m
23	DME	STZ	109.55 MHz	18 nm	-	-	504 ft
				33 km	-		504 m
05	LOC-ILS	ENT	108.55 MHz	18 nm	48.63	-	499 ft
				33 km	45.72		499 m
23	LOC-ILS	STZ	109.55 MHz	18 nm	228.59	-	515 ft
				33 km	225.68		515 m
05	GS	ENT	108.55 MHz	10 nm	49.22	3.50	561 ft
				19 km	46.32		561 m
23	GS	STZ	109.55 MHz	10 nm	229.22	3.00	542 ft
				19 km	226.32		542 m