


2024/05/14 2253Z

KAVO SWABE **Q104** PLYER **V97** HEVVN **Q104** DEFUN KCEW

338.31 nm / 626.56 km



## Notes

Basic altitude profile:

- Ascent Rate: 1000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 20000ft
- Cruise Speed: 420kts
- Descent Rate: 1000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KAVO APT	-	27.59160 -81.52890	0 ft 0 m	-	Avon Park Executive
SWABE FIX	-	28.58790 -83.10870	14,600 ft 4,450 m	102	-
PLYER FIX	Q104 AWY-HI	28.94760 -83.33570	18,200 ft 5,547 m	24	-
CLAMP FIX	V97 AWY-LO	29.34610 -83.58930	20,000 ft 6,096 m	27	-
HEVVN FIX	V97 AWY-LO	29.82200 -83.89520	20,000 ft 6,096 m	32	-
DEFUN FIX	Q104 AWY-HI	30.81420 -86.13140	2,800 ft 853 m	130	-
KCEW APT	-	30.77880 -86.52210	0 ft 0 m	20	Bob Sikes

## KCEW

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 1

Elevation: 213 ft / 65 m  
Location: 30.778800 -86.522100  
Magnetic Var: 3.963 W

## METAR

KCEW 142214Z AUTO 22009G20KT 10SM BKN027 BKN036 27/21 A2975 RMK A02 T02670211

## TAF

UNKNOWN

## Frequencies

REC - 119.27 MHz - ASOS  
APP - 124.05 MHz - EGLIN APP/DEP

COM - 122.95 MHz - CTAF/UNICOM

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	150 ft	8,031 ft	171.04	ASPHALT	0 ft	310 ft
	46 m	2,448 m	175.00		0 m	94 m
35	150 ft	8,031 ft	351.04	ASPHALT	0 ft	310 ft
	46 m	2,448 m	355.01		0 m	94 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	LOC-ILS	ICEW	111.90 MHz	18 nm	171.03	-	214 ft
				33 km	175.00		214 m
17	GS	ICEW	111.90 MHz	10 nm	171.08	3.00	191 ft
				19 km	175.05		191 m