

DGAA

Accra Kotoka Intl


HKJK

Nairobi-Jomo Kenyatta Intl

2024/05/04 2017Z

DGAA ENEVO **UP685** DLA **UR984** NLY **UA610** PIPLO **UL434** NN **UL433** NAKAT HKJK

2271.77 nm / 4207.31 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DGAA	-	5.60466	0 ft	-	Accra Kotoka Intl
APT	-	-0.16745	0 m		
ENEVO	-	5.20167	35,000 ft	107	-
FIX	-	1.58500	10,668 m		
EDBET	UP685	5.04506	35,000 ft	37	-
FIX	AWY-HI	2.19551	10,668 m		
TAMOK	UP685	4.89111	35,000 ft	37	-
FIX	AWY-HI	2.79472	10,668 m		
LIREX	UP685	4.43735	35,000 ft	108	-
FIX	AWY-HI	4.54923	10,668 m		
SITPO	UP685	4.33542	35,000 ft	66	-
FIX	AWY-HI	5.65787	10,668 m		
LOSPO	UP685	4.26223	35,000 ft	46	-
FIX	AWY-HI	6.43251	10,668 m		
ARDEX	UP685	4.12167	35,000 ft	86	-
FIX	AWY-HI	7.87167	10,668 m		
DLA	UP685	3.99392	35,000 ft	112	DOUALA
VOR	AWY-HI	9.74347	10,668 m		
EDEBA	UR984	3.93278	35,000 ft	25	-
FIX	AWY-HI	10.15890	10,668 m		
NLY	UR984	3.72581	35,000 ft	84	YAOUNDE-NSIMALEN
VOR	AWY-HI	11.55650	10,668 m		
DESAM	UA610	3.47583	35,000 ft	69	-
FIX	AWY-HI	12.69640	10,668 m		
MITRO	UA610	3.28639	35,000 ft	52	-
FIX	AWY-HI	13.55580	10,668 m		
AMPIL	UA610	3.15028	35,000 ft	37	-
FIX	AWY-HI	14.17060	10,668 m		
MOROS	UA610	2.80667	35,000 ft	94	-
FIX	AWY-HI	15.71530	10,668 m		
OPGAM	UA610	2.36861	35,000 ft	120	-
FIX	AWY-HI	17.67060	10,668 m		
SERAL	UA610	2.34917	35,000 ft	5	-
FIX	AWY-HI	17.75720	10,668 m		
PIPLO	UA610	2.27000	35,000 ft	22	-
FIX	AWY-HI	18.11670	10,668 m		
NENTU	UL434	2.17833	35,000 ft	23	-
FIX	AWY-HI	18.49170	10,668 m		
AXUVI	UL434	2.00667	35,000 ft	43	-
FIX	AWY-HI	19.19500	10,668 m		
POLDO	UL434	1.93500	35,000 ft	17	-
FIX	AWY-HI	19.48500	10,668 m		
SOLPA	UL434	1.82167	35,000 ft	28	-
FIX	AWY-HI	19.94830	10,668 m		
GAMEL	UL434	1.66167	35,000 ft	39	-
FIX	AWY-HI	20.58830	10,668 m		
BUPOX	UL434	1.43500	35,000 ft	57	-
FIX	AWY-HI	21.51670	10,668 m		
ERKAR	UL434	1.26952	35,000 ft	41	-
FIX	AWY-HI	22.18640	10,668 m		
ULPED	UL434	0.68833	35,000 ft	145	-
FIX	AWY-HI	24.53330	10,668 m		
KGI	UL434	0.49500	35,000 ft	48	KISANGANI

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	25.31330	10,668 m		
TIXAG	UL434	0.44250	35,000 ft	51	-
FIX	AWY-HI	26.17050	10,668 m		
LIPOK	UL434	0.24667	35,000 ft	192	-
FIX	AWY-HI	29.36170	10,668 m		
APOXO	UL434	0.24167	35,000 ft	3	-
FIX	AWY-HI	29.42500	10,668 m		
OPERO	UL434	0.21333	35,000 ft	28	-
FIX	AWY-HI	29.90170	10,668 m		
MUBAK	UL434	0.17333	35,000 ft	41	-
FIX	AWY-HI	30.59530	10,668 m		
NN	UL434	0.05300	35,000 ft	110	ENTEBBE
VOR	AWY-HI	32.43800	10,668 m		
ALKON	UL433	-0.43599	35,000 ft	96	-
FIX	AWY-HI	33.96740	10,668 m		
MELMO	UL433	-0.60265	31,500 ft	38	-
FIX	AWY-HI	34.58410	9,601 m		
NAKAT	UL433	-0.83598	21,000 ft	49	-
FIX	AWY-HI	35.36750	6,401 m		
HKJK	-	-1.31665	0 ft	98	Nairobi-Jomo Kenyatta Intl
APT	-	36.93130	0 m		

DGAA

Region: GHANA
Timezone: AFRICA/ACCRA
Runways: 1

Elevation: 205 ft / 62 m
Location: 5.604860 -0.167384
Magnetic Var: 2.746 W

METAR

DGAA 041900Z 19010KT CAVOK 30/26 Q1009 NOSIG

TAF

TAF TAF DGAA 041700Z 0418/0524 19008KT 9999 FEW015 BECMG 0423/0501 26008KT BECMG 0510/0512 19010KT SCT020

Frequencies

REC - 113.10 MHz - ATIS
GND - 121.90 MHz - ACCRA GROUND
APP - 119.10 MHz - ACCRA APPROACH
TWR - 118.60 MHz - ACCRA TOWER
APP - 119.50 MHz - ACCRA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	190 ft	11,224 ft	22.22	ASPHALT	0 ft	344 ft
	58 m	3,421 m	24.97		0 m	105 m
21	190 ft	11,224 ft	202.22	ASPHALT	1,339 ft	184 ft
	58 m	3,421 m	204.97		408 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	LOC-ILS	IACA	109.90 MHz	18 nm	202.23	-	205 ft
				33 km	204.98		205 m
21	GS	IACA	109.90 MHz	10 nm	202.23	3.00	205 ft
				19 km	204.98		205 m

HKJK

Region: KENYA

Timezone: AFRICA/NAIROBI

Runways: 1

Elevation: 5,330 ft / 1,625 m

Location: -1.316650 36.931300

Magnetic Var: 0.799 E

METAR

HKJK 041930Z 22005KT 9999 BKN017 18/17 Q1023 NOSIG

TAF

TAF HKJK 041700Z 0418/0524 23004KT 9999 BKN022 OVC080 BECMG 0420/0423 VRB03KT -RA SCT018 BKN080 BECMG 0508/0511 2

Frequencies

REC - 126.20 MHz - NAIROBI ATIS

TWR - 118.70 MHz - NAIROBI TOWER

DEP - 119.70 MHz - NAIROBI DEPARTURE

GND - 121.60 MHz - NAIROBI GROUND

APP - 119.70 MHz - NAIROBI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	13,528 ft	53.83	ASPHALT	0 ft	194 ft
	45 m	4,123 m	53.03		0 m	59 m
24	148 ft	13,528 ft	233.83	ASPHALT	0 ft	197 ft
	45 m	4,123 m	233.03		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	NL	110.30 MHz	18 nm	53.83	-	5,330 ft
				33 km	53.03		5,330 m
06	GS	NL	110.30 MHz	10 nm	53.83	3.00	5,330 ft
				19 km	53.03		5,330 m