

# EIDW

Dublin


# EFHK

Helsinki Vantaa Intl

2024/05/06 0222Z

EIDW BLACA P600 TRN UM89 RIVOT UM82 NIVUN P609 BEDLA N623 ARS N873 DODAM POKAS RIKUM N851 RIRIP  
EFHK

1124.16 nm / 2081.95 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EIDW	-	53.42490	0 ft	-	Dublin
APT	-	-6.26308	0 m		
BLACA	-	54.88330	34,200 ft	95	-
FIX	-	-5.15889	10,424 m		
TUNSO	P600	55.11110	35,000 ft	15	-
FIX	AWY-HI	-4.96139	10,668 m		
GIRVA	P600	55.18560	35,000 ft	4	-
FIX	AWY-HI	-4.89639	10,668 m		
TRN	P600	55.31340	35,000 ft	8	TURNBERRY
VOR	AWY-LO	-4.78386	10,668 m		
SAB	UM89	55.90750	35,000 ft	94	SAINT ABBS
VOR	AWY-HI	-2.20634	10,668 m		
RIVOT	UM89	56.40810	35,000 ft	104	-
FIX	AWY-HI	0.77694	10,668 m		
NIVUN	UM82	57.56990	35,000 ft	130	-
FIX	AWY-HI	4.13692	10,668 m		
INDOP	P609	58.55340	35,000 ft	130	-
FIX	AWY-HI	7.81393	10,668 m		
PIPEX	P609	58.84730	35,000 ft	42	-
FIX	AWY-HI	9.04226	10,668 m		
TOR	P609	59.16910	35,000 ft	42	TORP
VOR	AWY-HI	10.25930	10,668 m		
VATEX	P609	59.31760	35,000 ft	48	-
FIX	AWY-HI	11.82060	10,668 m		
OKSAT	P609	59.32940	35,000 ft	4	-
FIX	AWY-HI	11.95720	10,668 m		
KSD	P609	59.44240	35,000 ft	42	KARLSTAD
VOR	AWY-HI	13.33160	10,668 m		
BEDLA	P609	59.62890	35,000 ft	88	-
FIX	AWY-HI	16.22500	10,668 m		
ARS	N623	59.58620	35,000 ft	13	AROS
VOR	AWY-HI	16.65030	10,668 m		
LINSA	N873	59.72450	35,000 ft	24	-
FIX	AWY-HI	17.41170	10,668 m		
DODAM	N873	60.04440	35,000 ft	60	-
FIX	AWY-HI	19.30170	10,668 m		
POKAS	-	59.98140	35,000 ft	4	-
FIX	-	19.39250	10,668 m		
RIKUM	-	59.97080	35,000 ft	0	-
FIX	-	19.40810	10,668 m		
EBEBU	N851	60.09500	29,000 ft	32	-
FIX	AWY-HI	20.45440	8,839 m		
RIRIP	N851	60.20280	22,500 ft	29	-
FIX	AWY-HI	21.43420	6,858 m		
EFHK	-	60.31720	0 ft	105	Helsinki Vantaa Intl
APT	-	24.96330	0 m		

## EIDW

Region: IRELAND  
Timezone: EUROPE/DUBLIN  
Runways: 2

Elevation: 240 ft / 73 m  
Location: 53.424900 -6.263080  
Magnetic Var: 1.977 W

## METAR

EIDW 060200Z 36001KT 9999 FEW006 BKN015 BKN020 11/10 Q1008 NOSIG

## TAF

TAF EIDW 052300Z 0600/0624 VRB03KT 9999 FEW020 BKN035 TEMPO 0602/0610 3000 -RADZ BKN009 BECMG 0608/0610 34008KT

## Frequencies

REC - 124.52 MHz - ATIS	TWR - 118.60 MHz - DUBLIN TOWER
GND - 118.75 MHz - DUBLIN GROUND	GND - 121.80 MHz - DUBLIN GROUND
CLD - 121.87 MHz - CLEARANCE DELIVERY	APP - 133.27 MHz - DUBLIN APPROACH
APP - 121.10 MHz - DUBLIN APPROACH	APP - 119.92 MHz - DUBLIN APPROACH
APP - 119.55 MHz - DUBLIN APPROACH	REC - 118.50 MHz - DUBLIN INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	148 ft	8,660 ft	95.26	ASPHALT	0 ft	0 ft
	45 m	2,640 m	97.23		0 m	0 m
28L	148 ft	8,660 ft	275.29	ASPHALT	0 ft	0 ft
	45 m	2,640 m	277.27		0 m	0 m
16	190 ft	6,805 ft	156.64	ASPHALT	0 ft	0 ft
	58 m	2,074 m	158.61		0 m	0 m
34	190 ft	6,805 ft	336.65	ASPHALT	0 ft	0 ft
	58 m	2,074 m	338.62		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAC	111.50 MHz	18 nm	-	-	200 ft
				33 km	-		200 m
10R	LOC-ILS	IDE	108.90 MHz	18 nm	95.26	-	242 ft
				33 km	97.24		242 m
16	LOC-ILS	IAC	111.50 MHz	18 nm	156.64	-	242 ft
				33 km	158.62		242 m
28L	LOC-ILS	IDW	111.35 MHz	18 nm	275.26	-	242 ft
				33 km	277.24		242 m
10R	GS	IDE	108.90 MHz	10 nm	95.26	3.00	242 ft
				19 km	97.24		242 m
16	GS	IAC	111.50 MHz	10 nm	156.64	3.00	242 ft
				19 km	158.62		242 m
28L	GS	IDW	111.35 MHz	10 nm	275.26	3.00	242 ft
				19 km	277.24		242 m

## EFHK

Region: FINLAND  
Timezone: EUROPE/HELSINKI  
Runways: 3

Elevation: 180 ft / 55 m  
Location: 60.320400 24.952200  
Magnetic Var: 9.960 E

## METAR

EFHK 060150Z 06007KT CAVOK 03/M00 Q1013 NOSIG

## TAF

TAF TAF EFHK 052325Z 0600/0624 04005KT CAVOK BECMG 0607/0610 10010KT BECMG 0619/0621 04004KT

## Frequencies

REC - 135.07 MHz - ATIS ARRIVAL	REC - 114.20 MHz - ATIS DEPARTURE
TWR - 119.70 MHz - HELSINKI TOWER	TWR - 118.85 MHz - HELSINKI TOWER
TWR - 118.60 MHz - HELSINKI TOWER	GND - 121.80 MHz - HELSINKI GROUND
GND - 118.12 MHz - HELSINKI GROUND	GND - 121.65 MHz - HELSINKI RAMP/TAXI
APP - 119.10 MHz - HELSINKI RADAR APPROACH	APP - 129.85 MHz - HELSINKI RADAR APPROACH
APP - 119.70 MHz - HELSINKI RADAR APPROACH	APP - 124.32 MHz - HELSINKI ARRIVAL
APP - 119.90 MHz - HELSINKI ARRIVAL	GND - 127.02 MHz - HELSINKI DE-ICING

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	197 ft	11,459 ft	47.48	ASPHALT	978 ft	210 ft
	60 m	3,493 m	37.52		298 m	64 m
22L	197 ft	11,459 ft	227.52	ASPHALT	0 ft	207 ft
	60 m	3,493 m	217.56		0 m	63 m
04L	197 ft	10,047 ft	47.42	ASPHALT	0 ft	236 ft
	60 m	3,062 m	37.46		0 m	72 m
22R	197 ft	10,047 ft	227.46	ASPHALT	253 ft	177 ft
	60 m	3,062 m	217.50		77 m	54 m
15	197 ft	9,497 ft	153.07	ASPHALT	0 ft	194 ft
	60 m	2,895 m	143.11		0 m	59 m
33	197 ft	9,497 ft	333.09	ASPHALT	0 ft	197 ft
	60 m	2,895 m	323.13		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	HTV	111.90 MHz	18 nm	-	-	165 ft
				33 km	-		165 m
04R	DME	HG	111.50 MHz	18 nm	-	-	206 ft
				33 km	-		206 m
15	DME	HL	109.10 MHz	18 nm	-	-	220 ft
				33 km	-		220 m
22L	DME	HK	110.30 MHz	18 nm	-	-	205 ft
				33 km	-		205 m
22R	DME	HUO	110.70 MHz	18 nm	-	-	207 ft
				33 km	-		207 m
04L	LOC-ILS	HTV	111.90 MHz	18 nm	47.45	-	180 ft
				33 km	37.49		180 m
04R	LOC-ILS	HG	111.50 MHz	18 nm	47.51	-	180 ft
				33 km	37.55		180 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	HL	109.10 MHz	18 nm	153.08	-	180 ft
				33 km	143.12		180 m
22L	LOC-ILS	HK	110.30 MHz	18 nm	227.51	-	180 ft
				33 km	217.55		180 m
22R	LOC-ILS	HUO	110.70 MHz	18 nm	227.45	-	180 ft
				33 km	217.49		180 m
04L	GS	HTV	111.90 MHz	10 nm	47.45	3.00	180 ft
				19 km	37.49		180 m
04R	GS	HG	111.50 MHz	10 nm	47.51	3.00	180 ft
				19 km	37.55		180 m
15	GS	HL	109.10 MHz	10 nm	153.08	3.00	180 ft
				19 km	143.12		180 m
22L	GS	HK	110.30 MHz	10 nm	227.51	3.00	180 ft
				19 km	217.55		180 m
22R	GS	HUO	110.70 MHz	10 nm	227.45	3.00	180 ft
				19 km	217.49		180 m