

LTAC

Ankara Esenboga International Airport


UBBB

Baku Heydar Aliyev Intl

2024/05/10 0420Z

LTAC GURBU **UA4** ERZ ERZ **UB374** INDUR **N161** EDATA **M11** LUSAL UBBB

788.52 nm / 1460.34 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LTAC	-	40.12810	0 ft	-		Ankara Esenboga International Airport
APT	-	32.99500	0 m			
GURBU	-	40.16830	13,700 ft	38	-	
FIX	-	33.83280	4,176 m			
TIMOP	UA4	39.99190	35,000 ft	71	-	
FIX	AWY-HI	35.36110	10,668 m			
ENFOR	UA4	39.87390	35,000 ft	42	-	
FIX	AWY-HI	36.27470	10,668 m			
OLPOT	UA4	39.86120	35,000 ft	4	-	
FIX	AWY-HI	36.36060	10,668 m			
SIV	UA4	39.78970	35,000 ft	24		SIVAS
VOR	AWY-HI	36.89340	10,668 m			
OTSOV	UA4	39.83290	35,000 ft	24	-	
FIX	AWY-HI	37.43120	10,668 m			
UTURI	UA4	39.87360	35,000 ft	25	-	
FIX	AWY-HI	37.97470	10,668 m			
EZN	UA4	39.93720	35,000 ft	42		VABEL
VOR	AWY-HI	38.88700	10,668 m			
INTAB	UA4	39.94060	35,000 ft	9	-	
FIX	AWY-HI	39.10190	10,668 m			
ORHAN	UA4	39.94750	35,000 ft	21	-	
FIX	AWY-HI	39.57780	10,668 m			
ARKIN	UA4	39.95140	35,000 ft	15	-	
FIX	AWY-HI	39.91670	10,668 m			
DAMAT	UA4	39.95610	35,000 ft	34	-	
FIX	AWY-HI	40.66470	10,668 m			
ERZ	UA4	39.95880	35,000 ft	22		ERZURUM TACAN
DME	AWY-HI	41.15310	10,668 m			
ERZ	-	39.95670	35,000 ft	2		ERZURUM
VOR	-	41.20710	10,668 m			
ALVAR	UB374	39.99580	35,000 ft	24	-	
FIX	AWY-HI	41.74310	10,668 m			
YAVUZ	UB374	40.04440	35,000 ft	31	-	
FIX	AWY-HI	42.43330	10,668 m			
ELTOX	UB374	40.09970	35,000 ft	43	-	
FIX	AWY-HI	43.36940	10,668 m			
INDUR	UB374	40.11560	35,000 ft	13	-	
FIX	AWY-HI	43.66470	10,668 m			
REBGI	N161	40.24330	35,000 ft	42	-	
FIX	AWY-HI	44.57750	10,668 m			
PEMAN	N161	40.39110	35,000 ft	49	-	
FIX	AWY-HI	45.64220	10,668 m			
EDATA	N161	40.60670	28,000 ft	71	-	
FIX	AWY-HI	47.18330	8,534 m			
LUSAL	M11	40.58330	20,500 ft	34	-	
FIX	AWY-HI	47.95000	6,248 m			
UBBB	-	40.47210	0 ft	96		Baku Heydar Aliyev Intl
APT	-	50.04940	0 m			

LTAC

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 2

Elevation: 3,125 ft / 953 m
Location: 40.128100 32.995000
Magnetic Var: 6.320 E

METAR

LTAC 100350Z 04006KT 9999 FEW040 BKN100 13/07 Q1014 NOSIG

TAF

TAF LTAC 092240Z 1000/1024 VRB02KT CAVOK BECMG 1000/1003 SCT040 BKN100 TEMPO 1009/1013 17012KT BECMG 1015/1017 03

Frequencies

REC - 123.60 MHz - D-ATIS
GND - 121.90 MHz - ESENBOA GROUND

TWR - 118.10 MHz - ESENBOA TOWER
APP - 119.10 MHz - ESENBOA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03L	148 ft	11,128 ft	36.04	CONCRETE	0 ft	0 ft
	45 m	3,392 m	29.72		0 m	0 m
21R	148 ft	11,128 ft	216.06	CONCRETE	0 ft	0 ft
	45 m	3,392 m	209.74		0 m	0 m
03R	197 ft	12,316 ft	36.10	CONCRETE	0 ft	0 ft
	60 m	3,754 m	29.78		0 m	0 m
21L	197 ft	12,316 ft	216.12	CONCRETE	0 ft	0 ft
	60 m	3,754 m	209.79		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	LOC-ILS	IAKR	108.90 MHz	18 nm	35.62	-	3,125 ft
				33 km	29.30		3,125 m
03R	LOC-ILS	IANK	110.30 MHz	18 nm	35.48	-	3,125 ft
				33 km	29.15		3,125 m
21L	LOC-ILS	IESB	108.10 MHz	18 nm	216.08	-	3,097 ft
				33 km	209.76		3,097 m
21R	LOC-ILS	IEBG	108.30 MHz	18 nm	217.00	-	3,125 ft
				33 km	210.68		3,125 m
03L	GS	IAKR	108.90 MHz	10 nm	36.40	3.00	3,125 ft
				19 km	30.08		3,125 m
03R	GS	IANK	110.30 MHz	10 nm	35.60	3.00	3,125 ft
				19 km	29.28		3,125 m
21L	GS	IESB	108.10 MHz	10 nm	215.60	3.00	3,125 ft
				19 km	209.28		3,125 m
21R	GS	IEBG	108.30 MHz	10 nm	216.40	3.00	3,125 ft
				19 km	210.08		3,125 m

UBBB

Region: AZERBAIJAN
Timezone: ASIA/BAKU
Runways: 2

Elevation: 6 ft / 2 m
Location: 40.472100 50.049400
Magnetic Var: 6.670 E

METAR

UBBB 100400Z 17008KT 9999 BKN010 17/14 Q1018 NOSIG

TAF

TAF UBBB 092259Z 1000/1024 VRB04KT 0800 FG FEW003 TX25/1010Z TN12/1000Z TEMPO 1000/1003 0300 SCT002 BECMG 1004/10

Frequencies

REC - 126.80 MHz - BAKU ATIS
TWR - 119.20 MHz - BAKU TOWER
APP - 128.00 MHz - BAKU RADAR

GND - 121.70 MHz - BAKU GROUND
APP - 129.30 MHz - BAKU APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	167 ft	10,509 ft	179.35	ASPHALT	0 ft	256 ft
	51 m	3,203 m	172.69		0 m	78 m
35	167 ft	10,509 ft	359.36	ASPHALT	486 ft	217 ft
	51 m	3,203 m	352.69		148 m	66 m
16	197 ft	13,136 ft	166.52	ASPHALT	0 ft	289 ft
	60 m	4,004 m	159.85		0 m	88 m
34	197 ft	13,136 ft	346.52	ASPHALT	0 ft	295 ft
	60 m	4,004 m	339.86		0 m	90 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	IBI	109.50 MHz	18 nm	166.53	-	6 ft
				33 km	159.86		6 m
17	LOC-ILS	IBU	110.50 MHz	18 nm	179.35	-	6 ft
				33 km	172.68		6 m
34	LOC-ILS	IBN	111.70 MHz	18 nm	346.53	-	6 ft
				33 km	339.86		6 m
35	LOC-ILS	IBA	109.30 MHz	18 nm	359.35	-	6 ft
				33 km	352.68		6 m
16	GS	IBI	109.50 MHz	10 nm	166.53	3.00	6 ft
				19 km	159.86		6 m
17	GS	IBU	110.50 MHz	10 nm	179.35	3.00	6 ft
				19 km	172.68		6 m
34	GS	IBN	111.70 MHz	10 nm	346.53	3.00	6 ft
				19 km	339.86		6 m
35	GS	IBA	109.30 MHz	10 nm	359.35	3.00	6 ft
				19 km	352.68		6 m