



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 240kts
- Cruise Altitude: 9000ft
- Cruise Speed: 250kts
- Descent Rate: 1500ft/min
- Descent Speed: 220kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YPPH	-	-31.93980	0 ft	-	Perth International
APT	-	115.96700	0 m		
PH	-	-31.94500	300 ft	0	PERTH
VOR	-	115.95900	91 m		
YPEA	-	-31.67220	0 ft	16	Pearce
APT	-	116.01500	0 m		

YPPH

Region: AUSTRALIA
Timezone: AUSTRALIA/PERTH
Runways: 2

Elevation: 67 ft / 20 m
Location: -31.939800 115.967000
Magnetic Var: 1.732 W

METAR

YPPH 110500Z 25006KT 220V280 9999 FEW035 BKN050 25/17 Q1021

TAF

TAF YPPH 110220Z 1103/1206 32006KT 9999 BKN025 BECMG 1103/1104 23008KT 9999 SCT030 FM110900 17006KT CAVOK FM11180

Frequencies

REC - 113.70 MHz - PERTH ATIS
DEP - 118.70 MHz - PERTH DEPARTURE
GND - 121.70 MHz - PERTH GROUND WEST
CLD - 118.55 MHz - PERTH CLEARANCE DELIVERY
APP - 123.60 MHz - PERTH APPROACH
TWR - 127.40 MHz - PERTH TOWER
GND - 122.20 MHz - PERTH GROUND EAST

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	7,100 ft	58.88	ASPHALT	0 ft	217 ft
	45 m	2,164 m	60.62		0 m	66 m
24	148 ft	7,100 ft	238.87	ASPHALT	0 ft	220 ft
	45 m	2,164 m	240.61		0 m	67 m
03	148 ft	11,307 ft	13.88	ASPHALT	0 ft	302 ft
	45 m	3,446 m	15.61		0 m	92 m
21	148 ft	11,307 ft	193.88	ASPHALT	0 ft	210 ft
	45 m	3,446 m	195.61		0 m	64 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	IPN	110.10 MHz	18 nm	-	-	75 ft
				33 km	-		75 m
21	DME	IGD	109.50 MHz	18 nm	-	-	67 ft
				33 km	-		67 m
24	DME	IPH	109.90 MHz	18 nm	-	-	67 ft
				33 km	-		67 m
03	LOC-ILS	IPN	110.10 MHz	18 nm	13.88	-	67 ft
				33 km	15.61		67 m
21	LOC-ILS	IGD	109.50 MHz	18 nm	193.87	-	67 ft
				33 km	195.60		67 m
24	LOC-ILS	IPH	109.90 MHz	18 nm	238.88	-	67 ft
				33 km	240.61		67 m
03	GS	IPN	110.10 MHz	10 nm	13.88	3.00	67 ft
				19 km	15.61		67 m
21	GS	IGD	109.50 MHz	10 nm	193.87	3.00	67 ft
				19 km	195.60		67 m
24	GS	IPH	109.90 MHz	10 nm	238.88	3.00	67 ft
				19 km	240.61		67 m

YPEA

Region: AUSTRALIA
Timezone: AUSTRALIA/PERTH
Runways: 3

Elevation: 150 ft / 46 m
Location: -31.672200 116.015000
Magnetic Var: 1.621 W

METAR

YPEA 110500Z AUTO 32005KT 280V350 9999 // SCT037 SCT045 BKN054 25/16 Q1021

TAF

TAF TAF AMD YPEA 102330Z 1023/1118 VRB03KT 9999 FEW005 SCT020 BECMG 1023/1101 35005KT 9999 BKN025 FM110500 24008KT

Frequencies

COM - 118.30 MHz - CTAF	CLD - 134.10 MHz - CLNC DEL
GND - 127.25 MHz -	TWR - 118.30 MHz -
APP - 123.60 MHz - PERTH APP	APP - 118.70 MHz - PERTH DEP
APP - 130.19 MHz -	APP - 130.20 MHz -
DEP - 135.90 MHz -	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18L	164 ft	8,025 ft	173.60	ASPHALT	0 ft	200 ft
	50 m	2,446 m	175.22		0 m	61 m
36R	164 ft	8,025 ft	353.60	ASPHALT	0 ft	210 ft
	50 m	2,446 m	355.22		0 m	64 m
05	148 ft	5,558 ft	44.55	ASPHALT	0 ft	46 ft
	45 m	1,694 m	46.17		0 m	14 m
23	148 ft	5,558 ft	224.55	ASPHALT	0 ft	469 ft
	45 m	1,694 m	226.17		0 m	143 m
18R	98 ft	5,753 ft	173.59	ASPHALT	0 ft	187 ft
	30 m	1,754 m	175.21		0 m	57 m
36L	98 ft	5,753 ft	353.59	ASPHALT	0 ft	200 ft
	30 m	1,754 m	355.21		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18L	LOC-ILS	IPE	110.70 MHz	18 nm	173.60	-	150 ft
				33 km	175.22		150 m
18L	GS	IPE	110.70 MHz	10 nm	173.60	3.00	150 ft
				19 km	175.22		150 m