

KDTW

Detroit Metro International Airport


KPHX

Phoenix Sky Harbor Intl

2024/06/05 1121Z

KDTW VENTU **V10** GIJ **J146** JOT **J26** LOAMY **V10** IRK **J96** SLN **J18** SJN **V190** CAMVI KPHX

1457.26 nm / 2698.85 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
KDTW	-	42.21220	0 ft	-		Detroit Metro International Airport
APT	-	-83.35260	0 m			
VENTU	-	41.89970	35,000 ft	103	-	
FIX	-	-85.64090	10,668 m			
LINGS	V10	41.85300	35,000 ft	11	-	
FIX	AWY-LO	-85.88510	10,668 m			
GIJ	V10	41.76860	35,000 ft	20		GIPPER (NILES)
VOR	AWY-LO	-86.31850	10,668 m			
JOT	J146	41.54640	35,000 ft	90		JOLIET
VOR	AWY-HI	-88.31840	10,668 m			
BDF	J26	41.15970	35,000 ft	61		BRADFORD
VOR	AWY-HI	-89.58790	10,668 m			
KEOKK	J26	40.55340	35,000 ft	90	-	
FIX	AWY-HI	-91.40370	10,668 m			
LOAMY	J26	40.42450	35,000 ft	19	-	
FIX	AWY-HI	-91.78440	10,668 m			
JURIX	V10	40.24180	35,000 ft	25	-	
FIX	AWY-LO	-92.29670	10,668 m			
MURLY	V10	40.18490	35,000 ft	7	-	
FIX	AWY-LO	-92.45410	10,668 m			
IRK	V10	40.13500	35,000 ft	6		KIRKSVILLE
VOR	AWY-LO	-92.59170	10,668 m			
KIDER	J96	39.78170	35,000 ft	76	-	
FIX	AWY-HI	-94.17830	10,668 m			
AGENT	J96	39.61080	35,000 ft	35	-	
FIX	AWY-HI	-94.90570	10,668 m			
SLN	J96	38.92510	35,000 ft	132		SALINA
VOR	AWY-HI	-97.62130	10,668 m			
GCK	J18	37.91900	35,000 ft	158		GARDEN CITY
VOR	AWY-HI	-100.72500	10,668 m			
DRAWL	J18	37.48540	35,000 ft	49	-	
FIX	AWY-HI	-101.61700	10,668 m			
KENTO	J18	36.73860	35,000 ft	83	-	
FIX	AWY-HI	-103.09900	10,668 m			
FTI	J18	35.65760	35,000 ft	118		FORT UNION
VOR	AWY-HI	-105.13600	10,668 m			
ABQ	J18	35.04380	35,000 ft	90		ALBUQUERQUE
VOR	AWY-HI	-106.81600	10,668 m			
SJN	J18	34.42400	33,100 ft	120		ST JOHNS
VOR	AWY-HI	-109.14400	10,089 m			
HOZER	V190	34.15070	23,900 ft	43	-	
FIX	AWY-LO	-109.94900	7,285 m			
CAMVI	V190	34.08680	21,700 ft	9	-	
FIX	AWY-LO	-110.13400	6,614 m			
KPHX	-	33.43360	0 ft	101		Phoenix Sky Harbor Intl
APT	-	-112.01200	0 m			

KDTW

Region: UNITED STATES
Timezone: AMERICA/DETROIT
Runways: 6

Elevation: 645 ft / 197 m
Location: 42.212200 -83.352600
Magnetic Var: 7.493 W

METAR

KDTW 051053Z 17007KT 10SM FEW075 BKN130 OVC220 22/19 A2971 RMK A02 SLP054 T02220189

TAF

KDTW 050835Z 0509/0612 12006KT P6SM SCT150 BKN250 FM051200 17009KT P6SM SCT045 BKN120 FM051700 19011G20KT P6SM BK

Frequencies

REC - 118.12 MHz - ATIS	REC - 133.67 MHz - ATIS
COM - 122.95 MHz - UNICOM	CLD - 120.65 MHz - CLEARANCE DELIVERY
GND - 119.25 MHz - METRO GROUND	GND - 119.45 MHz - METRO GROUND
GND - 121.80 MHz - METRO GROUND	GND - 132.72 MHz - METRO GROUND
TWR - 118.40 MHz - METRO TOWER	TWR - 128.12 MHz - METRO TOWER
TWR - 128.75 MHz - METRO TOWER	TWR - 135.00 MHz - METRO TOWER
APP - 124.05 MHz - DETROIT APPROACH	APP - 125.15 MHz - DETROIT APPROACH
DEP - 118.95 MHz - DETROIT DEPARTURE	DEP - 125.52 MHz - DETROIT DEPARTURE
DEP - 132.02 MHz - DETROIT DEPARTURE	DEP - 134.30 MHz - DETROIT DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	200 ft	12,011 ft	28.61	CONCRETE	512 ft	397 ft
	61 m	3,661 m	36.11		156 m	121 m
22L	200 ft	12,011 ft	208.63	CONCRETE	0 ft	433 ft
	61 m	3,661 m	216.12		0 m	132 m
03R	151 ft	10,005 ft	28.61	CONCRETE	0 ft	400 ft
	46 m	3,049 m	36.10		0 m	122 m
21L	151 ft	10,005 ft	208.62	CONCRETE	0 ft	400 ft
	46 m	3,049 m	216.12		0 m	122 m
04L	151 ft	10,003 ft	28.58	CONCRETE	0 ft	400 ft
	46 m	3,049 m	36.07		0 m	122 m
22R	151 ft	10,003 ft	208.59	CONCRETE	0 ft	400 ft
	46 m	3,049 m	216.09		0 m	122 m
09L	151 ft	8,687 ft	88.70	CONCRETE	0 ft	400 ft
	46 m	2,648 m	96.20		0 m	122 m
27R	151 ft	8,687 ft	268.72	CONCRETE	0 ft	400 ft
	46 m	2,648 m	276.22		0 m	122 m
03L	150 ft	8,505 ft	28.62	CONCRETE	0 ft	400 ft
	46 m	2,592 m	36.12		0 m	122 m
21R	150 ft	8,505 ft	208.63	CONCRETE	0 ft	397 ft
	46 m	2,592 m	216.13		0 m	121 m
09R	151 ft	8,480 ft	88.71	CONCRETE	0 ft	400 ft
	46 m	2,585 m	96.20		0 m	122 m
27L	151 ft	8,480 ft	268.73	CONCRETE	0 ft	400 ft
	46 m	2,585 m	276.22		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
--------	------	-------	-----------	-------	-------------------------	-------	-----------

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHJT	111.95 MHz	18 nm	-	-	650 ft
				33 km	-		650 m
04R	DME	IDTW	110.70 MHz	18 nm	-	-	650 ft
				33 km	-		650 m
22L	DME	IDWC	110.70 MHz	18 nm	-	-	646 ft
				33 km	-		646 m
03R	LOC-ILS	IHUU	111.50 MHz	18 nm	28.62	-	645 ft
				33 km	36.11		645 m
04L	LOC-ILS	IHJT	111.95 MHz	18 nm	28.59	-	645 ft
				33 km	36.08		645 m
04R	LOC-ILS	IDTW	110.70 MHz	18 nm	28.63	-	645 ft
				33 km	36.12		645 m
21L	LOC-ILS	IEJR	111.50 MHz	18 nm	208.62	-	645 ft
				33 km	216.11		645 m
22L	LOC-ILS	IDWC	110.70 MHz	18 nm	208.63	-	645 ft
				33 km	216.12		645 m
22R	LOC-ILS	IJKI	111.95 MHz	18 nm	208.59	-	645 ft
				33 km	216.08		645 m
27L	LOC-ILS	IEPA	110.15 MHz	18 nm	268.72	-	645 ft
				33 km	276.21		645 m
27R	LOC-ILS	IDMI	108.50 MHz	18 nm	268.71	-	645 ft
				33 km	276.20		645 m
22R	LOC-LOC	IJKI	111.95 MHz	18 nm	208.59	-	645 ft
				33 km	216.09		645 m
03R	GS	IHUU	111.50 MHz	10 nm	28.62	3.00	645 ft
				19 km	36.11		645 m
04L	GS	IHJT	111.95 MHz	10 nm	28.59	3.00	645 ft
				19 km	36.08		645 m
04R	GS	IDTW	110.70 MHz	10 nm	28.63	3.00	645 ft
				19 km	36.12		645 m
21L	GS	IEJR	111.50 MHz	10 nm	208.62	3.00	645 ft
				19 km	216.11		645 m
22L	GS	IDWC	110.70 MHz	10 nm	208.63	2.85	645 ft
				19 km	216.12		645 m
22R	GS	IJKI	111.95 MHz	10 nm	208.59	3.00	645 ft
				19 km	216.08		645 m
27L	GS	IEPA	110.15 MHz	10 nm	268.72	3.00	645 ft
				19 km	276.21		645 m
27R	GS	IDMI	108.50 MHz	10 nm	268.71	3.00	645 ft
				19 km	276.20		645 m

KPHX

Region: UNITED STATES
Timezone: AMERICA/PHOENIX
Runways: 3

Elevation: 1,135 ft / 346 m
Location: 33.433600 -112.012000
Magnetic Var: 9.714 E

METAR

KPHX 051051Z 34006KT 10SM CLR 30/03 A2977 RMK A02 SLP061 T03000033

TAF

TAF AMD KPHX 050859Z 0509/0612 30005KT P6SM SKC FM051200 10005KT P6SM SKC FM051800 27009KT P6SM SKC FM061000 10005KT

Frequencies

REC - 127.57 MHz - ATIS	CLD - 118.10 MHz - CLEARANCE DELIVERY
GND - 119.75 MHz - GROUND NORTH	GND - 132.55 MHz - GROUND SOUTH
TWR - 118.70 MHz - TOWER NORTH	TWR - 120.90 MHz - TOWER SOUTH
APP - 128.65 MHz - PHOENIX APPROACH	APP - 120.70 MHz - PHOENIX APPROACH
DEP - 124.10 MHz - PHOENIX APPROACH	DEP - 126.80 MHz - PHOENIX DEPARTURE
DEP - 124.90 MHz - PHOENIX DEPARTURE	DEP - 123.70 MHz - PHOENIX DEPARTURE
DEP - 119.20 MHz - PHOENIX DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	151 ft	11,500 ft	90.06	CONCRETE	912 ft	0 ft
	46 m	3,505 m	80.34		278 m	0 m
26	151 ft	11,500 ft	270.08	CONCRETE	0 ft	0 ft
	46 m	3,505 m	260.37		0 m	0 m
07L	151 ft	10,308 ft	90.04	CONCRETE	0 ft	0 ft
	46 m	3,142 m	80.32		0 m	0 m
25R	151 ft	10,308 ft	270.06	CONCRETE	0 ft	0 ft
	46 m	3,142 m	260.34		0 m	0 m
07R	151 ft	7,806 ft	90.04	CONCRETE	0 ft	0 ft
	46 m	2,379 m	80.32		0 m	0 m
25L	151 ft	7,806 ft	270.05	CONCRETE	0 ft	0 ft
	46 m	2,379 m	260.34		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IPHX	111.50 MHz	18 nm	-	-	1,142 ft
				33 km	-		1,142 m
07R	DME	IAHA	110.75 MHz	18 nm	-	-	1,135 ft
				33 km	-		1,135 m
08	DME	ISYQ	111.75 MHz	18 nm	-	-	1,149 ft
				33 km	-		1,149 m
25L	DME	IRJG	110.75 MHz	18 nm	-	-	1,135 ft
				33 km	-		1,135 m
26	DME	CWJ	111.75 MHz	18 nm	-	-	1,119 ft
				33 km	-		1,119 m
07L	LOC-ILS	IPHX	111.50 MHz	18 nm	90.05	-	1,135 ft
				33 km	80.34		1,135 m
07R	LOC-ILS	IAHA	110.75 MHz	18 nm	90.04	-	1,135 ft
				33 km	80.33		1,135 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	ISYQ	111.75 MHz	18 nm 33 km	90.07 80.36	-	1,135 ft 1,135 m
25L	LOC-ILS	IRJG	110.75 MHz	18 nm 33 km	270.04 260.33	-	1,135 ft 1,135 m
26	LOC-ILS	ICWJ	111.75 MHz	18 nm 33 km	270.07 260.36	-	1,135 ft 1,135 m
07L	GS	IPHX	111.50 MHz	10 nm 19 km	90.05 80.34	3.01	1,135 ft 1,135 m
07R	GS	IAHA	110.75 MHz	10 nm 19 km	90.04 80.33	3.01	1,135 ft 1,135 m
08	GS	ISYQ	111.75 MHz	10 nm 19 km	90.70 80.99	3.01	1,135 ft 1,135 m
25L	GS	IRJG	110.75 MHz	10 nm 19 km	270.04 260.33	3.00	1,135 ft 1,135 m
26	GS	ICWJ	111.75 MHz	10 nm 19 km	270.70 260.99	3.00	1,135 ft 1,135 m