



Notes

Requested: KPBI FLL MYBS

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KPBI APT	-	26.68290 -80.09700	0 ft 0 m	-	Palm Beach Intl
FLL DME	-	26.07420 -80.16300	0 ft 0 m	36	FORT LAUDERDALE VOR-DME
MYBS APT	-	25.69990 -79.26450	0 ft 0 m	53	South Bimini

KPBI

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 19 ft / 6 m
Location: 26.682900 -80.097000
Magnetic Var: 7.499 W

METAR

KPBI 200653Z 21005KT 10SM FEW110 27/24 A2987 RMK A02 SLP114 T02670239

TAF

TAF KPBI 200520Z 2006/2106 VRB04KT P6SM SCT030 SCT200 FM201400 28008KT P6SM VCSH SCT030 SCT050 FM201900 11008KT P

Frequencies

REC - 123.75 MHz - PALM BEACH ATIS	CLD - 121.60 MHz - PALM BEACH CLEARANCE
GND - 121.90 MHz - PALM BEACH GROUND	TWR - 119.10 MHz - PALM BEACH TOWER
DEP - 128.30 MHz - PALM BEACH DEPARTURE	DEP - 127.35 MHz - PALM BEACH DEPARTURE
DEP - 125.20 MHz - PALM BEACH DEPARTURE	APP - 124.60 MHz - PALM BEACH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	150 ft	9,988 ft	92.80	ASPHALT	1,201 ft	203 ft
	46 m	3,044 m	100.30		366 m	62 m
28R	150 ft	9,988 ft	272.81	ASPHALT	810 ft	200 ft
	46 m	3,044 m	280.31		247 m	61 m
14	150 ft	6,941 ft	135.32	ASPHALT	0 ft	197 ft
	46 m	2,116 m	142.82		0 m	60 m
32	150 ft	6,941 ft	315.33	ASPHALT	427 ft	272 ft
	46 m	2,116 m	322.83		130 m	83 m
10R	75 ft	3,209 ft	92.80	ASPHALT	0 ft	197 ft
	23 m	978 m	100.30		0 m	60 m
28L	75 ft	3,209 ft	272.81	ASPHALT	0 ft	187 ft
	23 m	978 m	280.30		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	IPBI	111.90 MHz	18 nm	92.80	-	19 ft
				33 km	100.30		19 m
28R	LOC-ILS	IPWB	111.90 MHz	18 nm	272.80	-	19 ft
				33 km	280.30		19 m
10L	GS	IPBI	111.90 MHz	10 nm	93.59	3.00	17 ft
				19 km	101.09		17 m
28R	GS	IPWB	111.90 MHz	10 nm	273.59	3.00	19 ft
				19 km	281.09		19 m