

CYUL

Montreal Pierre E Trudeau Intl


NTMN

Hiva Oa

2024/05/14 1418Z

CYUL MESDA WINGS DIYEG JINUX GERTE ZUMKI BONNY EMANA SUTLA AN NTMN

4823.03 nm / 8932.25 km



Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYUL	-	45.46250	0 ft	-	-
APT	-	-73.76500	0 m		
MESDA	-	43.83239	0 ft	213	-
FIX	-	-78.19519	0 m		
WINGS	-	42.06476	0 ft	215	-
FIX	-	-82.47517	0 m		
DIYEG	-	40.22919	0 ft	207	-
FIX	-	-86.36264	0 m		
JINUX	-	37.84456	0 ft	251	-
FIX	-	-90.79167	0 m		
GERTE	-	35.79336	0 ft	202	-
FIX	-	-94.14383	0 m		
ZUMKI	-	33.53794	0 ft	213	-
FIX	-	-97.48233	0 m		
BONNY	-	31.19961	0 ft	213	-
FIX	-	-100.66331	0 m		
EMANA	-	25.87754	0 ft	464	-
FIX	-	-107.05519	0 m		
SUTLA	-	23.55111	0 ft	197	-
FIX	-	-109.61944	0 m		
AN	-	-9.75222	0 ft	2641	HIVA OA NDB
NDB	-	-139.00111	0 m		
NTMN	-	-9.77344	0 ft	1	HIVA OA
APT	-	-139.01410	0 m		

CYUL

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 3

Elevation: 118 ft / 36 m
Location: 45.467500 -73.743800
Magnetic Var: 13.896 W

METAR

CYUL 141400Z 21005KT 10SM -RA BKN030 BKN050 OVC090 15/14 A2985 RMK SC5SC2AC1 SLP110

TAF

TAF TAF CYUL 141141Z 1412/1512 19010KT P6SM -SHRA FEW020 OVC080 TEMPO 1412/1417 5SM -SHRA BR FEW009 BKN020 OVC080

Frequencies

TWR - 119.90 MHz - MONTREAL TOWER	TWR - 119.30 MHz - MONTREAL TOWER
TWR - 124.30 MHz - MONTREAL TOWER	GND - 121.00 MHz - MONTREAL GROUND
GND - 121.90 MHz - MONTREAL GROUND	CLD - 125.60 MHz - CLEARANCE DELIVERY
APP - 132.85 MHz - MONTREAL APPROACH	APP - 126.90 MHz - MONTREAL APPROACH
DEP - 124.65 MHz - MONTREAL DEPARTURE	DEP - 120.42 MHz - MONTREAL DEPARTURE
REC - 133.70 MHz - ATIS	REC - 127.50 MHz - ATIS
COM - 123.55 MHz - QUEBEC FIC	COM - 126.70 MHz - QUEBEC FIC
COM - 134.15 MHz - VFR ADVISORY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	11,010 ft	42.55	ASPHALT	0 ft	0 ft
	60 m	3,356 m	56.45		0 m	0 m
24R	197 ft	11,010 ft	222.57	ASPHALT	0 ft	0 ft
	60 m	3,356 m	236.47		0 m	0 m
06R	197 ft	9,608 ft	42.59	CONCRETE	0 ft	0 ft
	60 m	2,929 m	56.48		0 m	0 m
24L	197 ft	9,608 ft	222.60	CONCRETE	0 ft	0 ft
	60 m	2,929 m	236.50		0 m	0 m
10	197 ft	7,008 ft	87.61	ASPHALT	0 ft	0 ft
	60 m	2,136 m	101.50		0 m	0 m
28	197 ft	7,008 ft	267.63	ASPHALT	0 ft	0 ft
	60 m	2,136 m	281.52		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IUL	109.30 MHz	18 nm	42.57	-	118 ft
				33 km	56.47		118 m
06R	LOC-ILS	IOA	110.50 MHz	18 nm	42.60	-	118 ft
				33 km	56.50		118 m
10	LOC-ILS	IDO	110.10 MHz	18 nm	87.62	-	118 ft
				33 km	101.52		118 m
24L	LOC-ILS	IMQ	110.50 MHz	18 nm	222.60	-	118 ft
				33 km	236.50		118 m
24R	LOC-ILS	IZZ	111.90 MHz	18 nm	222.57	-	118 ft
				33 km	236.47		118 m
06L	GS	IUL	109.30 MHz	10 nm	42.57	3.00	118 ft
				19 km	56.47		118 m
06R	GS	IOA	110.50 MHz	10 nm	42.60	3.00	118 ft
				19 km	56.50		118 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	GS	IDO	110.10 MHz	10 nm	87.62	3.00	118 ft
				19 km	101.52		118 m
24L	GS	IMQ	110.50 MHz	10 nm	222.60	3.00	118 ft
				19 km	236.50		118 m
24R	GS	IZZ	111.90 MHz	10 nm	222.57	3.00	118 ft
				19 km	236.47		118 m