

# HAAB

Bole Intl-Addis Ababa


# VRMM

Male Ibrahim Nasir International Airport

2024/05/10 1759Z

HAAB MIWAS **W886** DWA DWA **W885** ARSHI **UW885** HARGA **UT382** DAROT **UT384** MAGUG P4 **T940** ENBAD **L516** GOBIG  
**L756** MLE VRMM

2276.45 nm / 4215.99 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
HAAB APT	-	8.97792 38.79930	0 ft 0 m	-	Bole Intl-Addis Ababa
MIWAS FIX	-	9.42167 40.42500	35,000 ft 10,668 m	99	-
DWA VOR	W886 AWY-HI	9.64362 41.84430	35,000 ft 10,668 m	85	DIRE DAWA
DWA DME	-	9.63779 41.84890	35,000 ft 10,668 m	0	DIRE DAWA VOR-DME
ARSHI FIX	W885 AWY-LO	9.55100 43.40590	35,000 ft 10,668 m	92	-
HARGA FIX	UW885 AWY-HI	9.52250 44.09170	35,000 ft 10,668 m	40	-
DAROT FIX	UT382 AWY-HI	9.18889 47.35330	35,000 ft 10,668 m	194	-
APMOL FIX	UT384 AWY-HI	8.62639 49.30220	35,000 ft 10,668 m	120	-
EPLES FIX	UT384 AWY-HI	7.28889 53.57000	35,000 ft 10,668 m	266	-
AXINA FIX	UT384 AWY-HI	6.82968 55.00000	35,000 ft 10,668 m	89	-
ESRAB FIX	UT384 AWY-HI	6.43459 56.34880	35,000 ft 10,668 m	83	-
MAGUG FIX	UT384 AWY-HI	5.34480 60.00030	35,000 ft 10,668 m	227	-
P4 FIX	-	6.58333 60.00000	35,000 ft 10,668 m	74	-
P3 FIX	T940 AWY-HI	6.11856 63.11730	35,000 ft 10,668 m	188	-
ENBAD FIX	T940 AWY-HI	5.29861 67.56500	35,000 ft 10,668 m	270	-
GOBIG FIX	L516 AWY-HI	3.23694 68.52560	35,000 ft 10,668 m	136	-
RULSA FIX	L756 AWY-HI	3.50000 70.00000	35,000 ft 10,668 m	89	-
MLE VOR	L756 AWY-HI	4.20650 73.52760	100 ft 30 m	215	MALE
VRMM APT	-	4.19175 73.52920	0 ft 0 m	0	Male Ibrahim Nasir International Airport

## HAAB

Region: ETHIOPIA  
Timezone: AFRICA/ADDIS\_ABABA  
Runways: 2

Elevation: 7,625 ft / 2,324 m  
Location: 8.977930 38.799300  
Magnetic Var: 2.570 E

## METAR

HAAB 101700Z 08009KT 9999 BKN025 19/13 Q1026

## TAF

UNKNOWN

## Frequencies

REC - 128.50 MHz - BOLE ATIS  
TWR - 118.10 MHz - BOLE TOWER

GND - 121.90 MHz - BOLE GROUND  
APP - 119.70 MHz - BOLE APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	148 ft	12,456 ft	73.56	ASPHALT	1,175 ft	0 ft
	45 m	3,797 m	70.99		358 m	0 m
25L	148 ft	12,456 ft	253.56	ASPHALT	1,175 ft	0 ft
	45 m	3,797 m	251.00		358 m	0 m
07L	148 ft	12,134 ft	73.56	ASPHALT	817 ft	0 ft
	45 m	3,698 m	70.99		249 m	0 m
25R	148 ft	12,134 ft	253.57	ASPHALT	1,243 ft	0 ft
	45 m	3,698 m	251.00		379 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25L	LOC-ILS	ADS	112.90 MHz	18 nm	253.56	-	7,625 ft
				33 km	250.99		7,625 m

## VRMM

Region: MALDIVES  
Timezone: INDIAN/MALDIVES  
Runways: 1

Elevation: 5 ft / 2 m  
Location: 4.191670 73.529200  
Magnetic Var: 2.350 W

## METAR

VRMM 101700Z 28005KT 9999 FEW017TCU BKN260 30/26 Q1009 TEMPO FEW018CB

## TAF

TAF VRMM 101100Z 1012/1118 32010KT 9999 SCT017TCU BKN110 TEMPO 1013/1019 4000 TSRA SCT017CB

## Frequencies

APP - 119.70 MHz - MALÉ APPROACH  
GND - 121.60 MHz - MALÉ GROUND

TWR - 118.10 MHz - MALÉ TOWER  
REC - 125.50 MHz - MALÉ INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	10,558 ft	179.06	ASPHALT	331 ft	0 ft
	45 m	3,218 m	181.41		101 m	0 m
36	148 ft	10,558 ft	359.06	ASPHALT	951 ft	59 ft
	45 m	3,218 m	1.41		290 m	18 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	IML	108.70 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
36	LOC-ILS	IML	108.70 MHz	18 nm	359.09	-	3 ft
				33 km	1.44		3 m
36	GS	IML	108.70 MHz	10 nm	359.09	3.00	3 ft
				19 km	1.44		3 m