

# KATL

Hartsfield Jackson Atlanta Intl


# TLPL

St. Lucia/Hewanorra Intl

2024/05/11 0551Z

KATL MCN **J45** OMN **J79** MALET **V3** INDIA SQT **BR1L** GT GTK **A555** ILURI **UA555** DUNTA **A555** EMOLA TLPL

1810.02 nm / 3352.15 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 340ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KATL APT	-	33.63662 -84.42821	0 ft 0 m	-	Hartsfield Jackson Atlanta Intl
MCN VOR	-	32.69119 -83.64719	23,600 ft 7,193 m	69	MACON VORTAC
AMG VOR	J45 AWY-HI	31.53656 -82.50808	35,000 ft 10,668 m	90	ALMA VORTAC
HILRD FIX	J45 AWY-HI	30.84679 -81.92940	35,000 ft 10,668 m	50	-
YULEE FIX	J45 AWY-HI	30.71451 -81.81965	35,000 ft 10,668 m	9	-
CRG VOR	J45 AWY-HI	30.33889 -81.50992	35,000 ft 10,668 m	27	CRAIG VORTAC
OMN DME	J45 AWY-HI	29.30325 -81.11270	35,000 ft 10,668 m	65	ORMOND BEACH VORTAC
MALET FIX	J79 AWY-HI	28.69164 -80.86786	35,000 ft 10,668 m	38	-
TICCO FIX	V3 AWY-LO	28.51681 -80.79800	17,000 ft 5,182 m	11	-
INDIA FIX	V3 AWY-LO	28.43450 -80.76535	17,000 ft 5,182 m	5	-
SQT NDB	-	28.09947 -80.70081	35,000 ft 10,668 m	20	SATELLITE NDB
JOLTS FIX	BR1L AWY-HI	26.99311 -79.21421	35,000 ft 10,668 m	103	-
BHF NDB	BR1L AWY-HI	26.57356 -78.66353	35,000 ft 10,668 m	38	ISLANDS NDB
BARTS FIX	BR1L AWY-HI	25.98371 -77.50569	35,000 ft 10,668 m	71	-
MAMEL FIX	BR1L AWY-HI	25.53666 -76.64767	35,000 ft 10,668 m	53	-
COBBL FIX	BR1L AWY-HI	24.75689 -75.18802	35,000 ft 10,668 m	92	-
BURGO FIX	BR1L AWY-HI	24.41667 -74.56553	35,000 ft 10,668 m	39	-
AVNEY FIX	BR1L AWY-HI	23.89548 -73.94986	35,000 ft 10,668 m	46	-
BENIE FIX	BR1L AWY-HI	23.57431 -73.57286	35,000 ft 10,668 m	28	-
OREDE FIX	BR1L AWY-HI	22.60414 -72.44526	35,000 ft 10,668 m	85	-
RAHAM FIX	BR1L AWY-HI	22.37935 -72.18762	35,000 ft 10,668 m	19	-
BIKIN FIX	BR1L AWY-HI	21.78752 -71.52404	35,000 ft 10,668 m	51	-
GT NDB	BR1L AWY-HI	21.43717 -71.14594	35,000 ft 10,668 m	29	GRAND TURK NDB
GTK DME	-	21.44066 -71.13437	35,000 ft 10,668 m	0	GRAND TURK VORTAC
COCBU FIX	A555 AWY-HI	21.14989 -70.65436	35,000 ft 10,668 m	32	-
GRADI FIX	A555 AWY-HI	20.52120 -69.63202	35,000 ft 10,668 m	68	-
HARDY	A555	20.00640	35,000 ft	55	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-68.81703	10,668 m		
IDAHO	A555	19.26052	35,000 ft	80	-
FIX	AWY-HI	-67.63955	10,668 m		
DDP	A555	18.46828	35,000 ft	84	DORADO NDB
NDB	AWY-HI	-66.41239	10,668 m		
TUUNA	A555	17.98088	35,000 ft	41	-
FIX	AWY-HI	-65.88613	10,668 m		
COY	A555	17.73444	35,000 ft	69	ST CROIX VOR-DME
VOR	AWY-HI	-64.70072	10,668 m		
PORQE	A555	17.15999	35,000 ft	52	-
FIX	AWY-HI	-64.01449	10,668 m		
ILURI	A555	16.30000	35,000 ft	77	-
FIX	AWY-HI	-63.00000	10,668 m		
DUNTA	UA555	15.60889	29,100 ft	62	-
FIX	AWY-HI	-62.19306	8,870 m		
EMOLA	A555	15.13528	19,000 ft	42	-
FIX	AWY-LO	-61.64639	5,791 m		
TLPL	-	13.73319	0 ft	93	St. Lucia/Hewanorra Intl
APT	-	-60.95260	0 m		

## KATL

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 5

Elevation: 1,026 ft / 313 m  
Location: 33.636600 -84.428000  
Magnetic Var: 5.631 W

## METAR

KATL 110452Z 34010KT 10SM CLR 17/11 A2989 RMK A02 SLP115 T01720106 402780172

## TAF

TAF AMD KATL 110400Z 1104/1206 33011KT P6SM SKC FM110600 34007KT P6SM SKC FM111900 31010G20KT P6SM FEW060 FM120300

## Frequencies

REC - 119.65 MHz - D-ATIS	REC - 125.55 MHz - D-ATIS
COM - 122.95 MHz - UNICOM	CLD - 118.10 MHz - CLEARANCE DELIVERY
GND - 121.65 MHz - ATLANTA GROUND	GND - 121.75 MHz - ATLANTA GROUND
GND - 121.90 MHz - ATLANTA GROUND	TWR - 119.10 MHz - ATLANTA TOWER
TWR - 119.30 MHz - ATLANTA TOWER	TWR - 119.50 MHz - ATLANTA TOWER
TWR - 123.85 MHz - ATLANTA TOWER	TWR - 125.32 MHz - ATLANTA TOWER
APP - 127.90 MHz - ATLANTA APPROACH	APP - 128.00 MHz - ATLANTA APPROACH
DEP - 125.65 MHz - ATLANTA DEPARTURE	DEP - 125.70 MHz - ATLANTA DEPARTURE
DEP - 135.37 MHz - ATLANTA DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	151 ft	12,400 ft	89.99	CONCRETE	0 ft	0 ft
	46 m	3,780 m	95.62		0 m	0 m
27R	151 ft	12,400 ft	270.01	CONCRETE	518 ft	0 ft
	46 m	3,780 m	275.64		158 m	0 m
09R	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
27L	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08L	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
26R	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
10	151 ft	9,008 ft	89.97	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.60		0 m	0 m
28	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08R	151 ft	10,009 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	3,051 m	95.61		0 m	0 m
26L	151 ft	10,009 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	3,051 m	275.62		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IHFV	109.30 MHz	18 nm	-	-	993 ft
				33 km	-		993 m
08R	DME	IATL	109.90 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IHZK	110.50 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
09R	DME	IFUN	108.90 MHz	18 nm	-	-	987 ft
				33 km	-		987 m
10	DME	IOMO	111.55 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
26L	DME	IBRU	108.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
26R	DME	IGXZ	110.10 MHz	18 nm	-	-	1,000 ft
				33 km	-		1,000 m
27L	DME	IFSQ	108.50 MHz	18 nm	-	-	1,020 ft
				33 km	-		1,020 m
27R	DME	IAFA	111.30 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
28	DME	IPKU	111.75 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
08L	LOC-ILS	IHFV	109.30 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
08R	LOC-ILS	IATL	109.90 MHz	18 nm	89.99	-	1,026 ft
				33 km	95.62		1,026 m
09L	LOC-ILS	IHZK	110.50 MHz	18 nm	90.01	-	968 ft
				33 km	95.64		968 m
09R	LOC-ILS	IFUN	108.90 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
10	LOC-ILS	IOMO	111.55 MHz	18 nm	89.98	-	970 ft
				33 km	95.61		970 m
26L	LOC-ILS	IBRU	108.70 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
26R	LOC-ILS	IGXZ	110.10 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27L	LOC-ILS	IFSQ	108.50 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27R	LOC-ILS	IAFA	111.30 MHz	18 nm	270.00	-	1,026 ft
				33 km	275.63		1,026 m
28	LOC-ILS	IPKU	111.75 MHz	18 nm	269.97	-	970 ft
				33 km	275.60		970 m
08L	GS	IHFV	109.30 MHz	10 nm	90.96	3.00	1,008 ft
				19 km	96.59		1,008 m
08R	GS	IATL	109.90 MHz	10 nm	90.96	3.00	1,012 ft
				19 km	96.59		1,012 m
09L	GS	IHZK	110.50 MHz	10 nm	90.02	3.00	1,017 ft
				19 km	95.65		1,017 m
09R	GS	IFUN	108.90 MHz	10 nm	90.96	3.00	1,021 ft
				19 km	96.59		1,021 m
10	GS	IOMO	111.55 MHz	10 nm	90.94	3.00	985 ft
				19 km	96.57		985 m
26L	GS	IBRU	108.70 MHz	10 nm	270.96	3.00	992 ft
				19 km	276.59		992 m
26R	GS	IGXZ	110.10 MHz	10 nm	270.96	3.00	984 ft
				19 km	276.59		984 m
27L	GS	IFSQ	108.50 MHz	10 nm	270.96	3.00	990 ft
				19 km	276.59		990 m
27R	GS	IAFA	111.30 MHz	10 nm	270.02	3.00	981 ft
				19 km	275.65		981 m
28	GS	IPKU	111.75 MHz	10 nm	270.94	3.00	990 ft
				19 km	276.57		990 m