LIPZ
Venezia Tessera


-

EDDT
Berlin Tegel

2024/03/19 1158Z

LIPZ ROKIB BRENO MAH RUDNO AKUDI EDDT

461.39 nm / 854.49 km



Notes

Decoded

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPZ	–	45.49516	0 ft	–	–
APT	–	12.33556	0 m		
ROKIB	–	45.93556	0 ft	37	–
FIX	–	11.69222	0 m		
BRENO	–	46.98000	0 ft	64	–
FIX	–	11.37667	0 m		
MAH	–	48.26343	0 ft	77	MAISACH VOR-DME
VOR	–	11.31193	0 m		
RUDNO	–	49.33583	0 ft	80	–
FIX	–	12.54139	0 m		
AKUDI	–	51.56694	0 ft	140	–
FIX	–	13.65694	0 m		
EDDT	–	52.55668	0 ft	61	–
APT	–	13.27499	0 m		

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.889 E

METAR

LIPZ 191120Z 19004KT 150V240 7000 FEW010 14/10 Q1018 NOSIG

TAF

TAF LIPZ 190500Z 1906/2012 VRB05KT 0200 FG NSC BECMG 1907/1910 7000

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH

GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft 45 m	10,836 ft 3,303 m	42.03 38.14	ASPHALT	0 ft 0 m	0 ft 0 m
22L	148 ft 45 m	10,836 ft 3,303 m	222.05 218.16	ASPHALT	0 ft 0 m	0 ft 0 m
04L	148 ft 45 m	9,129 ft 2,782 m	42.03 38.14	ASPHALT	318 ft 97 m	0 ft 0 m
22R	148 ft 45 m	9,129 ft 2,782 m	222.05 218.16	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm 33 km	- -	-	26 ft 26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm 33 km	42.04 38.15	-	4 ft 4 m
04R	GS	VTS	109.95 MHz	10 nm 19 km	42.04 38.15	3.00	4 ft 4 m

EDDT

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 122 ft / 37 m
Location: 52.559100 13.290200
Magnetic Var: 4.593 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

REC - 125.90 MHz - ATIS
TWR - 118.85 MHz - TEGEL TOWER
GND - 121.75 MHz - TEGEL GROUND
CLD - 121.92 MHz - CLEARANCE DELIVERY
APP - 119.60 MHz - BREMEN RADAR
APP - 126.42 MHz - BREMEN RADAR

REC - 112.30 MHz - ATIS
TWR - 124.52 MHz - TEGEL TOWER
GND - 136.00 MHz - TEGEL GROUND
APP - 120.60 MHz - BREMEN RADAR
APP - 119.50 MHz - BREMEN RADAR
APP - 136.10 MHz - BERLIN DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	151 ft 46 m	9,888 ft 3,014 m	80.82 76.23	ASPHALT	0 ft 0 m	217 ft 66 m
26R	151 ft 46 m	9,888 ft 3,014 m	260.86 256.27	ASPHALT	0 ft 0 m	230 ft 70 m
08R	151 ft 46 m	7,907 ft 2,410 m	80.84 76.24	ASPHALT	325 ft 99 m	164 ft 50 m
26L	151 ft 46 m	7,907 ft 2,410 m	260.87 256.27	ASPHALT	686 ft 209 m	233 ft 71 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	ITLE	109.10 MHz	18 nm 33 km	80.84 76.25	-	122 ft 122 m
08R	LOC-ILS	ITGE	108.50 MHz	18 nm 33 km	80.85 76.26	-	122 ft 122 m
26L	LOC-ILS	ITGW	109.30 MHz	18 nm 33 km	260.85 256.26	-	122 ft 122 m
26R	LOC-ILS	ITLW	110.10 MHz	18 nm 33 km	260.84 256.25	-	122 ft 122 m
08L	GS	ITLE	109.10 MHz	10 nm 19 km	80.84 76.25	3.00	122 ft 122 m
08R	GS	ITGE	108.50 MHz	10 nm 19 km	80.85 76.26	3.00	122 ft 122 m
26L	GS	ITGW	109.30 MHz	10 nm 19 km	260.85 256.26	3.00	122 ft 122 m
26R	GS	ITLW	110.10 MHz	10 nm 19 km	260.84 256.25	3.00	122 ft 122 m