


2024/05/12 0625Z

VYSW KP **W3** TDE SUMSU **L507** OTADA VYYY

284.77 nm / 527.40 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VYSW	-	20.13270	0 ft	-	SITTWE
APT	-	92.87260	0 m		
KP	-	19.42920	20,100 ft	56	KYAUKPYU
NDB	-	93.53660	6,126 m		
TDE	W3	18.45670	33,300 ft	72	THANDWE
VOR	AWY-HI	94.29580	10,150 m		
SUMSU	-	18.57930	27,900 ft	25	-
FIX	-	94.72380	8,504 m		
OTADA	L507	18.30120	21,600 ft	29	-
FIX	AWY-HI	95.14660	6,584 m		
VYYY	-	16.91080	0 ft	100	YANGON INTL
APT	-	96.13570	0 m		

VYYY

Region: MYANMAR
Timezone: ASIA/RANGOON
Runways: 1

Elevation: 110 ft / 34 m
Location: 16.910800 96.135700
Magnetic Var: 0.471 W

METAR

VYYY 120600Z 21003KT 7000 SCT020 FEW025CB 35/28 Q1009

TAF

TAF TAF VYYY 120500Z 1206/1306 27007KT 7000 SCT020 FEW025CB SCT110 TX36/1209Z TN28/1223Z TEMPO 1206/1212 22007KT

Frequencies

REC - 128.40 MHz - ATIS
TWR - 118.10 MHz - MINGALADON TOWER
GND - 121.90 MHz - MINGALADON GROUND
APP - 119.70 MHz - MINGALADON APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	200 ft	11,259 ft	33.12	ASPHALT	0 ft	0 ft
	61 m	3,432 m	33.59		0 m	0 m
21	200 ft	11,259 ft	213.13	ASPHALT	0 ft	190 ft
	61 m	3,432 m	213.60		0 m	58 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	IYGN	109.90 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
21	LOC-ILS	IYGN	109.90 MHz	18 nm	213.13	-	110 ft
				33 km	213.60		110 m
21	GS	IYGN	109.90 MHz	10 nm	213.13	3.00	110 ft
				19 km	213.60		110 m