

ULLI

St. Petersburg Pulkovo Intl

—


UUEE

Moscow-Sheremetyevo Intl'

2024/05/11 0451Z

ULLI LUKIR **B964** RUNEP UUEE

329.16 nm / 609.61 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 27000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ULLI APT	- -	59.80030 30.26250	0 ft 0 m	-	St. Petersburg Pulkovo Intl
LUKIR FIX	- -	59.44970 32.04780	20,700 ft 6,309 m	58 -	-
KANET FIX	B964 AWY-HI	58.73330 33.46440	27,000 ft 8,230 m	61 -	-
MANIV FIX	B964 AWY-HI	58.40500 33.97440	27,000 ft 8,230 m	25 -	-
BERNO FIX	B964 AWY-HI	58.15000 34.36440	27,000 ft 8,230 m	19 -	-
DB NDB	B964 AWY-HI	57.71310 34.97190	27,000 ft 8,230 m	32	POCHINOK
RUNEP FIX	B964 AWY-HI	57.03500 36.24280	15,800 ft 4,816 m	57 -	-
UUEE APT	- -	55.97670 37.39480	0 ft 0 m	74	Moscow-Sheremetyevo Intl'

ULLI

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 79 ft / 24 m
Location: 59.800300 30.262500
Magnetic Var: 11.654 E

METAR

ULLI 110430Z 33008MPS 9999 BKN020 04/M00 Q1013 R28L/290050 NOSIG

TAF

TAF ULLI 110156Z 1103/1203 34007G13MPS 6000 BKN016 TEMPO 1103/1106 34010G15MPS 3100 -SHRA BKN010 BKN016CB BECMG 1

Frequencies

REC - 127.30 MHz - PULKOVO ATIS	REC - 127.40 MHz - PULKOVO ATIS
TWR - 118.70 MHz - PULKOVO TOWER	TWR - 118.10 MHz - PULKOVO TOWER
TWR - 133.50 MHz - PULKOVO TOWER	GND - 121.70 MHz - PULKOVO GROUND
GND - 119.00 MHz - PULKOVO RAMP	GND - 120.90 MHz - PULKOVO APRON
CLD - 121.90 MHz - PULKOVO DELIVERY	APP - 125.20 MHz - PETERSBURG APPROACH
APP - 119.30 MHz - PETERSBURG APPROACH	APP - 120.30 MHz - PETERSBURG KRUG RADAR
DEP - 120.30 MHz - PETERSBURG KRUG RADAR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	197 ft	12,379 ft	106.40	CONCRETE	0 ft	0 ft
	60 m	3,773 m	94.75		0 m	0 m
28L	197 ft	12,379 ft	286.46	CONCRETE	0 ft	0 ft
	60 m	3,773 m	274.80		0 m	0 m
10L	197 ft	11,132 ft	106.51	CONCRETE	0 ft	0 ft
	60 m	3,393 m	94.86		0 m	0 m
28R	197 ft	11,132 ft	286.56	CONCRETE	0 ft	0 ft
	60 m	3,393 m	274.91		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	IPU	110.50 MHz	18 nm	106.54	-	79 ft
				33 km	94.89		79 m
10R	LOC-ILS	IPK	111.90 MHz	18 nm	106.43	-	79 ft
				33 km	94.78		79 m
28L	LOC-ILS	IPO	108.90 MHz	18 nm	286.43	-	79 ft
				33 km	274.78		79 m
28R	LOC-ILS	IPL	111.30 MHz	18 nm	286.54	-	79 ft
				33 km	274.89		79 m
10L	GS	IPU	110.50 MHz	10 nm	106.54	3.00	79 ft
				19 km	94.89		79 m
10R	GS	IPK	111.90 MHz	10 nm	106.43	3.00	79 ft
				19 km	94.78		79 m
28L	GS	IPO	108.90 MHz	10 nm	286.43	3.00	79 ft
				19 km	274.78		79 m
28R	GS	IPL	111.30 MHz	10 nm	286.54	3.00	79 ft
				19 km	274.89		79 m

UUEE

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 3

Elevation: 630 ft / 192 m
Location: 55.972500 37.413100
Magnetic Var: 11.977 E

METAR

UUEE 110430Z 33005MPS 9999 SCT011 OVC030 06/03 Q1005 R24L/290051 R24C/290051 NOSIG

TAF

TAF UUEE 110151Z 1103/1203 33006MPS 9000 BKN016 TX10/1111Z TN02/1202Z TEMPO 1103/1106 3200 -SHRA FEW006 SCT012CB

Frequencies

REC - 122.07 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 125.12 MHz - SHEREMETYEVO ATIS DEPARTURE
REC - 120.37 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 126.37 MHz - SHEREMETYEVO ATIS DEPARTURE
TWR - 131.50 MHz - SHEREMETYEVO TOWER	TWR - 120.70 MHz - SHEREMETYEVO TOWER
TWR - 118.70 MHz - SHEREMETYEVO TOWER	TWR - 119.30 MHz - SHEREMETYEVO TOWER
GND - 119.00 MHz - SHEREMETYEVO GROUND	GND - 121.80 MHz - SHEREMETYEVO GROUND
GND - 122.90 MHz - SHEREMETYEVO GROUND	GND - 121.90 MHz - SHEREMETYEVO APRON 1
GND - 123.60 MHz - SHEREMETYEVO APRON 2	GND - 130.35 MHz - SHEREMETYEVO APRON 3
GND - 134.55 MHz - SHEREMETYEVO APRON 4	CLD - 128.60 MHz -
CLD - 120.87 MHz -	SHEREMETYEVO CLEARANCE DELIVERY
SHEREMETYEVO CLEARANCE DELIVERY	APP - 122.70 MHz - SHEREMETYEVO RADAR
APP - 135.17 MHz - SHEREMETYEVO RADAR	APP - 118.10 MHz - SHEREMETYEVO RADAR
APP - 126.60 MHz - SHEREMETYEVO RADAR	APP - 120.67 MHz - SHEREMETYEVO RADAR
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	10,467 ft	74.98	CONCRETE	0 ft	0 ft
	60 m	3,190 m	63.01		0 m	0 m
24R	197 ft	10,467 ft	255.02	CONCRETE	0 ft	0 ft
	60 m	3,190 m	243.05		0 m	0 m
06C	197 ft	11,611 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,539 m	63.05		0 m	0 m
24C	197 ft	11,611 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,539 m	243.09		0 m	0 m
06R	197 ft	12,101 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,689 m	63.05		0 m	0 m
24L	197 ft	12,101 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,689 m	243.10		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IMA	108.75 MHz	18 nm	75.00	-	630 ft
				33 km	63.02		630 m
06C	LOC-ILS	IMR	108.10 MHz	18 nm	75.05	-	630 ft
				33 km	63.07		630 m
06R	LOC-ILS	INL	109.10 MHz	18 nm	75.05	-	630 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	63.07		630 m
24L	LOC-ILS	IBW	110.50 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24C	LOC-ILS	IAD	111.30 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24R	LOC-ILS	IBR	109.35 MHz	18 nm	255.00	-	630 ft
				33 km	243.02		630 m
06L	GS	IMA	108.75 MHz	10 nm	75.00	3.00	630 ft
				19 km	63.02		630 m
06C	GS	IMR	108.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
06R	GS	INL	109.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
24L	GS	IBW	110.50 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24C	GS	IAD	111.30 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24R	GS	IBR	109.35 MHz	10 nm	255.00	3.00	630 ft
				19 km	243.02		630 m