


2024/05/05 1410Z

LIBD LIML

417.16 nm / 772.58 km



## Notes

Decoded

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIBD	-	41.13463	0 ft	-	-
APT	-	16.74687	0 m		
LIML	-	45.45804	0 ft	417	-
APT	-	9.26826	0 m		

## LIBD

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 173 ft / 53 m  
Location: 41.137900 16.758300  
Magnetic Var: 4.390 E

## METAR

LIBD 051350Z 07009KT 030V100 CAVOK 20/11 Q1016

## TAF

TAF LIBD 051100Z 0512/0612 05010KT CAVOK BECMG 0516/0518 VRB05KT BECMG 0609/0611 08010KT

## Frequencies

REC - 124.05 MHz - ATIS  
TWR - 122.10 MHz - BARI TOWER

TWR - 118.30 MHz - BARI TOWER  
APP - 136.10 MHz - BARI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	9,260 ft	69.40	ASPHALT	1,240 ft	0 ft
	45 m	2,823 m	65.01		378 m	0 m
25	148 ft	9,260 ft	249.42	ASPHALT	0 ft	0 ft
	45 m	2,823 m	245.03		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	BAP	111.35 MHz	18 nm	-	-	183 ft
				33 km	-		183 m
07	LOC-ILS	BAP	111.35 MHz	18 nm	69.39	-	175 ft
				33 km	65.00		175 m
07	GS	BAP	111.35 MHz	10 nm	69.39	3.32	175 ft
				19 km	65.00		175 m

## LIML

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 354 ft / 108 m  
Location: 45.450300 9.272810  
Magnetic Var: 3.237 E

## METAR

LIML 051350Z 25006KT 170V320 9999 FEW030 23/11 Q1014 NOSIG

## TAF

TAF LIML 051100Z 0512/0612 24010KT 9999 FEW030 BECMG 0517/0519 VRB05KT TEMPO 0605/0608 RA

## Frequencies

REC - 136.37 MHz - ATIS	GND - 121.80 MHz - LINATE GROUND
TWR - 118.40 MHz - LINATE TOWER	TWR - 118.10 MHz - LINATE TOWER
APP - 134.17 MHz - MILANO RADAR	APP - 126.75 MHz - MILANO RADAR
APP - 126.30 MHz - MILANO RADAR	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft	8,019 ft	175.67	ASPHALT	0 ft	200 ft
	60 m	2,444 m	172.43		0 m	61 m
36	197 ft	8,019 ft	355.67	ASPHALT	0 ft	413 ft
	60 m	2,444 m	352.43		0 m	126 m
17	72 ft	1,974 ft	175.66	ASPHALT	0 ft	0 ft
	22 m	602 m	172.43		0 m	0 m
35	72 ft	1,974 ft	355.66	ASPHALT	0 ft	0 ft
	22 m	602 m	352.43		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	ILNT	109.55 MHz	25 nm	-	-	352 ft
				46 km	-		352 m
36	LOC-ILS	ILNT	109.55 MHz	18 nm	355.69	-	353 ft
				33 km	352.45		353 m
36	GS	ILNT	109.55 MHz	10 nm	355.68	3.00	352 ft
				19 km	352.44		352 m