

# 061

Cameron Airpark


# KSAN

San Diego Intl

2024/05/04 1743Z

061 LAPOW V23 CZQ J65 EHF T259 LHS V165 SAUGS V459 BERRI KSAN

403.84 nm / 747.92 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 1000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
061	-	38.68400	0 ft	-	Cameron Airpark
APT	-	-120.98800	0 m		
LAPOW	-	37.19790	1,000 ft	98	-
FIX	-	-120.12300	305 m		
BEREN	V23	37.04980	1,000 ft	11	-
FIX	AWY-LO	-119.97700	305 m		
OXVEV	V23	36.97610	1,000 ft	5	-
FIX	AWY-LO	-119.90500	305 m		
CZQ	V23	36.88430	1,000 ft	7	CLOVIS (FRESNO)
VOR	AWY-LO	-119.81500	305 m		
EHF	J65	35.48460	1,000 ft	90	SHAFTER (BAKERSFIELD)
VOR	AWY-HI	-119.09700	305 m		
LHS	T259	34.68300	1,000 ft	54	LAKE HUGHES
VOR	AWY-LO	-118.57700	305 m		
SAUGS	V165	34.49660	1,000 ft	12	-
FIX	AWY-LO	-118.46800	305 m		
KIMMO	V459	34.41020	1,000 ft	5	-
FIX	AWY-LO	-118.41700	305 m		
BERRI	V459	34.19730	1,000 ft	14	-
FIX	AWY-LO	-118.29300	305 m		
KSAN	-	32.73350	0 ft	103	San Diego Intl
APT	-	-117.19000	0 m		

## KSAN

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 1

Elevation: 17 ft / 5 m  
Location: 32.733600 -117.190000  
Magnetic Var: 10.971 E

## METAR

KSAN 041718Z 23006KT 10SM OVC030 18/11 A2995 RMK A02 T01780111 \$

## TAF

TAF AMD KSAN 041439Z 0415/0518 VRB04KT P6SM OVC027 TEMPO 0417/0419 SCT027 FM041900 22010KT P6SM SCT030 BKN040 FM051800 23010KT P6SM SCT030 BKN040

## Frequencies

REC - 134.80 MHz - LINDBERGH ATIS	CLD - 125.90 MHz - LINDBERGH CLEARANCE
GND - 123.90 MHz - LINDBERGH GROUND	TWR - 118.30 MHz - LINDBERGH TOWER
DEP - 119.60 MHz - SOCAL WEST DEPARTURE	DEP - 124.35 MHz - SOCAL EAST DEPARTURE
APP - 119.60 MHz - SOCAL WEST APPROACH	APP - 124.35 MHz - SOCAL EAST APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	200 ft	9,388 ft	106.13	ASPHALT	1,004 ft	390 ft
	61 m	2,861 m	95.16		306 m	119 m
27	200 ft	9,388 ft	286.15	ASPHALT	1,811 ft	0 ft
	61 m	2,861 m	275.18		552 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ISAN	111.55 MHz	18 nm	-	-	29 ft
				33 km	-		29 m
27	DME	IUBR	110.90 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
09	LOC-ILS	ISAN	111.55 MHz	18 nm	106.14	-	17 ft
				33 km	95.17		17 m
27	LOC-LOC	IUBR	110.90 MHz	18 nm	286.14	-	17 ft
				33 km	275.17		17 m
09	GS	ISAN	111.55 MHz	10 nm	106.14	3.10	17 ft
				19 km	95.17		17 m