

GCLP

Gran Canaria-Las Palmas Intl


LXGB

Gibraltar

2024/05/17 0358Z

GCLP GDV **UN871** KORAL **UG5** ESS **UN871** OSDAM LXGB

730.85 nm / 1353.53 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
GCLP APT	-	27.93160 -15.38560	0 ft 0 m	-	Gran Canaria-Las Palmas Intl
GDV VOR	-	28.07710 -15.42900	3,200 ft 975 m	9	GRAN CANARIA
LZR VOR	UN871 AWY-HI	29.16600 -13.51070	35,000 ft 10,668 m	120	LANZAROTE
KORAL FIX	UN871 AWY-HI	29.73140 -12.57830	35,000 ft 10,668 m	59	-
SONSO FIX	UG5 AWY-HI	30.01220 -12.10190	35,000 ft 10,668 m	29	-
ESS VOR	UG5 AWY-HI	31.40130 -9.68692	35,000 ft 10,668 m	150	ESSAOUIRA
NIRAL FIX	UN871 AWY-HI	33.19470 -8.36667	35,000 ft 10,668 m	126	-
OSDAM FIX	UN871 AWY-HI	35.34580 -6.70111	17,500 ft 5,334 m	153	-
LXGB APT	-	36.15120 -5.34985	0 ft 0 m	81	Gibraltar

GCLP

Region: CANARY ISLANDS
Timezone: ATLANTIC/CANARY
Runways: 2

Elevation: 78 ft / 24 m
Location: 27.931600 -15.385600
Magnetic Var: 3.948 W

METAR

GCLP 170330Z 34013KT 9999 FEW020 BKN030 18/15 Q1016 NOSIG

TAF

TAF GCLP 170200Z 1703/1803 36015KT 9999 SCT030 TX23/1714Z TN18/1706Z PROB30 TEMPO 1706/1712 4500 RA

Frequencies

REC - 118.60 MHz - ATIS	GND - 121.70 MHz - GRAN CANARIA GROUND
TWR - 118.30 MHz - GRAN CANARIA TOWER	APP - 121.30 MHz - GRAN CANARIA APPROACH
APP - 124.30 MHz - GRAN CANARIA APPROACH	APP - 124.70 MHz - GRAN CANARIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	148 ft	10,180 ft	21.32	ASPHALT	0 ft	656 ft
	45 m	3,103 m	25.27		0 m	200 m
21L	148 ft	10,180 ft	201.33	ASPHALT	0 ft	666 ft
	45 m	3,103 m	205.27		0 m	203 m
03L	148 ft	10,201 ft	21.35	ASPHALT	0 ft	656 ft
	45 m	3,109 m	25.30		0 m	200 m
21R	148 ft	10,201 ft	201.35	ASPHALT	0 ft	738 ft
	45 m	3,109 m	205.30		0 m	225 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	ILP	109.90 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
21R	DME	RLP	110.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
03L	LOC-ILS	ILP	109.90 MHz	18 nm	21.33	-	77 ft
				33 km	25.28		77 m
21R	LOC-ILS	RLP	110.70 MHz	18 nm	201.32	-	77 ft
				33 km	205.27		77 m
03L	GS	ILP	109.90 MHz	10 nm	21.66	3.00	102 ft
				19 km	25.61		102 m
21R	GS	RLP	110.70 MHz	10 nm	201.66	3.00	77 ft
				19 km	205.61		77 m