


2024/05/05 0601Z

TNCC CUN02 MMUN

1158.33 nm / 2145.23 km



## Notes

Generated

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TNCC	-	12.19211	0 ft	-	-
APT	-	-68.97514	0 m		
CUN02	-	20.95604	0 ft	1145	-
FIX	-	-86.67697	0 m		
MMUN	-	21.05496	0 ft	12	-
APT	-	-86.88084	0 m		

## TNCC

Region: CARIBBEAN NETHERLANDS, ARUBA, CURAÇAO, SINT MAARTEN  
Elevation: 29 ft / 9 m  
Location: 12.188900 -68.959700  
Timezone: UNKNOWN  
Magnetic Var: 11.939 W  
Runways: 1

## METAR

TNCC 050500Z 09009KT 9999 SCT016 28/26 Q1010 NOSIG

## TAF

TAF TNCC 042315Z 0500/0524 11010KT 9999 FEW020 TEMPO 0504/0518 4000 SHRA SCT012CB

## Frequencies

TWR - 132.60 MHz - ATIS  
APP - 119.60 MHz - CURACAO APPROACH  
TWR - 118.30 MHz - HATO TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	11,208 ft	102.14	CONCRETE	2,739 ft	0 ft
	60 m	3,416 m	114.08		835 m	0 m
29	197 ft	11,208 ft	282.15	CONCRETE	0 ft	0 ft
	60 m	3,416 m	294.09		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	IATO	111.90 MHz	18 nm	-	-	29 ft
				33 km	-		29 m
11	LOC-ILS	IATO	111.90 MHz	18 nm	102.23	-	29 ft
				33 km	114.17		29 m
11	GS	IATO	111.90 MHz	10 nm	102.48	3.00	29 ft
				19 km	114.42		29 m

## MMUN

Region: MEXICO  
Timezone: AMERICA/CANCUN  
Runways: 2

Elevation: 22 ft / 7 m  
Location: 21.042100 -86.873500  
Magnetic Var: 2.718 W

## METAR

UNKNOWN

## TAF

TAF MMUN 042317Z 0500/0600 13010KT P6SM BKN015 TX31/0519Z TN25/0509Z FM050200 10006KT P6SM SCT015 FM051700 12015K

## Frequencies

REC - 127.70 MHz - ATIS	REC - 122.30 MHz - CANCUN INFO
GND - 121.00 MHz - CANCUN GROUND	GND - 121.70 MHz - CANCUN GROUND
TWR - 118.10 MHz - CANCUN TOWER	TWR - 118.60 MHz - CANCUN TOWER
CLD - 122.10 MHz - CLEARANCE DELIVERY	APP - 124.70 MHz - CANCUN APPROACH
APP - 123.20 MHz - CANCUN ARRIVAL	DEP - 124.20 MHz - CANCUN DEPARTURE
DEP - 123.50 MHz - CANCUN DEPARTURE	GND - 130.50 MHz - GENERAL AVIATION RAMP CONTROL
APP - 125.20 MHz - MERIDA CONTROL	APP - 125.80 MHz - MERIDA CONTROL
APP - 128.00 MHz - MERIDA CONTROL	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	190 ft	11,550 ft	123.85	ASPHALT	0 ft	476 ft
	58 m	3,520 m	126.56		0 m	145 m
30L	190 ft	11,550 ft	303.86	ASPHALT	0 ft	443 ft
	58 m	3,520 m	306.57		0 m	135 m
12L	148 ft	9,189 ft	123.84	ASPHALT	0 ft	72 ft
	45 m	2,801 m	126.55		0 m	22 m
30R	148 ft	9,189 ft	303.84	ASPHALT	0 ft	98 ft
	45 m	2,801 m	306.56		0 m	30 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	INCP	110.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
12R	DME	ICUN	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
12L	LOC-ILS	INCP	110.70 MHz	18 nm	123.84	-	21 ft
				33 km	126.56		21 m
12R	LOC-ILS	ICUN	111.10 MHz	18 nm	123.85	-	21 ft
				33 km	126.57		21 m
12L	GS	INCP	110.70 MHz	10 nm	123.84	3.00	21 ft
				19 km	126.56		21 m
12R	GS	ICUN	111.10 MHz	10 nm	123.85	3.00	21 ft
				19 km	126.57		21 m