


2024/05/18 0330Z

URMM RIKBA URKK

174.22 nm / 322.65 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 25000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
URMM	-	44.22510	0 ft	-	MINERALNYYE VODY
APT	-	43.08190	0 m		
RIKBA	-	44.53030	22,500 ft	68	-
FIX	-	41.53690	6,858 m		
URKK	-	45.03470	0 ft	105	Krasnodar (Pashkovsky)
APT	-	39.16830	0 m		

## URMM

Region: RUSSIA  
Timezone: EUROPE/MOSCOW  
Runways: 1

Elevation: 1,046 ft / 319 m  
Location: 44.226800 43.083000  
Magnetic Var: 7.947 E

## METAR

URMM 180300Z 30003MPS 9999 SCT048 BKN070 09/07 Q1020 R29/190160 TEMPO 0300 FG BKN002 RMK QFE737/0983

## TAF

TAF URMM 180200Z 1803/1903 29003G08MPS 9999 BKN016 TX17/1812Z TN08/1903Z TEMPO 1803/1818 34005G14MPS 6000 -SHRA B

## Frequencies

REC - 125.25 MHz - ATIS  
GND - 121.90 MHz - MINERALNYYE VODY GROUND  
TWR - 128.00 MHz - MINERALNYYE VODY TOWER  
APP - 119.30 MHz - MINERLANYYE VODY APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	197 ft	12,813 ft	122.26	CONCRETE	0 ft	0 ft
	60 m	3,905 m	114.31		0 m	0 m
30	197 ft	12,813 ft	302.29	CONCRETE	0 ft	0 ft
	60 m	3,905 m	294.34		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IMD	111.70 MHz	18 nm	122.27	-	1,046 ft
				33 km	114.32		1,046 m
30	LOC-ILS	IMW	109.30 MHz	18 nm	302.27	-	1,046 ft
				33 km	294.32		1,046 m
12	GS	IMD	111.70 MHz	10 nm	122.27	3.00	1,046 ft
				19 km	114.32		1,046 m
30	GS	IMW	109.30 MHz	10 nm	302.27	3.00	1,046 ft
				19 km	294.32		1,046 m

## URKK

Region: RUSSIA  
Timezone: EUROPE/MOSCOW  
Runways: 1

Elevation: 118 ft / 36 m  
Location: 45.034300 39.188200  
Magnetic Var: 7.967 E

## METAR

URKK 180300Z 25001MPS 9999 MIFG NSC 08/08 Q1021 R05R/CLRD70 TEMPO 0500 FG RMK QFE762

## TAF

TAF AMD TAF AMD URKK 180254Z 1803/1903 10003G08MPS 9999 SCT030

## Frequencies

REC - 122.45 MHz - ATIS	TWR - 118.20 MHz - KRASNODAR TOWER
GND - 119.00 MHz - KRASNODAR GROUND	APP - 127.70 MHz - KRASNODAR APPROACH
APP - 129.60 MHz - KRASNODAR APPROACH	APP - 121.30 MHz - KRASNODAR RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	145 ft	9,833 ft	52.49	CONCRETE	0 ft	0 ft
	44 m	2,997 m	44.52		0 m	0 m
23L	145 ft	9,833 ft	232.51	CONCRETE	0 ft	0 ft
	44 m	2,997 m	224.54		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	LOC-ILS	IKR	110.70 MHz	18 nm	52.50	-	118 ft
				33 km	44.53		118 m
23L	LOC-ILS	ILD	109.50 MHz	18 nm	232.50	-	118 ft
				33 km	224.53		118 m
05R	GS	IKR	110.70 MHz	10 nm	52.50	2.70	118 ft
				19 km	44.53		118 m
23L	GS	ILD	109.50 MHz	10 nm	232.50	2.70	118 ft
				19 km	224.53		118 m