


2024/05/16 0151Z

UKLL NALAD **L984** LORDU UKDD

448.79 nm / 831.16 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UKLL APT	-	49.81000 23.95800	0 ft 0 m	-	Lviv International
NALAD FIX	-	49.38830 26.45170	35,000 ft 10,668 m	100	-
KOROP FIX	L984 AWY-HI	49.15000 27.84500	35,000 ft 10,668 m	56	-
NIROV FIX	L984 AWY-HI	48.96640 28.84920	35,000 ft 10,668 m	41	-
LORDU FIX	L984 AWY-HI	48.52440 32.60140	21,400 ft 6,523 m	150	-
UKDD APT	-	48.35720 35.10060	0 ft 0 m	100	Dnipropetrovsk Intl

## UKLL

Region: UKRAINE  
Timezone: EUROPE/KIEV  
Runways: 1

Elevation: 1,076 ft / 328 m  
Location: 49.810000 23.958000  
Magnetic Var: 6.869 E

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

TWR - 128.00 MHz - L'VIV TOWER  
APP - 120.52 MHz - L'VIV RADAR (APP)  
GND - 119.00 MHz - L'VIV GND

TWR - 124.00 MHz - L'VIV START  
REC - 128.70 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	10,988 ft	135.84	CONCRETE	1,539 ft	0 ft
	45 m	3,349 m	128.97		469 m	0 m
31	148 ft	10,988 ft	315.87	CONCRETE	351 ft	0 ft
	45 m	3,349 m	309.00		107 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	LOC-ILS	ILO	109.50 MHz	18 nm	135.94	-	1,071 ft
				33 km	129.07		1,071 m
31	LOC-ILS	ILV	110.30 MHz	18 nm	315.64	-	1,071 ft
				33 km	308.77		1,071 m
13	GS	ILO	109.50 MHz	10 nm	136.19	3.00	1,071 ft
				19 km	129.32		1,071 m
31	GS	ILV	110.30 MHz	10 nm	316.19	3.00	1,071 ft
				19 km	309.32		1,071 m

## UKDD

Region: UKRAINE  
Timezone: EUROPE/KIEV  
Runways: 1

Elevation: 482 ft / 147 m  
Location: 48.357300 35.100500  
Magnetic Var: 8.535 E

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

REC - 134.90 MHz - DNIPRO ATIS  
GND - 121.80 MHz - DNIPRO GROUND

REC - 130.90 MHz - DNIPRO ATIS  
TWR - 118.60 MHz - DNIPRO TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	144 ft	9,348 ft	89.99	CONCRETE	0 ft	0 ft
	44 m	2,849 m	81.45		0 m	0 m
26	144 ft	9,348 ft	270.02	CONCRETE	0 ft	0 ft
	44 m	2,849 m	261.48		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	IDP	109.50 MHz	18 nm	90.00	-	482 ft
				33 km	81.47		482 m
26	LOC-ILS	IDR	110.30 MHz	18 nm	270.00	-	482 ft
				33 km	261.47		482 m
08	GS	IDP	109.50 MHz	10 nm	90.00	2.80	482 ft
				19 km	81.47		482 m
26	GS	IDR	110.30 MHz	10 nm	270.00	3.00	482 ft
				19 km	261.47		482 m