

# LFMN

Nice-Cote d'Azur


# CYMX

Montreal Mirabel Intl

2024/05/29 0511Z

LFMN KOTIT **UM616** BEBIX **UP860** NTS **UM616** TERPO **UN490** BERAD **UM142** DOLUR **UN38** LESLU RILED MALOT **G**  
NEEKO **N482A** YRI **J560** YQB PENTU **Q824** CATOG CYMX

3362.60 nm / 6227.53 km



## Notes

Using NAT tracks from 10/1/2020

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: no
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFMN	-	43.65840	0 ft	-	Nice-Cote d'Azur
APT	-	7.21576	0 m		
KOTIT	-	44.60250	31,000 ft	86	-
FIX	-	5.69083	9,449 m		
ETREK	UM616	45.18760	35,000 ft	56	-
FIX	AWY-HI	4.63872	10,668 m		
LERGA	UM616	45.25730	35,000 ft	37	-
FIX	AWY-HI	3.75017	10,668 m		
ADATU	UM616	45.53720	35,000 ft	42	-
FIX	AWY-HI	2.82556	10,668 m		
BEBIX	UM616	45.94920	35,000 ft	64	-
FIX	AWY-HI	1.39972	10,668 m		
LEMKA	UP860	46.62890	35,000 ft	79	-
FIX	AWY-HI	-0.25000	10,668 m		
RALIX	UP860	46.94030	35,000 ft	37	-
FIX	AWY-HI	-1.03889	10,668 m		
MOKUP	UP860	47.09640	35,000 ft	19	-
FIX	AWY-HI	-1.44361	10,668 m		
NTS	UP860	47.16090	35,000 ft	7	NANTES ATLANTIQUE
VOR	AWY-HI	-1.61297	10,668 m		
TERPO	UM616	47.34890	35,000 ft	17	-
FIX	AWY-HI	-1.92889	10,668 m		
DEGEX	UN490	47.74390	35,000 ft	55	-
FIX	AWY-HI	-3.15667	10,668 m		
TERKU	UN490	48.03000	35,000 ft	25	-
FIX	AWY-HI	-3.61667	10,668 m		
BERAD	UN490	48.30190	35,000 ft	24	-
FIX	AWY-HI	-4.06167	10,668 m		
NERLA	UM142	48.99310	35,000 ft	47	-
FIX	AWY-HI	-4.63194	10,668 m		
GANTO	UM142	49.39720	35,000 ft	27	-
FIX	AWY-HI	-4.98111	10,668 m		
OGAGI	UM142	49.45610	35,000 ft	4	-
FIX	AWY-HI	-5.03250	10,668 m		
DOLUR	UM142	49.48440	35,000 ft	1	-
FIX	AWY-HI	-5.05722	10,668 m		
LESLU	UN38	51.00000	35,000 ft	145	-
FIX	AWY-HI	-8.00000	10,668 m		
RILED	-	52.50000	35,000 ft	240	-
FIX	-	-14.00000	10,668 m		
MALOT	-	53.00000	35,000 ft	47	-
FIX	-	-15.00000	10,668 m		
54/20	G	54.00000	35,000 ft	188	-
LATLON	NAT	-20.00000	10,668 m		
55/30	G	55.00000	35,000 ft	353	-
LATLON	NAT	-30.00000	10,668 m		
55/40	G	55.00000	35,000 ft	344	-
LATLON	NAT	-40.00000	10,668 m		
54/50	G	54.00000	35,000 ft	353	-
LATLON	NAT	-50.00000	10,668 m		
NEEKO	G	52.40000	35,000 ft	230	-
FIX	NAT	-55.83330	10,668 m		
YRI	N482A	47.75650	35,000 ft	597	RIVIERE DU LOUP

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	-69.58870	10,668 m		
YQB	J560	46.70530	26,000 ft	104	QUEBEC
VOR	AWY-HI	-71.62630	7,925 m		
PENTU	-	46.56220	24,000 ft	9	-
FIX	-	-71.72170	7,315 m		
CATOG	Q824	45.91720	10,700 ft	61	-
FIX	AWY-HI	-72.88380	3,261 m		
CYMX	-	45.67520	0 ft	50	Montreal Mirabel Intl
APT	-	-74.03540	0 m		

## LFMN

Region: FRANCE  
Timezone: UNKNOWN  
Runways: 2

Elevation: 12 ft / 4 m  
Location: 43.658400 7.215760  
Magnetic Var: 2.742 E

## METAR

LFMN 290500Z 01003KT 9999 FEW011 BKN230 18/15 Q1015 NOSIG

## TAF

TAF LFMN 290200Z 2903/3009 33007KT CAVOK PROB40 TEMPO 2912/2917 20010KT

## Frequencies

REC - 129.60 MHz - NICE ATIS	GND - 121.70 MHz - NICE GROUND
TWR - 118.70 MHz - NICE TOWER	TWR - 123.15 MHz - NICE TOWER
APP - 134.47 MHz - NICE WEST APPROACH	APP - 120.65 MHz - NICE APPROACH
APP - 128.20 MHz - NICE APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,706 ft	44.86	ASPHALT	0 ft	417 ft
	45 m	2,958 m	42.12		0 m	127 m
22L	148 ft	9,706 ft	224.88	ASPHALT	0 ft	525 ft
	45 m	2,958 m	222.14		0 m	160 m
04L	148 ft	8,992 ft	44.86	ASPHALT	0 ft	161 ft
	45 m	2,741 m	42.12		0 m	49 m
22R	148 ft	8,992 ft	224.88	ASPHALT	564 ft	0 ft
	45 m	2,741 m	222.13		172 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	NI	109.95 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04R	DME	NA	110.70 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04L	LOC-ILS	NI	109.95 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04R	LOC-ILS	NA	110.70 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04L	GS	NI	109.95 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m
04R	GS	NA	110.70 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m

## CYMX

Region: CANADA  
Timezone: AMERICA/MONTREAL  
Runways: 2

Elevation: 270 ft / 82 m  
Location: 45.675200 -74.035400  
Magnetic Var: 13.813 W

## METAR

CYMX 290500Z 00000KT 25SM SCT033 SCT085 BKN220 12/09 A2980 RMK SC3AC1CI2 SLP096

## TAF

TAF CYMX 282340Z 2900/2924 31010G20KT P6SM SCT020 BKN040 TEMPO 2900/2903 P6SM -SHRA BKN020 OVC040 FM290300 33005K

## Frequencies

REC - 125.70 MHz - ATIS  
APP - 124.65 MHz -

COM - 119.10 MHz - MIRABEL RADIO  
DEP - 124.65 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	200 ft	11,992 ft	44.87	CONCRETE	0 ft	200 ft
	61 m	3,655 m	58.68		0 m	61 m
24	200 ft	11,992 ft	224.89	CONCRETE	0 ft	200 ft
	61 m	3,655 m	238.70		0 m	61 m
11	200 ft	11,969 ft	98.45	CONCRETE	0 ft	148 ft
	61 m	3,648 m	112.26		0 m	45 m
29	200 ft	11,969 ft	278.48	CONCRETE	0 ft	148 ft
	61 m	3,648 m	292.29		0 m	45 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IKP	111.30 MHz	18 nm	44.88	-	270 ft
				33 km	58.69		270 m
11	LOC-ILS	IJX	110.90 MHz	18 nm	98.46	-	270 ft
				33 km	112.27		270 m
24	LOC-ILS	IIT	111.70 MHz	18 nm	224.88	-	270 ft
				33 km	238.69		270 m
06	GS	IKP	111.30 MHz	10 nm	44.88	3.00	270 ft
				19 km	58.69		270 m
11	GS	IJX	110.90 MHz	10 nm	98.46	3.00	270 ft
				19 km	112.27		270 m
24	GS	IIT	111.70 MHz	10 nm	224.88	3.00	270 ft
				19 km	238.69		270 m