

EICK

Cork International


GCLP

Gran Canaria-Las Palmas Intl

2024/05/03 0517Z

EICK LULOX 5000N0-800W RATKA LASNO T9 BEGAS 4300N0-1000W RIPEL UP47 ORTIS UN728 TFN GCLP

1550.31 nm / 2871.18 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EICK APT	-	51.84290 -8.48930	0 ft 0 m	-	Cork International
LULOX FIX	-	50.36670 -8.00000	32,300 ft 9,845 m	90	-
5000N0-800W LATLON	-	50.00000 -8.00000	35,000 ft 10,668 m	22	-
RATKA FIX	-	49.50000 -8.00000	35,000 ft 10,668 m	30	-
LASNO FIX	-	48.59830 -9.00000	35,000 ft 10,668 m	66	-
BEGAS FIX	T9 AWY-HI	45.00000 -9.00000	35,000 ft 10,668 m	216	-
4300N0-1000W LATLON	-	43.00000 -10.00000	35,000 ft 10,668 m	127	-
RIPEL FIX	-	42.28310 -10.81620	35,000 ft 10,668 m	56	-
TELMU FIX	UP47 AWY-HI	35.63780 -14.53060	35,000 ft 10,668 m	435	-
ORTIS FIX	UP47 AWY-HI	31.40690 -16.55690	35,000 ft 10,668 m	273	-
PITAB FIX	UN728 AWY-HI	30.35290 -16.44920	35,000 ft 10,668 m	63	-
BRICK FIX	UN728 AWY-HI	29.59140 -16.37290	26,300 ft 8,016 m	45	-
TFN VOR	UN728 AWY-HI	28.53680 -16.26880	12,600 ft 3,840 m	63	TENERIFE-NORTH
GCLP APT	-	27.93160 -15.38560	0 ft 0 m	59	Gran Canaria-Las Palmas Intl

EICK

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 2

Elevation: 501 ft / 153 m
Location: 51.842800 -8.489330
Magnetic Var: 2.583 W

METAR

EICK 030500Z 26006KT 9999 BKN048 08/06 Q1008 NOSIG

TAF

TAF EICK 022300Z 0300/0324 27008KT 9999 FEW020 BKN030 PROB40 TEMPO 0300/0307 4000 BR BKN005 PROB30 TEMPO 0300/0307

Frequencies

REC - 120.92 MHz - CORK ATIS
TWR - 119.30 MHz - CORK TOWER

GND - 121.85 MHz - CORK GROUND
APP - 119.90 MHz - CORK APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	150 ft	6,992 ft	159.93	ASPHALT	0 ft	0 ft
	46 m	2,131 m	162.51		0 m	0 m
34	150 ft	6,992 ft	339.94	ASPHALT	0 ft	0 ft
	46 m	2,131 m	342.52		0 m	0 m
07	148 ft	4,250 ft	62.54	CONCRETE	0 ft	0 ft
	45 m	1,295 m	65.12		0 m	0 m
25	148 ft	4,250 ft	242.55	CONCRETE	0 ft	0 ft
	45 m	1,295 m	245.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	ICS	109.90 MHz	18 nm	159.94	-	501 ft
				33 km	162.52		501 m
34	LOC-ILS	ICN	109.15 MHz	18 nm	339.94	-	501 ft
				33 km	342.52		501 m
16	GS	ICS	109.90 MHz	10 nm	159.94	3.00	501 ft
				19 km	162.52		501 m
34	GS	ICN	109.15 MHz	10 nm	339.94	3.00	501 ft
				19 km	342.52		501 m

GCLP

Region: CANARY ISLANDS
Timezone: ATLANTIC/CANARY
Runways: 2

Elevation: 78 ft / 24 m
Location: 27.931600 -15.385600
Magnetic Var: 3.952 W

METAR

GCLP 030500Z 36012KT 9999 FEW035 18/12 Q1017 NOSIG

TAF

TAF GCLP 030200Z 0303/0403 01016KT 9999 FEW030 TX24/0314Z TN17/0306Z PROB30 TEMPO 0311/0318 01017G27KT

Frequencies

REC - 118.60 MHz - ATIS	GND - 121.70 MHz - GRAN CANARIA GROUND
TWR - 118.30 MHz - GRAN CANARIA TOWER	APP - 121.30 MHz - GRAN CANARIA APPROACH
APP - 124.30 MHz - GRAN CANARIA APPROACH	APP - 124.70 MHz - GRAN CANARIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	148 ft	10,180 ft	21.32	ASPHALT	0 ft	656 ft
	45 m	3,103 m	25.27		0 m	200 m
21L	148 ft	10,180 ft	201.33	ASPHALT	0 ft	666 ft
	45 m	3,103 m	205.28		0 m	203 m
03L	148 ft	10,201 ft	21.35	ASPHALT	0 ft	656 ft
	45 m	3,109 m	25.30		0 m	200 m
21R	148 ft	10,201 ft	201.35	ASPHALT	0 ft	738 ft
	45 m	3,109 m	205.31		0 m	225 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	ILP	109.90 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
21R	DME	RLP	110.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
03L	LOC-ILS	ILP	109.90 MHz	18 nm	21.33	-	77 ft
				33 km	25.28		77 m
21R	LOC-ILS	RLP	110.70 MHz	18 nm	201.32	-	77 ft
				33 km	205.28		77 m
03L	GS	ILP	109.90 MHz	10 nm	21.66	3.00	102 ft
				19 km	25.62		102 m
21R	GS	RLP	110.70 MHz	10 nm	201.66	3.00	77 ft
				19 km	205.62		77 m