


2024/05/16 0108Z

KSBA CEANO J126 GOALI KSFO

227.95 nm / 422.17 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSBA APT	-	34.42600 -119.84100	0 ft 0 m	-	Santa Barbara Mun
CEANO FIX	-	35.36950 -120.48800	23,200 ft 7,071 m	65	-
ROBIE FIX	J126 AWY-HI	35.98150 -121.00900	25,300 ft 7,711 m	44	-
GOALI FIX	J126 AWY-HI	36.45950 -121.42400	17,800 ft 5,425 m	35	-
KSFO APT	-	37.61850 -122.37500	0 ft 0 m	83	San Francisco Intl

## KSBA

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 3

Elevation: 13 ft / 4 m  
Location: 34.426000 -119.841000  
Magnetic Var: 11.803 E

## METAR

KSBA 152353Z 27007KT 10SM OVC024 16/12 A2990 RMK A02 SLP124 T01560122 10161 20150 57008 \$

## TAF

TAF KSBA 152338Z 1600/1624 26008KT P6SM OVC025 FM160300 VRB03KT P6SM OVC015 FM160700 VRB03KT 4SM BR OVC007 FM161800

## Frequencies

REC - 132.65 MHz - KSBA ATIS  
CLD - 132.90 MHz - SANTA BARBARA CLD  
TWR - 119.70 MHz - SANTA BARBARA TWR  
DEP - 120.55 MHz - SANTA BARBARA DEP  
COM - 119.70 MHz - SANTA BARBARA CTAF  
GND - 121.70 MHz - SANTA BARBARA GND  
APP - 120.55 MHz - SANTA BARBARA APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	151 ft	6,037 ft	88.58	CONCRETE	0 ft	151 ft
	46 m	1,840 m	76.78		0 m	46 m
25	151 ft	6,037 ft	268.59	CONCRETE	0 ft	991 ft
	46 m	1,840 m	256.79		0 m	302 m
15R	98 ft	4,197 ft	165.70	ASPHALT	0 ft	0 ft
	30 m	1,279 m	153.89		0 m	0 m
33L	98 ft	4,197 ft	345.70	ASPHALT	0 ft	0 ft
	30 m	1,279 m	333.90		0 m	0 m
15L	75 ft	4,192 ft	165.73	ASPHALT	0 ft	0 ft
	23 m	1,278 m	153.93		0 m	0 m
33R	75 ft	4,192 ft	345.74	ASPHALT	0 ft	0 ft
	23 m	1,278 m	333.93		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISBA	110.30 MHz	18 nm	-	-	29 ft
				33 km	-		29 m
07	LOC-ILS	ISBA	110.30 MHz	18 nm	88.59	-	13 ft
				33 km	76.79		13 m
07	GS	ISBA	110.30 MHz	10 nm	88.59	3.00	13 ft
				19 km	76.79		13 m

## KSFO

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 4

Elevation: 13 ft / 4 m  
Location: 37.618500 -122.375000  
Magnetic Var: 12.842 E

## METAR

KSFO 152356Z 31020KT 10SM FEW006 FEW200 18/11 A2986 RMK A02 PK WND 31028/2332 SLP112 T01780111 10200 20167 58007

## TAF

KSFO 152323Z 1600/1706 30013KT P6SM SKC FM160800 25009KT P6SM BKN010 FM161700 02006KT P6SM SCT250 FM162100 27015K

## Frequencies

REC - 113.70 MHz - D-ATIS	REC - 115.80 MHz - D-ATIS
REC - 118.85 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 118.20 MHz -	GND - 121.80 MHz - SAN FRANCISCO GROUND
SAN FRANCISCO CLEARANCE DELIVERY	APP - 134.50 MHz - NORCAL APPROACH
TWR - 120.50 MHz - SAN FRANCISCO TOWER	APP - 128.57 MHz - NORCAL APPROACH
APP - 128.32 MHz - NORCAL APPROACH	DEP - 120.90 MHz - NORCAL DEPARTURE
APP - 133.95 MHz - NORCAL APPROACH	
DEP - 135.10 MHz - NORCAL DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	200 ft	11,859 ft	117.90	ASPHALT	0 ft	876 ft
	61 m	3,615 m	105.06		0 m	267 m
28R	200 ft	11,859 ft	297.92	ASPHALT	302 ft	318 ft
	61 m	3,615 m	285.08		92 m	97 m
10R	200 ft	11,371 ft	117.90	ASPHALT	0 ft	748 ft
	61 m	3,466 m	105.06		0 m	228 m
28L	200 ft	11,371 ft	297.92	ASPHALT	305 ft	322 ft
	61 m	3,466 m	285.08		93 m	98 m
01R	200 ft	8,665 ft	27.71	ASPHALT	564 ft	404 ft
	61 m	2,641 m	14.87		172 m	123 m
19L	200 ft	8,665 ft	207.72	ASPHALT	0 ft	443 ft
	61 m	2,641 m	194.88		0 m	135 m
01L	200 ft	7,664 ft	27.71	ASPHALT	643 ft	469 ft
	61 m	2,336 m	14.87		196 m	143 m
19R	200 ft	7,664 ft	207.72	ASPHALT	0 ft	446 ft
	61 m	2,336 m	194.88		0 m	136 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19L	DME	ISIA	108.90 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
28L	DME	ISFO	109.55 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
28R	DME	IGWQ	111.70 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
28R	DME	IFNP	110.75 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
19L	LOC-ILS	ISIA	108.90 MHz	18 nm	207.72	-	13 ft
				33 km	194.88		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28L	LOC-ILS	ISFO	109.55 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
28R	LOC-ILS	IGWQ	111.70 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
19L	GS	ISIA	108.90 MHz	10 nm	207.72	3.00	13 ft
				19 km	194.88		13 m
28L	GS	ISFO	109.55 MHz	10 nm	297.91	2.85	13 ft
				19 km	285.07		13 m
28R	GS	IGWQ	111.70 MHz	10 nm	297.91	3.00	13 ft
				19 km	285.07		13 m