


BIRK
Reykjavik

LFPG
Paris Charles De Gaulle

2024/05/05 0514Z

BIRK NASBU LARUX MATIK PETAX PG531 PNE LFPG

1265.87 nm / 2344.39 km



Notes

Requested: BIRK NASBU LARUX MATIK PETAX PG531 PNE LFPG

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
BIRK APT	-	64.13000 -21.94060	0 ft 0 m	-	Reykjavik
NASBU FIX	-	63.94670 -20.34820	0 ft 0 m	43	-
LARUX FIX	-	62.62170 -10.00000	0 ft 0 m	290	-
MATIK FIX	-	61.00000 -8.06667	0 ft 0 m	111	-
PETAX FIX	-	50.18670 0.84806	0 ft 0 m	714	-
PG531 FIX	-	48.99870 2.05961	0 ft 0 m	85	-
PNE DME	-	49.02610 2.52885	0 ft 0 m	18	DME-ILS
LFPG APT	-	49.00970 2.56262	0 ft 0 m	1	Paris Charles De Gaulle

BIRK

Region: ICELAND

Timezone: ATLANTIC/REYKJAVIK

Runways: 2

Elevation: 43 ft / 13 m

Location: 64.130000 -21.940600

Magnetic Var: 12.085 W

METAR

BIRK 050500Z 10005KT 9999 FEW022 BKN069 03/03 Q1005

TAF

TAF BIRK 050150Z 0503/0603 17012KT 9999 -SHRA SCT020 BKN030 TX09/0515Z TN03/0506Z TEMPO 0503/0603 4500 SHRA BKN01

Frequencies

REC - 128.10 MHz - REYKJAVIK INFORMATION

GND - 121.70 MHz - REYKJAVIK GROUND

TWR - 118.00 MHz - REYKJAVIK TOWER

APP - 119.00 MHz - REYKJAVIK APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	5,243 ft	355.27	ASPHALT	400 ft	0 ft
	45 m	1,598 m	7.36		122 m	0 m
19	148 ft	5,243 ft	175.27	ASPHALT	0 ft	0 ft
	45 m	1,598 m	187.35		0 m	0 m
13	148 ft	4,184 ft	116.31	ASPHALT	0 ft	0 ft
	45 m	1,275 m	128.39		0 m	0 m
31	148 ft	4,184 ft	296.33	ASPHALT	374 ft	0 ft
	45 m	1,275 m	308.41		114 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	LOC-ILS	IRK	109.90 MHz	18 nm	175.27	-	42 ft
				33 km	187.35		42 m
13	LOC-LOC	IRE	109.10 MHz	18 nm	116.32	-	42 ft
				33 km	128.40		42 m
19	GS	IRK	109.90 MHz	10 nm	175.27	3.50	42 ft
				19 km	187.35		42 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.493 E

METAR

LFPG 050500Z 14005KT 6000 FEW002 BKN043 11/10 Q1010 NOSIG

TAF

TAF LFPG 042300Z 0500/0606 19005KT CAVOK TX17/0512Z TN09/0503Z TEMPO 0503/0509 BKN013 PROB40 TEMPO 0503/0505 4000

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.82		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.81		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.85		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.83		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.85		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.83		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.85		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.83		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.85		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.83		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m