


2024/05/04 1931Z

LFPO ERTIP **G4** HR **W110** WIL BERSU **Z55** GERSA **Z50** RESIA **Q333** BABAG **UN606** ZDA **UL607** XORKI LGAV

1146.32 nm / 2122.99 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.72630	0 ft	-	Paris Only
APT	-	2.36701	0 m		
ERTIP	-	48.13440	31,600 ft	88	-
FIX	-	4.40667	9,632 m		
RLP1A	G4	47.98530	35,000 ft	24	-
FIX	AWY-LO	4.96222	10,668 m		
RLP	G4	47.90630	35,000 ft	12	ROLAMPONT
VOR	AWY-LO	5.24917	10,668 m		
LUL	G4	47.68830	35,000 ft	44	LUXEUIL
VOR	AWY-LO	6.29558	10,668 m		
HR	G4	47.56170	35,000 ft	19	HERICOURT
NDB	AWY-LO	6.73225	10,668 m		
HR12	W110	47.46970	35,000 ft	11	-
FIX	AWY-LO	6.99444	10,668 m		
LUMEL	W110	47.40720	35,000 ft	7	-
FIX	AWY-LO	7.15389	10,668 m		
LEPLA	W110	47.34340	35,000 ft	9	-
FIX	AWY-LO	7.36611	10,668 m		
WIL	W110	47.17830	35,000 ft	24	WILLISAU
VOR	AWY-LO	7.90592	10,668 m		
BERSU	-	47.13550	35,000 ft	2	-
FIX	-	7.94131	10,668 m		
WIL12	Z55	47.09690	35,000 ft	9	-
FIX	AWY-HI	8.17861	10,668 m		
URIGI	Z55	47.05890	35,000 ft	9	-
FIX	AWY-HI	8.41361	10,668 m		
GERSA	Z55	47.03940	35,000 ft	4	-
FIX	AWY-HI	8.53211	10,668 m		
KELIP	Z50	46.95620	35,000 ft	10	-
FIX	AWY-HI	8.76167	10,668 m		
SOPER	Z50	46.88940	35,000 ft	8	-
FIX	AWY-HI	8.94444	10,668 m		
PELAD	Z50	46.59890	35,000 ft	36	-
FIX	AWY-HI	9.72583	10,668 m		
RESIA	Z50	46.47830	35,000 ft	14	-
FIX	AWY-HI	10.04330	10,668 m		
UNTAD	Q333	46.22000	35,000 ft	36	-
FIX	AWY-HI	10.84280	10,668 m		
DIKEM	Q333	46.03970	35,000 ft	25	-
FIX	AWY-HI	11.39940	10,668 m		
ROKIB	Q333	45.93560	35,000 ft	13	-
FIX	AWY-HI	11.69220	10,668 m		
BABAG	Q333	45.38690	35,000 ft	68	-
FIX	AWY-HI	13.12690	10,668 m		
PEVAL	UN606	45.31140	35,000 ft	6	-
FIX	AWY-HI	13.24750	10,668 m		
NAKIT	UN606	45.18810	35,000 ft	11	-
FIX	AWY-HI	13.44780	10,668 m		
PUL	UN606	44.89240	35,000 ft	26	PULA
VOR	AWY-HI	13.91810	10,668 m		
ZDA	UN606	44.09530	35,000 ft	78	ZADAR
VOR	AWY-HI	15.36420	10,668 m		
SPL	UL607	43.49660	35,000 ft	54	SPLIT

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	16.30470	10,668 m		
NERRA	UL607	42.90530	35,000 ft	64	-
FIX	AWY-HI	17.54330	10,668 m		
DBK	UL607	42.55380	35,000 ft	38	DUBROVNIK
VOR	AWY-HI	18.27740	10,668 m		
KONUV	UL607	42.43580	35,000 ft	9	-
FIX	AWY-HI	18.43670	10,668 m		
TILVO	UL607	42.34610	35,000 ft	7	-
FIX	AWY-HI	18.55750	10,668 m		
LASTI	UL607	42.10040	35,000 ft	20	-
FIX	AWY-HI	18.88510	10,668 m		
LEBGA	UL607	41.88310	35,000 ft	18	-
FIX	AWY-HI	19.17170	10,668 m		
PETAK	UL607	41.77530	35,000 ft	9	-
FIX	AWY-HI	19.31390	10,668 m		
PINDO	UL607	40.48080	35,000 ft	107	-
FIX	AWY-HI	20.95580	10,668 m		
PIKOS	UL607	39.96170	35,000 ft	41	-
FIX	AWY-HI	21.55000	10,668 m		
XORKI	UL607	38.16970	5,300 ft	141	-
FIX	AWY-HI	23.50920	1,615 m		
LGAV	-	37.93670	0 ft	24	Athens Eleftherios Venizelos
APT	-	23.94450	0 m		

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.448 E

METAR

LFPO 041900Z AUTO 22003KT 9999 BKN049 BKN120 13/08 Q1009 NOSIG

TAF

TAF LFPO 041700Z 0418/0524 20005KT 9999 FEW030 BKN040 PROB40 TEMPO 0500/0509 -RA BKN008 PROB30 TEMPO 0503/0506 2500

Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.34		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.93		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm 33 km	74.37 72.92	-	291 ft 291 m
02	GS	OLN	110.30 MHz	10 nm 19 km	18.31 16.86	3.00	291 ft 291 m
06	GS	ORE	108.50 MHz	10 nm 19 km	61.80 60.35	3.00	291 ft 291 m
07	GS	OLE	108.15 MHz	10 nm 19 km	74.36 72.91	3.00	291 ft 291 m
24	GS	OLO	110.90 MHz	10 nm 19 km	241.80 240.35	3.00	291 ft 291 m
25	GS	OLW	111.75 MHz	10 nm 19 km	254.36 252.91	3.00	291 ft 291 m

LGAV

Region: GREECE
Timezone: EUROPE/ATHENS
Runways: 2

Elevation: 308 ft / 94 m
Location: 37.936700 23.944500
Magnetic Var: 5.106 E

METAR

LGAV 041920Z 34009KT 9999 FEW018 SCT025 15/10 Q1010 NOSIG

TAF

TAF TAF LGAV 041700Z 0418/0518 VRB05KT 9999 FEW025 SCT070 BECMG 0504/0506 02013KT TEMPO 0504/0512 36015G25KT PROB

Frequencies

REC - 136.12 MHz - ATIS	REC - 131.17 MHz - ATHENS INFORMATION
REC - 124.02 MHz - ATHENS INFORMATION	TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 122.10 MHz - VENIZELOS TOWER	TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND	GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND	GND - 121.80 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY	APP - 132.97 MHz - ATHENS APPROACH
APP - 130.25 MHz - ATHENS APPROACH	APP - 128.95 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH	APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH	APP - 121.40 MHz - ATHENS DIRECT
APP - 118.47 MHz - ATHENS DIRECT	DEP - 118.30 MHz - ATHENS DEPARTURE
DEP - 128.95 MHz - ATHENS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft	13,135 ft	36.87	ASPHALT	984 ft	394 ft
	46 m	4,004 m	31.77		300 m	120 m
21L	151 ft	13,135 ft	216.89	ASPHALT	984 ft	394 ft
	46 m	4,004 m	211.78		300 m	120 m
03L	151 ft	12,478 ft	36.86	ASPHALT	984 ft	394 ft
	46 m	3,803 m	31.75		300 m	120 m
21R	151 ft	12,478 ft	216.87	ASPHALT	984 ft	394 ft
	46 m	3,803 m	211.77		300 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm	-	-	255 ft
				33 km	-		255 m
21L	DME	IEVL	111.10 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
21R	DME	IEVR	110.50 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm	36.52	-	282 ft
				33 km	31.42		282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm	36.97	-	302 ft
				33 km	31.87		302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm	216.52	-	271 ft
				33 km	211.41		271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm	216.50	-	255 ft
				33 km	211.40		255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.93		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.96		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.96		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.93		282 m