


2024/05/23 0300Z

YABA ABA **W172** JOSBU YPPH

203.59 nm / 377.05 km



Notes

Basic altitude profile:

- Ascent Rate: 180ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 4000ft
- Cruise Speed: 240kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YABA	-	-34.94470	0 ft	-	Albany
APT	-	117.81100	0 m		
ABA	-	-34.95220	0 ft	0	ALBANY
NDB	-	117.81100	0 m		
JOSBU	W172	-33.13680	4,000 ft	122	-
FIX	AWY-LO	116.67300	1,219 m		
YPPH	-	-31.93980	0 ft	80	Perth International
APT	-	115.96700	0 m		

YABA

Region: AUSTRALIA
Timezone: AUSTRALIA/PERTH
Runways: 2

Elevation: 233 ft / 71 m
Location: -34.944700 117.810000
Magnetic Var: 1.983 W

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

REC - 122.12 MHz - ATIS

COM - 127.85 MHz - ALBANY UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	98 ft	5,906 ft	134.88	ASPHALT	0 ft	0 ft
	30 m	1,800 m	136.87		0 m	0 m
32	98 ft	5,906 ft	314.88	ASPHALT	0 ft	0 ft
	30 m	1,800 m	316.86		0 m	0 m
05	98 ft	3,596 ft	44.77	ASPHALT	0 ft	0 ft
	30 m	1,096 m	46.75		0 m	0 m
23	98 ft	3,596 ft	224.76	ASPHALT	0 ft	0 ft
	30 m	1,096 m	226.74		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	LOC-ILS	IAB	109.70 MHz	18 nm	136.13	-	233 ft
				33 km	138.11		233 m
14	GS	IAB	109.70 MHz	10 nm	135.80	3.00	233 ft
				19 km	137.78		233 m

YPPH

Region: AUSTRALIA
Timezone: AUSTRALIA/PERTH
Runways: 2

Elevation: 67 ft / 20 m
Location: -31.939800 115.967000
Magnetic Var: 1.733 W

METAR

YPPH 230230Z 04006KT CAVOK 21/01 Q1018

TAF

TAF YPPH 222327Z 2300/2406 02012KT CAVOK FM231100 07008KT CAVOK FM240200 01012KT CAVOK

Frequencies

REC - 113.70 MHz - PERTH ATIS	APP - 123.60 MHz - PERTH APPROACH
DEP - 118.70 MHz - PERTH DEPARTURE	TWR - 127.40 MHz - PERTH TOWER
GND - 121.70 MHz - PERTH GROUND WEST	GND - 122.20 MHz - PERTH GROUND EAST
CLD - 118.55 MHz - PERTH CLEARANCE DELIVERY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	7,100 ft	58.88	ASPHALT	0 ft	217 ft
	45 m	2,164 m	60.62		0 m	66 m
24	148 ft	7,100 ft	238.87	ASPHALT	0 ft	220 ft
	45 m	2,164 m	240.61		0 m	67 m
03	148 ft	11,307 ft	13.88	ASPHALT	0 ft	302 ft
	45 m	3,446 m	15.61		0 m	92 m
21	148 ft	11,307 ft	193.88	ASPHALT	0 ft	210 ft
	45 m	3,446 m	195.61		0 m	64 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	IPN	110.10 MHz	18 nm	-	-	75 ft
				33 km	-		75 m
21	DME	IGD	109.50 MHz	18 nm	-	-	67 ft
				33 km	-		67 m
24	DME	IPH	109.90 MHz	18 nm	-	-	67 ft
				33 km	-		67 m
03	LOC-ILS	IPN	110.10 MHz	18 nm	13.88	-	67 ft
				33 km	15.61		67 m
21	LOC-ILS	IGD	109.50 MHz	18 nm	193.87	-	67 ft
				33 km	195.60		67 m
24	LOC-ILS	IPH	109.90 MHz	18 nm	238.88	-	67 ft
				33 km	240.61		67 m
03	GS	IPN	110.10 MHz	10 nm	13.88	3.00	67 ft
				19 km	15.61		67 m
21	GS	IGD	109.50 MHz	10 nm	193.87	3.00	67 ft
				19 km	195.60		67 m
24	GS	IPH	109.90 MHz	10 nm	238.88	3.00	67 ft
				19 km	240.61		67 m