


2024/06/14 1145Z

LSGG LASUN EDDS

194.11 nm / 359.50 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LSGG	-	46.23770	0 ft	-	Geneva
APT	-	6.10610	0 m		
LASUN	-	47.41400	29,100 ft	91	-
FIX	-	7.53743	8,870 m		
EDDS	-	48.68980	0 ft	102	Stuttgart
APT	-	9.22197	0 m		

LSGG

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 46.238100 6.109010
Magnetic Var: 2.522 E

METAR

LSGG 141120Z AUTO 24007KT 9000 RA BKN058TCU 15/12 Q1016 NOSIG

TAF

TAF LSGG 140825Z 1409/1515 22005KT 9999 BKN060 TX20/1415Z TN14/1504Z TX21/1515Z TEMPO 1500/1505 4000 +SHRA OVC020

Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.90		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.93		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.92		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.92		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.92		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.92		1,411 m

EDDS

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 1

Elevation: 1,271 ft / 387 m
Location: 48.689800 9.221970
Magnetic Var: 3.334 E

METAR

EDDS 141120Z AUTO 21006KT 120V280 9999 BKN034 17/10 Q1012 NOSIG

TAF

TAF TAF EDDS 140500Z 1406/1506 21005KT 9999 BKN045 TEMPO 1406/1409 RA TEMPO 1412/1415 20010KT PROB30 TEMPO 1412/1415 20010KT

Frequencies

REC - 126.13 MHz - STUTTGART ATIS	COM - 122.80 MHz - STUTTGART UNICOM
CLD - 121.90 MHz - STUTTGART DELIVERY	GND - 118.60 MHz - STUTTGART GROUND
TWR - 118.80 MHz - STUTTGART TOWER	TWR - 119.05 MHz - STUTTGART TOWER
APP - 119.85 MHz - STUTTGART DIRECTOR	APP - 119.20 MHz - LANGEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,985 ft	74.04	CONCRETE	997 ft	138 ft
	45 m	3,348 m	70.70		304 m	42 m
25	148 ft	10,985 ft	254.07	CONCRETE	0 ft	144 ft
	45 m	3,348 m	250.73		0 m	44 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISTE	115.45 MHz	18 nm	-	-	1,332 ft
				33 km	-		1,332 m
25	DME	ISTW	115.45 MHz	18 nm	-	-	1,332 ft
				33 km	-		1,332 m
07	LOC-ILS	ISTE	109.50 MHz	18 nm	74.05	-	1,271 ft
				33 km	70.72		1,271 m
25	LOC-ILS	ISTW	109.90 MHz	18 nm	254.05	-	1,271 ft
				33 km	250.72		1,271 m
07	GS	ISTE	109.50 MHz	10 nm	74.05	3.00	1,271 ft
				19 km	70.72		1,271 m
25	GS	ISTW	109.90 MHz	10 nm	254.05	3.00	1,271 ft
				19 km	250.72		1,271 m