

# VAAH

Sardar Vallabhbhai Patel Intl


# VIDP

Indira Gandhi Intl

2024/05/04 1054Z

VAAH AAE Q3 UUD W13N DIPAS VIDP

412.57 nm / 764.08 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VAAH	-	23.07720	0 ft	-	Sardar Vallabhbhai Patel Intl
APT	-	72.63440	0 m		
AAE	-	23.06820	200 ft	0	AHMEDABAD
VOR	-	72.62910	61 m		
UUD	Q3	24.61280	35,000 ft	115	UDAIPUR
VOR	AWY-HI	73.89410	10,668 m		
DIPAS	W13N	27.63750	18,300 ft	210	-
FIX	AWY-HI	75.86420	5,578 m		
VIDP	-	28.55850	0 ft	85	Indira Gandhi Intl
APT	-	77.09790	0 m		

## VAAH

Region: INDIA  
Timezone: ASIA/KOLKATA  
Runways: 1

Elevation: 188 ft / 57 m  
Location: 23.077200 72.634400  
Magnetic Var: 0.896 E

## METAR

VAAH 041030Z 30006KT 6000 FEW080 39/16 Q1005 NOSIG

## TAF

TAF VAAH 040500Z 0406/0512 30008KT 5000 FU NSC BECMG 0407/0409 6000 TEMPO 0410/0412 30010G20KT 4000 DRDU FEW025 SC

## Frequencies

TWR - 118.10 MHz - AHMEDABAD TOWER	TWR - 119.60 MHz - AHMEDABAD TOWER
APP - 119.80 MHz - AHMEDABAD APPROACH	APP - 123.75 MHz - AHMEDABAD RADAR
APP - 134.20 MHz - AHMEDABAD RADAR	REC - 126.80 MHz - AHMEDABAD INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	11,513 ft	44.50	ASPHALT	0 ft	0 ft
	45 m	3,509 m	43.61		0 m	0 m
23	148 ft	11,513 ft	224.51	ASPHALT	0 ft	0 ft
	45 m	3,509 m	223.62		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	DME	AHD	110.30 MHz	18 nm	-	-	180 ft
				33 km	-		180 m
23	LOC-ILS	IAHD	110.30 MHz	18 nm	224.50	-	188 ft
				33 km	223.60		188 m
23	GS	IAHD	110.30 MHz	10 nm	224.50	3.00	188 ft
				19 km	223.60		188 m

## VIDP

Region: INDIA  
Timezone: ASIA/KOLKATA  
Runways: 3

Elevation: 778 ft / 237 m  
Location: 28.558500 77.097900  
Magnetic Var: 1.600 E

## METAR

VIDP 041030Z 27008KT 4000 HZ SCT100 40/02 Q1004 NOSIG

## TAF

VIDP 040500Z 0406/0512 29010KT 4500 HZ SCT035 BKN100 TEMPO 0408/0412 29015G25KT 1500 TSRA FEW035CB BECMG 0413/041

## Frequencies

REC - 126.40 MHz - DELHI ATIS  
TWR - 118.10 MHz - DELHI TOWER  
APP - 124.20 MHz - DELHI APPROACH  
GND - 121.90 MHz - DELHI GROUND  
APP - 126.35 MHz - DELHI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	14,509 ft	103.69	ASPHALT	2,106 ft	0 ft
	60 m	4,422 m	102.10		642 m	0 m
29	197 ft	14,509 ft	283.72	ASPHALT	4,780 ft	0 ft
	60 m	4,422 m	282.12		1,457 m	0 m
10	150 ft	12,511 ft	104.69	ASPHALT	0 ft	883 ft
	46 m	3,813 m	103.09		0 m	269 m
28	150 ft	12,511 ft	284.71	ASPHALT	0 ft	476 ft
	46 m	3,813 m	283.11		0 m	145 m
09	150 ft	9,219 ft	91.44	ASPHALT	0 ft	197 ft
	46 m	2,810 m	89.84		0 m	60 m
27	150 ft	9,219 ft	271.46	ASPHALT	499 ft	0 ft
	46 m	2,810 m	269.86		152 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	DEL	109.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
27	DME	IDLH	110.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
28	DME	IPLM	110.30 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
09	LOC-ILS	IDIA	108.50 MHz	18 nm	91.45	-	778 ft
				33 km	89.85		778 m
10	LOC-ILS	IDEL	109.50 MHz	18 nm	104.70	-	778 ft
				33 km	103.10		778 m
27	LOC-ILS	IDLH	110.50 MHz	18 nm	271.45	-	778 ft
				33 km	269.85		778 m
28	LOC-ILS	IPLM	110.30 MHz	18 nm	284.70	-	778 ft
				33 km	283.10		778 m
11	LOC-ILS	IDMR	111.30 MHz	18 nm	103.71	-	778 ft
				33 km	102.11		778 m
29	LOC-ILS	IDGM	110.90 MHz	18 nm	283.71	-	778 ft
				33 km	282.11		778 m
09	GS	IDIA	108.50 MHz	10 nm	91.45	3.00	778 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	89.85		778 m
10	GS	IDEL	109.50 MHz	10 nm	104.70	3.00	778 ft
				19 km	103.10		778 m
27	GS	IDLH	110.50 MHz	10 nm	271.45	3.00	778 ft
				19 km	269.85		778 m
28	GS	IPLM	110.30 MHz	10 nm	284.70	3.00	778 ft
				19 km	283.10		778 m
11	GS	IDMR	111.30 MHz	10 nm	103.71	3.00	778 ft
				19 km	102.11		778 m
29	GS	IDGM	110.90 MHz	10 nm	283.71	3.00	778 ft
				19 km	282.11		778 m