

# TFFF

Martinique Aime Cesaire Intl


# KMIA

Miami Intl

2024/05/10 0051Z

TFFF DUNTA **UA555** ILURI **A555** GRADI **Y587** SEBUG **A555** GTK GTK **Y587** RAJAY **BR53V** WOOZE KMIA

1287.37 nm / 2384.20 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TFFF APT	-	14.59080 -61.00460	0 ft 0 m	-	Martinique Aime Cesaire Intl
DUNTA FIX	-	15.60890 -62.19310	32,900 ft 10,028 m	92	-
ILURI FIX	UA555 AWY-HI	16.30000 -63.00000	35,000 ft 10,668 m	62	-
PORQE FIX	A555 AWY-HI	17.16000 -64.01450	35,000 ft 10,668 m	77	-
COY VOR	A555 AWY-HI	17.73440 -64.70070	35,000 ft 10,668 m	52	SAINT CROIX
SNOOZ FIX	A555 AWY-HI	17.81500 -65.08390	35,000 ft 10,668 m	22	-
TUUNA FIX	A555 AWY-HI	17.98090 -65.88610	35,000 ft 10,668 m	46	-
DDP NDB	A555 AWY-HI	18.46830 -66.41240	35,000 ft 10,668 m	41	DORADO (SAN JUAN)
IDAHO FIX	A555 AWY-HI	19.26050 -67.63950	35,000 ft 10,668 m	84	-
HARDE FIX	A555 AWY-HI	20.00640 -68.81700	35,000 ft 10,668 m	80	-
GRADI FIX	A555 AWY-HI	20.52120 -69.63200	35,000 ft 10,668 m	55	-
SEBUG FIX	Y587 AWY-HI	20.89770 -70.24210	35,000 ft 10,668 m	41	-
COCBU FIX	A555 AWY-HI	21.14990 -70.65440	35,000 ft 10,668 m	27	-
GTK DME	A555 AWY-HI	21.44070 -71.13440	35,000 ft 10,668 m	32	GRAND TURK VORTAC
GTK VOR	-	21.44000 -71.13500	35,000 ft 10,668 m	0	GRAND TURK
RNDLY FIX	Y587 AWY-HI	22.51490 -72.89990	35,000 ft 10,668 m	117	-
PAARR FIX	Y587 AWY-HI	23.24500 -74.30690	35,000 ft 10,668 m	89	-
DONEZ FIX	Y587 AWY-HI	24.26300 -76.28250	35,000 ft 10,668 m	124	-
COZIE FIX	Y587 AWY-HI	24.68140 -76.98190	35,000 ft 10,668 m	45	-
RAJAY FIX	Y587 AWY-HI	25.30080 -78.18600	25,200 ft 7,681 m	75	-
WOOZE FIX	BR53V AWY-HI	25.42610 -78.71940	18,800 ft 5,730 m	29	-
KMIA APT	-	25.79620 -80.28970	0 ft 0 m	87	Miami Intl

## TFFF

Region: FRANCE (GUADELOUPE, MARTINIQUE, SAINT BARTHÉLEMY, SAINT MARTIN)  
Elevation: 16 ft / 5 m  
Coordinates: 17.590800 -61.004600  
Timezone: AMERICA/MARTINIQUE  
Magnetic Var: 15.254 W  
Runways: 1

## METAR

TFFF 100030Z AUTO 10005KT 050V120 CAVOK 28/24 Q1013 NOSIG

## TAF

TAF AMD TFFF 100017Z 1000/1024 VRB02KT 9999 SCT035 SCT170 BECMG 1010/1012 10012KT TEMPO 1017/1021 BKN018TCU BECMG

## Frequencies

REC - 127.85 MHz - ATIS  
TWR - 118.50 MHz - FORT DE FRANCE TWR  
APP - 129.05 MHz - FORT DE FRANCE APP  
GND - 121.90 MHz -  
APP - 121.00 MHz - FORT DE FRANCE APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,852 ft	79.94	ASPHALT	0 ft	52 ft
	45 m	3,003 m	95.20		0 m	16 m
28	148 ft	9,852 ft	259.95	ASPHALT	817 ft	994 ft
	45 m	3,003 m	275.20		249 m	303 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	FF	109.90 MHz	18 nm	79.93	-	16 ft
				33 km	95.18		16 m
10	GS	FF	109.90 MHz	10 nm	79.93	3.00	16 ft
				19 km	95.18		16 m

## KMIA

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 4

Elevation: 11 ft / 3 m  
Location: 25.796200 -80.289700  
Magnetic Var: 7.273 W

## METAR

KMIA 092353Z 15010G22KT 10SM CLR 27/21 A2992 RMK A02 SLP131 T02720206 10306 20272 53003

## TAF

TAF KMIA 092320Z 1000/1106 17009KT P6SM SKC FM100400 VRB04KT P6SM SKC FM101400 20011G18KT P6SM FEW030 SCT050 FM10

## Frequencies

REC - 119.15 MHz - D-ATIS	REC - 133.67 MHz - D-ATIS
COM - 123.00 MHz - UNICOM	CLD - 135.35 MHz - CLEARANCE DELIVERY
GND - 121.80 MHz - MIAMI GROUND	GND - 127.50 MHz - MIAMI GROUND
TWR - 118.30 MHz - MIAMI TOWER	TWR - 123.90 MHz - MIAMI TOWER
APP - 120.50 MHz - MIAMI APPROACH	APP - 124.85 MHz - MIAMI APPROACH
APP - 125.75 MHz - MIAMI APPROACH	DEP - 119.45 MHz - MIAMI DEPARTURE
DEP - 125.50 MHz - MIAMI DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	151 ft	13,027 ft	87.37	CONCRETE	1,371 ft	384 ft
	46 m	3,971 m	94.64		418 m	117 m
27	151 ft	13,027 ft	267.39	CONCRETE	276 ft	374 ft
	46 m	3,971 m	274.66		84 m	114 m
08R	200 ft	10,515 ft	87.38	CONCRETE	0 ft	407 ft
	61 m	3,205 m	94.65		0 m	124 m
26L	200 ft	10,515 ft	267.39	CONCRETE	0 ft	407 ft
	61 m	3,205 m	274.66		0 m	124 m
08L	151 ft	8,607 ft	87.38	CONCRETE	0 ft	387 ft
	46 m	2,624 m	94.65		0 m	118 m
26R	151 ft	8,607 ft	267.39	CONCRETE	0 ft	387 ft
	46 m	2,624 m	274.66		0 m	118 m
12	151 ft	9,366 ft	119.61	CONCRETE	0 ft	397 ft
	46 m	2,855 m	126.88		0 m	121 m
30	151 ft	9,366 ft	299.62	CONCRETE	948 ft	0 ft
	46 m	2,855 m	306.89		289 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IROY	109.30 MHz	18 nm	-	-	8 ft
				33 km	-		8 m
08R	DME	IMFA	110.30 MHz	18 nm	-	-	8 ft
				33 km	-		8 m
12	DME	IGEM	108.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
26L	DME	IVIN	109.10 MHz	18 nm	-	-	12 ft
				33 km	-		12 m
26R	DME	ICNV	109.30 MHz	18 nm	-	-	8 ft
				33 km	-		8 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	DME	IDCX	111.70 MHz	18 nm	-	-	8 ft
				33 km	-		8 m
08R	LOC-ILS	IMFA	110.30 MHz	18 nm	87.37	-	4 ft
				33 km	94.64		4 m
09	LOC-ILS	IBUL	110.90 MHz	18 nm	87.37	-	4 ft
				33 km	94.64		4 m
12	LOC-ILS	IGEM	108.90 MHz	18 nm	119.60	-	4 ft
				33 km	126.87		4 m
26L	LOC-ILS	IVIN	109.10 MHz	18 nm	267.37	-	4 ft
				33 km	274.64		4 m
27	LOC-ILS	IMIA	109.50 MHz	18 nm	267.37	-	4 ft
				33 km	274.64		4 m
30	LOC-ILS	IDCX	111.70 MHz	18 nm	299.60	-	4 ft
				33 km	306.87		4 m
08L	LOC-LOC	IROY	109.30 MHz	18 nm	87.36	-	4 ft
				33 km	94.63		4 m
26R	LOC-LOC	ICNV	109.30 MHz	18 nm	267.36	-	4 ft
				33 km	274.63		4 m
08R	GS	IMFA	110.30 MHz	10 nm	87.37	3.00	4 ft
				19 km	94.64		4 m
09	GS	IBUL	110.90 MHz	10 nm	87.37	3.00	4 ft
				19 km	94.64		4 m
12	GS	IGEM	108.90 MHz	10 nm	119.60	3.00	4 ft
				19 km	126.87		4 m
26L	GS	IVIN	109.10 MHz	10 nm	267.37	3.00	4 ft
				19 km	274.64		4 m
27	GS	IMIA	109.50 MHz	10 nm	267.37	3.00	4 ft
				19 km	274.64		4 m
30	GS	IDCX	111.70 MHz	10 nm	299.60	3.00	4 ft
				19 km	306.87		4 m