

MHTG

Tegucigalpa Toncontin Intl


MPTO

Tocumen Intl

2024/05/29 0152Z

MHTG LIBIS A502 MGA A317 TBG MPTO

600.37 nm / 1111.88 km



Notes

Requested: MHTG LIBIS A502 MGA A317 TBG MPTO

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MHTG APT	-	14.06088 -87.21720	0 ft 0 m	-	Tegucigalpa Toncontin Intl
LIBIS FIX	-	13.61333 -87.26667	0 ft 0 m	27	-
BERTA FIX	A502 AWY-LO	12.95000 -86.77333	0 ft 0 m	49	-
MGA VOR	A502 AWY-LO	12.13972 -86.17422	0 ft 0 m	60	MANAGUA VOR-DME
EMARI FIX	A317 AWY-LO	11.56500 -85.33833	0 ft 0 m	60	-
CHILE FIX	A317 AWY-LO	11.04750 -84.58694	0 ft 0 m	54	-
RADON FIX	A317 AWY-LO	10.69083 -84.07250	0 ft 0 m	37	-
TIGRE FIX	A317 AWY-LO	10.49333 -83.80167	0 ft 0 m	19	-
LIO VOR	A317 AWY-LO	9.96314 -83.02717	0 ft 0 m	55	LIMON VOR-DME
BUFEO FIX	A317 AWY-LO	9.81667 -82.55000	0 ft 0 m	29	-
BITOR FIX	A317 AWY-LO	9.26667 -81.00000	0 ft 0 m	97	-
TBG VOR	A317 AWY-LO	8.78758 -79.56203	0 ft 0 m	90	TABOGA ISLAND VOR-DME
MPTO APT	-	9.07136 -79.38346	0 ft 0 m	20	Tocumen Intl

MPTO

Region: PANAMA
Timezone: AMERICA/PANAMA
Runways: 2

Elevation: 134 ft / 41 m
Location: 9.071400 -79.383500
Magnetic Var: 5.460 W

METAR

MPTO 290100Z 26006KT 9999 SCT018CB BKN090 27/24 Q1010 NOSIG

TAF

TAF MPTO 282300Z 2900/3006 29006KT 9999 SCT018 SCT090 TEMPO 2900/2904 SCT018CB SCT090 PROB30 2905/2909 09006KT 6000

Frequencies

REC - 127.70 MHz - ATIS	TWR - 118.10 MHz - TOCUMEN TOWER
GND - 121.90 MHz - TOCUMEN GROUND	GND - 112.05 MHz - TOCUMEN GROUND
CLD - 129.80 MHz - CLEARANCE DELIVERY	APP - 121.20 MHz - PANAMA APPROACH
APP - 123.30 MHz - PANAMA APPROACH	APP - 119.70 MHz - PANAMA APPROACH
APP - 119.20 MHz - PANAMA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	148 ft	10,049 ft	29.33	CONCRETE	0 ft	0 ft
	45 m	3,063 m	34.79		0 m	0 m
21L	148 ft	10,049 ft	209.33	CONCRETE	0 ft	0 ft
	45 m	3,063 m	214.79		0 m	0 m
03L	148 ft	8,832 ft	30.67	ASPHALT	814 ft	0 ft
	45 m	2,692 m	36.13		248 m	0 m
21R	148 ft	8,832 ft	210.67	ASPHALT	0 ft	0 ft
	45 m	2,692 m	216.13		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03R	DME	INAT	110.70 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
03R	LOC-ILS	INAT	110.70 MHz	18 nm	29.33	-	134 ft
				33 km	34.79		134 m
03R	GS	INAT	110.70 MHz	10 nm	29.33	3.00	134 ft
				19 km	34.79		134 m