PHNL – NTAA


Honolulu Intl

Faaa

2024/03/29 0753Z

PHNL FA NTAA

2385.88 nm / 4418.65 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PHNL	–	21.31833	0 ft	–	Honolulu Intl
APT	–	-157.92332	0 m		
FA	–	-17.55297	0 ft	2385	TAHITI FAAA NDB
NDB	–	-149.61378	0 m		
NTAA	–	-17.56288	0 ft	0	–
APT	–	-149.62043	0 m		

PHNL

Region: USA (HAWAII)
Timezone: PACIFIC/HONOLULU
Runways: 4

Elevation: 13 ft / 4 m
Location: 21.319400 -157.921000
Magnetic Var: 9.263 E

METAR

PHNL 290653Z 06013G19KT 10SM FEW025 FEW037 24/17 A3017

TAF

TAF AMD PHNL 290544Z 2906/3012 07016G25KT P6SM FEW025 SCT045 FM291000 06013KT P6SM SCT030 SCT050 FM291800 06014G2

Frequencies

REC - 127.90 MHz - ATIS
TWR - 123.90 MHz - HONOLULU TOWER
CLD - 121.40 MHz - CLEARANCE DELIVERY
DEP - 124.80 MHz - HCF DEPARTURE

TWR - 118.10 MHz - HONOLULU TOWER
GND - 121.90 MHz - HONOLULU GROUND
APP - 118.30 MHz - HCF APPROACH
DEP - 124.80 MHz - HCF DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	150 ft 46 m	6,961 ft 2,122 m	52.84 43.58	ASPHALT	0 ft 0 m	0 ft 0 m
22R	150 ft 46 m	6,961 ft 2,122 m	232.85 223.58	ASPHALT	0 ft 0 m	0 ft 0 m
04R	150 ft 46 m	9,010 ft 2,746 m	52.85 43.59	ASPHALT	0 ft 0 m	194 ft 59 m
22L	150 ft 46 m	9,010 ft 2,746 m	232.86 223.59	ASPHALT	0 ft 0 m	197 ft 60 m
08R	200 ft 61 m	11,987 ft 3,654 m	90.01 80.74	ASPHALT	0 ft 0 m	558 ft 170 m
26L	200 ft 61 m	11,987 ft 3,654 m	270.02 260.75	ASPHALT	0 ft 0 m	554 ft 169 m
08L	150 ft 46 m	12,297 ft 3,748 m	90.00 80.74	ASPHALT	0 ft 0 m	469 ft 143 m
26R	150 ft 46 m	12,297 ft 3,748 m	270.01 260.75	ASPHALT	0 ft 0 m	696 ft 212 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	IIUM	110.50 MHz	18 nm 33 km	- -	-	21 ft 21 m
26L	DME	IEPC	109.10 MHz	18 nm 33 km	- -	-	13 ft 13 m
26L	LOC-LOC	IEPC	109.10 MHz	18 nm 33 km	304.00 294.74	-	13 ft 13 m
04R	GS	IIUM	110.50 MHz	10 nm 19 km	52.85 43.59	3.00	13 ft 13 m
08L	GS	IHNL	111.70 MHz	10 nm 19 km	90.01 80.75	3.01	13 ft 13 m

NTAA

Region: FRENCH POLYNESIA
Timezone: PACIFIC/TAHITI
Runways: 1

Elevation: 5 ft / 2 m
Location: -17.553700 -149.607000
Magnetic Var: 12.883 E

METAR

NTAA 290730Z 08003KT 050V110 9999 FEW026 SCT280 28/22 Q1015 NOSIG

TAF

TAF NTAA 290500Z 2906/3012 VRB05KT 9999 FEW025

Frequencies

REC - 128.80 MHz - ATIS
TWR - 118.10 MHz - TAHITI TOWER

GND - 121.90 MHz - TAHITI GROUND
APP - 121.30 MHz - TAHITI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft 45 m	11,238 ft 3,425 m	54.10 41.22	ASPHALT	1,037 ft 316 m	0 ft 0 m
22	148 ft 45 m	11,238 ft 3,425 m	234.10 221.21	ASPHALT	577 ft 176 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	PT	109.90 MHz	18 nm 33 km	- -	-	59 ft 59 m
04	LOC-ILS	PT	109.90 MHz	18 nm 33 km	54.05 41.17	-	20 ft 20 m
04	GS	PT	109.90 MHz	10 nm 19 km	54.06 41.18	3.00	59 ft 59 m