

# LICC

Catania-Fontanarossa "Vincenzo Bellini"


# HLGD

SIRTE

2024/05/16 1943Z

LICC LORED **UL31** LOTIN **UL12** NAGDA HLGD

407.56 nm / 754.80 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LICC	-	37.46680	0 ft	-	Catania-Fontanarossa	"Vincenzo Bellini"
APT	-	15.06640	0 m			
LORED	-	36.50000	22,700 ft	63	-	
FIX	-	15.61670	6,919 m			
LOTIN	UL31	34.33330	35,000 ft	131	-	
FIX	AWY-HI	15.16640	10,668 m			
NAGDA	UL12	32.25000	15,500 ft	139	-	
FIX	AWY-HI	16.39110	4,724 m			
HLGD	-	31.05770	0 ft	72	SIRTE	
APT	-	16.59920	0 m			

## LICC

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 39 ft / 12 m  
Location: 37.466800 15.066400  
Magnetic Var: 3.833 E

## METAR

LICC 161920Z 11003KT 070V130 5000 BR NSC 21/18 Q1008

## TAF

TAF LICC 161700Z 1618/1718 26005KT 9999 FEW025 BECMG 1709/1711 09010KT BECMG 1716/1718 VRB05KT

## Frequencies

GND - 129.72 MHz - CATANIA GROUND  
APP - 120.80 MHz - CATANIA APPROACH  
REC - 127.67 MHz - ATIS

TWR - 118.70 MHz - CATANIA TOWER  
APP - 119.25 MHz - CATANIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	8,000 ft	83.93	ASPHALT	308 ft	0 ft
	45 m	2,438 m	80.10		94 m	0 m
26	148 ft	8,000 ft	263.95	ASPHALT	285 ft	0 ft
	45 m	2,438 m	260.11		87 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	CTN	109.90 MHz	18 nm	-	-	45 ft
				33 km	-		45 m
08	LOC-ILS	CTN	109.90 MHz	18 nm	83.95	-	39 ft
				33 km	80.12		39 m
08	GS	CTN	109.90 MHz	10 nm	83.95	3.00	39 ft
				19 km	80.12		39 m