


2024/05/13 0316Z

EGPK FENIK EGPB

50.70 nm / 93.89 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGPK	-	55.50230	0 ft	-	Prestwick
APT	-	-4.58836	0 m		
FENIK	-	55.71528	5,800 ft	16	-
FIX	-	-4.29194	1,768 m		
EGPH	-	55.94869	0 ft	34	Edinburgh
APT	-	-3.35972	0 m		

EGPK

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 65 ft / 20 m
Location: 55.509400 -4.594440
Magnetic Var: 1.642 W

METAR

EGPK 130250Z 36003KT 330V050 CAVOK 14/12 Q1005

TAF

TAF EGPK 122303Z 1300/1324 08005KT 9999 FEW040 TEMPO 1300/1309 8000 PROB30 1306/1309 4000 BR BECMG 1310/1313 1401

Frequencies

REC - 121.12 MHz - PRESTWICK INFORMATION
GND - 127.15 MHz - PRESTWICK TOWER

TWR - 118.15 MHz - PRESTWICK TOWER
APP - 129.45 MHz - PRESTWICK APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	6,243 ft	23.68	ASPHALT	259 ft	276 ft
	45 m	1,903 m	25.32		79 m	84 m
21	148 ft	6,243 ft	203.69	ASPHALT	0 ft	0 ft
	45 m	1,903 m	205.33		0 m	0 m
12	151 ft	9,775 ft	121.39	ASPHALT	791 ft	0 ft
	46 m	2,979 m	123.03		241 m	0 m
30	151 ft	9,775 ft	301.42	ASPHALT	0 ft	0 ft
	46 m	2,979 m	303.06		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	IPP	110.30 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
30	DME	IKK	110.30 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
12	LOC-ILS	IPP	110.30 MHz	18 nm	121.41	-	65 ft
				33 km	123.05		65 m
30	LOC-ILS	IKK	110.30 MHz	18 nm	301.41	-	65 ft
				33 km	303.05		65 m
12	GS	IPP	110.30 MHz	10 nm	121.41	3.00	65 ft
				19 km	123.05		65 m
30	GS	IKK	110.30 MHz	10 nm	301.41	3.50	65 ft
				19 km	303.05		65 m

EGPH

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 136 ft / 41 m
Location: 55.950000 -3.372500
Magnetic Var: 1.215 W

METAR

EGPH 130250Z 07009KT 9000 SCT003 11/10 Q1006

TAF

TAF EGPB 122303Z 1300/1324 05007KT 9999 FEW030 PROB30 TEMPO 1300/1303 6000 SHRA TEMPO 1303/1311 6000 BKN006 PROB30

Frequencies

APP - 121.20 MHz - EDINBURGH APPROACH
TWR - 118.70 MHz - EDINBURGH TOWER

GND - 121.75 MHz - EDINBURGH GROUND
REC - 131.35 MHz - EDINBURGH INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,369 ft	58.80	ASPHALT	692 ft	190 ft
	46 m	2,551 m	60.01		211 m	58 m
24	150 ft	8,369 ft	238.82	ASPHALT	682 ft	194 ft
	46 m	2,551 m	240.04		208 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IVG	108.90 MHz	18 nm	-	-	123 ft
				33 km	-		123 m
24	DME	ITH	108.90 MHz	18 nm	-	-	123 ft
				33 km	-		123 m
06	LOC-ILS	IVG	108.90 MHz	18 nm	58.81	-	136 ft
				33 km	60.02		136 m
24	LOC-ILS	ITH	108.90 MHz	18 nm	238.81	-	136 ft
				33 km	240.02		136 m
06	GS	IVG	108.90 MHz	10 nm	58.81	3.00	136 ft
				19 km	60.02		136 m
24	GS	ITH	108.90 MHz	10 nm	238.81	3.00	136 ft
				19 km	240.02		136 m