

EIDW

Dublin


EGPD

Aberdeen Dyce

2024/05/01 0402Z

EIDW BLACA **P600** GOSAM EGPD

267.23 nm / 494.91 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EIDW	-	53.42490	0 ft	-	Dublin
APT	-	-6.26308	0 m		
BLACA	-	54.88330	34,200 ft	95	-
FIX	-	-5.15889	10,424 m		
TUNSO	P600	55.11110	33,400 ft	15	-
FIX	AWY-HI	-4.96139	10,180 m		
GIRVA	P600	55.18560	32,300 ft	4	-
FIX	AWY-HI	-4.89639	9,845 m		
TRN	P600	55.31340	30,500 ft	8	TURNBERRY
VOR	AWY-LO	-4.78386	9,296 m		
FENIK	P600	55.71530	24,200 ft	29	-
FIX	AWY-LO	-4.29194	7,376 m		
GOSAM	P600	55.78860	23,100 ft	5	-
FIX	AWY-LO	-4.20056	7,041 m		
EGPD	-	57.20370	0 ft	107	Aberdeen Dyce
APT	-	-2.19913	0 m		

EIDW

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 2

Elevation: 240 ft / 73 m
Location: 53.424900 -6.263080
Magnetic Var: 1.980 W

METAR

EIDW 010330Z 15005KT 9999 FEW015 SCT045 07/06 Q1006 NOSIG

TAF

TAF EIDW 302300Z 0100/0124 16007KT 9999 FEW018 BECMG 0104/0106 13010KT PROB40 TEMPO 0104/0108 -SHRA BKN012 BECMG 0106/0108 16007KT 9999 FEW015 SCT045 07/06 Q1006 NOSIG

Frequencies

REC - 124.52 MHz - ATIS	TWR - 118.60 MHz - DUBLIN TOWER
GND - 118.75 MHz - DUBLIN GROUND	GND - 121.80 MHz - DUBLIN GROUND
CLD - 121.87 MHz - CLEARANCE DELIVERY	APP - 133.27 MHz - DUBLIN APPROACH
APP - 121.10 MHz - DUBLIN APPROACH	APP - 119.92 MHz - DUBLIN APPROACH
APP - 119.55 MHz - DUBLIN APPROACH	REC - 118.50 MHz - DUBLIN INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	148 ft	8,660 ft	95.26	ASPHALT	0 ft	0 ft
	45 m	2,640 m	97.24		0 m	0 m
28L	148 ft	8,660 ft	275.29	ASPHALT	0 ft	0 ft
	45 m	2,640 m	277.27		0 m	0 m
16	190 ft	6,805 ft	156.64	ASPHALT	0 ft	0 ft
	58 m	2,074 m	158.62		0 m	0 m
34	190 ft	6,805 ft	336.65	ASPHALT	0 ft	0 ft
	58 m	2,074 m	338.63		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAC	111.50 MHz	18 nm	-	-	200 ft
				33 km	-		200 m
10R	LOC-ILS	IDE	108.90 MHz	18 nm	95.26	-	242 ft
				33 km	97.24		242 m
16	LOC-ILS	IAC	111.50 MHz	18 nm	156.64	-	242 ft
				33 km	158.62		242 m
28L	LOC-ILS	IDW	111.35 MHz	18 nm	275.26	-	242 ft
				33 km	277.24		242 m
10R	GS	IDE	108.90 MHz	10 nm	95.26	3.00	242 ft
				19 km	97.24		242 m
16	GS	IAC	111.50 MHz	10 nm	156.64	3.00	242 ft
				19 km	158.62		242 m
28L	GS	IDW	111.35 MHz	10 nm	275.26	3.00	242 ft
				19 km	277.24		242 m

EGPD

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 4

Elevation: 213 ft / 65 m
Location: 57.204100 -2.199110
Magnetic Var: 0.913 W

METAR

EGPD 010320Z AUTO 09002KT 6000 OVC008 07/07 Q1012

TAF

TAF AMD EGPD 010338Z 0103/0124 12006KT 6000 BKN008 TEMPO 0103/0108 3000 BR BKN003 PROB30 0103/0108 0300 FG OVC001

Frequencies

REC - 121.85 MHz - ABERDEEN INFO
GND - 121.70 MHz - ABERDEEN GROUND
APP - 128.30 MHz - ABERDEEN DIRECTOR

TWR - 118.10 MHz - ABERDEEN TOWER
APP - 119.05 MHz - ABERDEEN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	6,414 ft	158.27	ASPHALT	0 ft	0 ft
	46 m	1,955 m	159.18		0 m	0 m
34	151 ft	6,414 ft	338.28	ASPHALT	0 ft	0 ft
	46 m	1,955 m	339.19		0 m	0 m
14	118 ft	1,908 ft	139.39	ASPHALT	0 ft	0 ft
	36 m	582 m	140.30		0 m	0 m
32	118 ft	1,908 ft	319.39	ASPHALT	0 ft	0 ft
	36 m	582 m	320.30		0 m	0 m
05	151 ft	1,563 ft	46.09	ASPHALT	0 ft	0 ft
	46 m	476 m	47.00		0 m	0 m
23	151 ft	1,563 ft	226.09	ASPHALT	0 ft	0 ft
	46 m	476 m	227.00		0 m	0 m
18	75 ft	1,868 ft	179.47	ASPHALT	0 ft	0 ft
	23 m	569 m	180.38		0 m	0 m
36	75 ft	1,868 ft	359.47	ASPHALT	0 ft	0 ft
	23 m	569 m	0.38		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAX	109.90 MHz	18 nm	-	-	215 ft
				33 km	-		215 m
34	DME	IABD	109.90 MHz	18 nm	-	-	215 ft
				33 km	-		215 m
16	LOC-ILS	IAX	109.90 MHz	18 nm	158.25	-	213 ft
				33 km	159.16		213 m
34	LOC-ILS	IABD	109.90 MHz	18 nm	338.25	-	213 ft
				33 km	339.16		213 m
16	GS	IAX	109.90 MHz	10 nm	158.25	3.00	213 ft
				19 km	159.16		213 m
34	GS	IABD	109.90 MHz	10 nm	338.25	3.00	213 ft
				19 km	339.16		213 m