

# UBBB

Baku Heydar Aliyev Intl


# VHHH

Hong Kong Intl

2024/06/18 0813Z

UBBB RODAR **A909** BABUM **A477** BUPOR **A117** OGNOB **G555** USETU **G500** POMIR 3800N07300E 3700N07500E PURPA  
**W112** HTN 3600N08200E 3500N08400E 3500N08500E 3500N08600E 3400N08800E 3300N09000E 3200N09200E  
3100N09300E LEDIM **B213** CZH BHS **W529** ZYG ZYG **B330** GYA VHHH

3564.59 nm / 6601.62 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UBBB	-	40.47210	0 ft	-	Baku Heydar Aliyev Intl
APT	-	50.04940	0 m		
RODAR	-	40.46670	23,600 ft	66	-
FIX	-	51.50000	7,193 m		
TUNEK	A909	40.26330	35,000 ft	51	-
FIX	AWY-HI	52.58830	10,668 m		
TUGTA	A909	39.89000	35,000 ft	88	-
FIX	AWY-HI	54.45000	10,668 m		
BABUM	A909	39.82330	35,000 ft	14	-
FIX	AWY-HI	54.76330	10,668 m		
MAHYM	A477	39.83170	35,000 ft	13	-
FIX	AWY-HI	55.04830	10,668 m		
NONIK	A477	39.86500	35,000 ft	54	-
FIX	AWY-HI	56.23170	10,668 m		
VARAN	A477	39.89530	35,000 ft	89	-
FIX	AWY-HI	58.16500	10,668 m		
DOMOL	A477	39.90170	35,000 ft	42	-
FIX	AWY-HI	59.08670	10,668 m		
LITOR	A477	39.90170	35,000 ft	12	-
FIX	AWY-HI	59.36670	10,668 m		
AKRAM	A477	39.89500	35,000 ft	42	-
FIX	AWY-HI	60.28670	10,668 m		
POGON	A477	39.84330	35,000 ft	113	-
FIX	AWY-HI	62.74830	10,668 m		
REGMO	A477	39.82500	35,000 ft	23	-
FIX	AWY-HI	63.26500	10,668 m		
BUPOR	A477	39.77500	35,000 ft	56	-
FIX	AWY-HI	64.48330	10,668 m		
TOLIB	A117	39.76000	35,000 ft	54	-
FIX	AWY-HI	65.66830	10,668 m		
OGNOB	A117	39.74330	35,000 ft	34	-
FIX	AWY-HI	66.40500	10,668 m		
USETU	G555	39.42830	35,000 ft	43	-
FIX	AWY-HI	67.24330	10,668 m		
BUTRA	G500	39.35330	35,000 ft	11	-
FIX	AWY-HI	67.47330	10,668 m		
SX	G500	38.84470	35,000 ft	70	PUGUS
NDB	AWY-HI	68.84580	10,668 m		
JD	G500	38.54390	35,000 ft	28	FAYZOBOD
NDB	AWY-HI	69.31390	10,668 m		
POMIR	G500	38.58330	35,000 ft	108	-
FIX	AWY-HI	71.63330	10,668 m		
3800N07300E	-	38.00000	35,000 ft	73	-
LATLON	-	73.00000	10,668 m		
3700N07500E	-	37.00000	35,000 ft	112	-
LATLON	-	75.00000	10,668 m		
PURPA	-	36.94140	35,000 ft	19	-
FIX	-	75.40750	10,668 m		
HTN	W112	37.03670	35,000 ft	214	HOTAN
VOR	AWY-HI	79.86830	10,668 m		
3600N08200E	-	36.00000	35,000 ft	120	-
LATLON	-	82.00000	10,668 m		
3500N08400E	-	35.00000	35,000 ft	114	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	84.00000	10,668 m		
3500N08500E	-	35.00000	35,000 ft	49	-
LATLON	-	85.00000	10,668 m		
3500N08600E	-	35.00000	35,000 ft	49	-
LATLON	-	86.00000	10,668 m		
3400N08800E	-	34.00000	35,000 ft	115	-
LATLON	-	88.00000	10,668 m		
3300N09000E	-	33.00000	35,000 ft	116	-
LATLON	-	90.00000	10,668 m		
3200N09200E	-	32.00000	35,000 ft	117	-
LATLON	-	92.00000	10,668 m		
3100N09300E	-	31.00000	35,000 ft	78	-
LATLON	-	93.00000	10,668 m		
LEDIM	-	30.31670	35,000 ft	70	-
FIX	-	94.11670	10,668 m		
RG	B213	31.14670	35,000 ft	165	CHANGDU
NDB	AWY-HI	97.17670	10,668 m		
PEXUN	B213	30.92830	35,000 ft	145	-
FIX	AWY-HI	100.00000	10,668 m		
KAMAX	B213	30.78330	35,000 ft	98	-
FIX	AWY-HI	101.90300	10,668 m		
MIKOS	B213	30.69830	35,000 ft	54	-
FIX	AWY-HI	102.95800	10,668 m		
CZH	B213	30.64830	35,000 ft	37	CHONGZHOU VOR-DME
DME	AWY-HI	103.68700	10,668 m		
BHS	-	30.51170	35,000 ft	27	BAIHESI
VOR	-	104.20000	10,668 m		
ZYG	W529	30.11830	35,000 ft	34	ZIYANG
VOR	AWY-HI	104.67700	10,668 m		
ZYG	-	30.11500	35,000 ft	0	ZIYANG VOR-DME
DME	-	104.67700	10,668 m		
XYO	B330	28.17170	35,000 ft	123	XUYONG
VOR	AWY-HI	105.42000	10,668 m		
UKEGO	B330	28.00000	35,000 ft	11	-
FIX	AWY-HI	105.51300	10,668 m		
IDSEG	B330	27.68000	35,000 ft	21	-
FIX	AWY-HI	105.68700	10,668 m		
QNX	B330	27.04170	35,000 ft	42	QIANXI
VOR	AWY-HI	106.03000	10,668 m		
KWE	B330	26.52330	35,000 ft	51	GUIYANG
VOR	AWY-HI	106.79500	10,668 m		
KAGRA	B330	26.45670	35,000 ft	13	-
FIX	AWY-HI	107.04000	10,668 m		
ESNIB	B330	26.23500	35,000 ft	47	-
FIX	AWY-HI	107.88000	10,668 m		
ELKAL	B330	26.09670	35,000 ft	29	-
FIX	AWY-HI	108.39700	10,668 m		
AKNAV	B330	26.01000	35,000 ft	18	-
FIX	AWY-HI	108.72700	10,668 m		
SJG	B330	25.77670	35,000 ft	49	SANJIANG
VOR	AWY-HI	109.61000	10,668 m		
MAMSI	B330	25.20500	35,000 ft	47	-
FIX	AWY-HI	110.21200	10,668 m		
QP	B330	24.67000	35,000 ft	44	ERTANG
NDB	AWY-HI	110.77700	10,668 m		
MUBEL	B330	24.21000	35,000 ft	38	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	111.27000	10,668 m		
GYA	B330	23.07000	19,500 ft	95	GAOYAO
VOR	AWY-HI	112.48700	5,944 m		
VHHH	-	22.30890	0 ft	91	Hong Kong Intl
APT	-	113.91500	0 m		

## UBBB

Region: AZERBAIJAN  
Timezone: ASIA/BAKU  
Runways: 2

Elevation: 6 ft / 2 m  
Location: 40.472100 50.049400  
Magnetic Var: 6.677 E

## METAR

UBBB 180800Z 04008KT CAVOK 36/16 Q1013 NOSIG

## TAF

TAF UBBB 180458Z 1806/1906 17006KT CAVOK TX36/1810Z TN24/1901Z TEMPO 1806/1813 21008KT BECMG 1813/1815 32006KT TE

## Frequencies

REC - 126.80 MHz - BAKU ATIS  
TWR - 119.20 MHz - BAKU TOWER  
APP - 128.00 MHz - BAKU RADAR

GND - 121.70 MHz - BAKU GROUND  
APP - 129.30 MHz - BAKU APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	167 ft	10,509 ft	179.35	ASPHALT	0 ft	256 ft
	51 m	3,203 m	172.68		0 m	78 m
35	167 ft	10,509 ft	359.36	ASPHALT	486 ft	217 ft
	51 m	3,203 m	352.68		148 m	66 m
16	197 ft	13,136 ft	166.52	ASPHALT	0 ft	289 ft
	60 m	4,004 m	159.84		0 m	88 m
34	197 ft	13,136 ft	346.52	ASPHALT	0 ft	295 ft
	60 m	4,004 m	339.85		0 m	90 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	IBI	109.50 MHz	18 nm	166.53	-	6 ft
				33 km	159.85		6 m
17	LOC-ILS	IBU	110.50 MHz	18 nm	179.35	-	6 ft
				33 km	172.67		6 m
34	LOC-ILS	IBN	111.70 MHz	18 nm	346.53	-	6 ft
				33 km	339.85		6 m
35	LOC-ILS	IBA	109.30 MHz	18 nm	359.35	-	6 ft
				33 km	352.67		6 m
16	GS	IBI	109.50 MHz	10 nm	166.53	3.00	6 ft
				19 km	159.85		6 m
17	GS	IBU	110.50 MHz	10 nm	179.35	3.00	6 ft
				19 km	172.67		6 m
34	GS	IBN	111.70 MHz	10 nm	346.53	3.00	6 ft
				19 km	339.85		6 m
35	GS	IBA	109.30 MHz	10 nm	359.35	3.00	6 ft
				19 km	352.67		6 m

## VHHH

Region: HONG KONG  
Timezone: UNKNOWN  
Runways: 2

Elevation: 27 ft / 8 m  
Location: 22.308900 113.915000  
Magnetic Var: 3.244 W

## METAR

VHHH 180800Z 20010KT 150V220 9999 FEW008 SCT025 32/25 Q1004 NOSIG

## TAF

TAF TAF VHHH 180800Z 1809/1915 20010KT 9999 FEW010 SCT025 TX33/1906Z TN29/1822Z TEMPO 1822/1902 3500 SHRA FEW010C

## Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.02		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.03		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.05		0 m	299 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m