OMAD
Bateen


-

YSSY
Sydney Intl

2024/03/19 1325Z

OMAD CIL13 CK SARMO CDOSH SBKWF YSSY

6525.27 nm / 12084.80 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMAD APT	–	24.43743 54.44569	0 ft 0 m	–	–
CIL13 FIX	–	10.15986 76.63244	0 ft 0 m	1530	–
CK FIX	–	7.95694 79.65216	0 ft 0 m	222	–
SARMO FIX	–	-21.69742 121.03923	0 ft 0 m	3018	–
CDOSH FIX	–	-33.03245 147.23170	0 ft 0 m	1547	–
SBKWF FIX	–	-33.89970 150.93497	0 ft 0 m	192	–
YSSY APT	–	-33.94962 151.18832	0 ft 0 m	12	–

OMAD

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 1

Elevation: 16 ft / 5 m
Location: 24.428400 54.458100
Magnetic Var: 2.292 E

METAR

OMAD 191300Z 34007KT CAVOK 30/19 Q1010 NOSIG

TAF

TAF OMAD 191100Z 1912/2018 34009KT 8000 NSC BECMG 1917/1919 09008KT BECMG 2002/2004 16014KT PROB30 TEMPO 2002/200

Frequencies

GND - 120.37 MHz - AL BATEEN GROUND
APP - 124.40 MHz - ABU DHABI APPROACH

TWR - 119.90 MHz - AL BATEEN TOWER
APP - 128.10 MHz - ABU DHABI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft 45 m	10,505 ft 3,202 m	128.16 125.87	ASPHALT	1,804 ft 550 m	587 ft 179 m
31	148 ft 45 m	10,505 ft 3,202 m	308.17 305.88	ASPHALT	1,398 ft 426 m	794 ft 242 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	LOC-ILS	IAT	110.70 MHz	18 nm 33 km	308.17 305.88	-	16 ft 16 m
31	GS	IAT	110.70 MHz	10 nm 19 km	308.17 305.88	3.50	16 ft 16 m

YSSY

Region: AUSTRALIA
Timezone: AUSTRALIA/SYDNEY
Runways: 3

Elevation: 21 ft / 6 m
Location: -33.946100 151.177000
Magnetic Var: 12.670 E

METAR

YSSY 191300Z AUTO 01007KT 9999 // NCD 24/21 Q1014 RF00.0/000.2

TAF

TAF AMD YSSY 191106Z 1912/2018 02013KT 9999 FEW012 FM192000 35010KT 9999 -RA FEW015 SCT050 FM200200 23009KT 9999 -

Frequencies

REC - 118.55 MHz - ATIS
TWR - 124.70 MHz - SYDNEY TOWER
GND - 126.50 MHz - SYDNEY GROUND
GND - 130.95 MHz - ANSETT APRON
CLD - 133.80 MHz - SYDNEY CLEARANCE DELIVERY
APP - 128.30 MHz - SYDNEY APPROACH
APP - 126.10 MHz - SYDNEY DIRECT
APP - 133.95 MHz - ILS MONITOR
DEP - 129.70 MHz - SYDNEY DEPARTURE
DEP - 123.00 MHz - SYDNEY DEPARTURE

REC - 126.55 MHz - ATIS
TWR - 120.50 MHz - SYDNEY TOWER
GND - 121.70 MHz - SYDNEY GROUND
GND - 127.60 MHz - SYDNEY COORDINATOR
APP - 124.40 MHz - SYDNEY APPROACH
APP - 135.90 MHz - SYDNEY APPROACH
APP - 125.30 MHz - SYDNEY DIRECT
APP - 119.45 MHz - ILS MONITOR
DEP - 128.30 MHz - SYDNEY DEPARTURE
DEP - 118.40 MHz - SYDNEY DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	148 ft 45 m	8,018 ft 2,444 m	167.85 155.19	ASPHALT	758 ft 231 m	295 ft 90 m
34R	148 ft 45 m	8,018 ft 2,444 m	347.85 335.18	ASPHALT	125 ft 38 m	295 ft 90 m
07	148 ft 45 m	8,285 ft 2,525 m	74.14 61.47	ASPHALT	0 ft 0 m	489 ft 149 m
25	148 ft 45 m	8,285 ft 2,525 m	254.12 241.45	ASPHALT	331 ft 101 m	197 ft 60 m
16R	148 ft 45 m	13,029 ft 3,971 m	167.86 155.19	ASPHALT	279 ft 85 m	299 ft 91 m
34L	148 ft 45 m	13,029 ft 3,971 m	347.85 335.18	ASPHALT	0 ft 0 m	620 ft 189 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISY	109.90 MHz	18 nm 33 km	- -	-	20 ft 20 m
16L	DME	ISS	110.90 MHz	18 nm 33 km	- -	-	30 ft 30 m
25	DME	ISW	109.70 MHz	18 nm 33 km	- -	-	33 ft 33 m
34R	DME	IKN	109.30 MHz	18 nm 33 km	- -	-	20 ft 20 m
07	LOC-ILS	ISY	109.90 MHz	18 nm 33 km	74.13 61.46	-	21 ft 21 m
16L	LOC-ILS	ISS	110.90 MHz	18 nm 33 km	167.85 155.18	-	21 ft 21 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	LOC-ILS	IKS	109.50 MHz	18 nm 33 km	167.86 155.19	-	21 ft 21 m
25	LOC-ILS	ISW	109.70 MHz	18 nm 33 km	254.13 241.46	-	21 ft 21 m
34L	LOC-ILS	ISN	110.10 MHz	18 nm 33 km	347.86 335.19	-	21 ft 21 m
34R	LOC-ILS	IKN	109.30 MHz	18 nm 33 km	347.85 335.18	-	21 ft 21 m
07	GS	ISY	109.90 MHz	10 nm 19 km	74.13 61.46	3.00	21 ft 21 m
16L	GS	ISS	110.90 MHz	10 nm 19 km	167.85 155.18	3.00	21 ft 21 m
16R	GS	IKS	109.50 MHz	10 nm 19 km	167.86 155.19	3.00	21 ft 21 m
25	GS	ISW	109.70 MHz	10 nm 19 km	254.13 241.46	3.00	21 ft 21 m
34L	GS	ISN	110.10 MHz	10 nm 19 km	347.86 335.19	3.00	21 ft 21 m
34R	GS	IKN	109.30 MHz	10 nm 19 km	347.85 335.18	3.00	21 ft 21 m