

Girona Airport

Nice-Cote d'Azur

2024/05/16 0851Z

LEGE SOSUR **N86** TINOT LFMN

224.45 nm / 415.69 km



Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEGE APT	-	41.90530 2.76219	0 ft 0 m	-	Girona Airport
SOSUR FIX	-	42.56020 4.99739	25,100 ft 7,650 m	106	-
TINOT FIX	N86 AWY-LO	42.69770 5.31511	21,700 ft 6,614 m	16	-
LFMN APT	-	43.65840 7.21576	0 ft 0 m	101	Nice-Cote d'Azur

LEGE

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 469 ft / 143 m
Location: 41.905300 2.762190
Magnetic Var: 1.704 E

METAR

LEGE 160830Z 19010KT 9999 FEW010 16/12 Q1007 NOSIG

TAF

TAF LEGE 160500Z 1606/1706 VRB04KT 9999 SCT020 TX22/1615Z TN10/1705Z TEMPO 1606/1607 0400 BCFG VV001 TEMPO 1606/1

Frequencies

GND - 121.70 MHz - GIRONA GROUND
REC - 128.75 MHz - ATIS

TWR - 118.50 MHz - GIRONA TOWER
APP - 120.90 MHz - GIRONA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	7,889 ft	15.72	ASPHALT	0 ft	194 ft
	45 m	2,405 m	14.01		0 m	59 m
20	148 ft	7,889 ft	195.72	ASPHALT	518 ft	197 ft
	45 m	2,405 m	194.02		158 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	IGN	109.90 MHz	18 nm	-	-	463 ft
				33 km	-		463 m
20	LOC-ILS	IGN	109.90 MHz	18 nm	195.73	-	469 ft
				33 km	194.03		469 m
20	GS	IGN	109.90 MHz	10 nm	195.73	3.00	469 ft
				19 km	194.03		469 m

LFMN

Region: FRANCE
Timezone: UNKNOWN
Runways: 2

Elevation: 12 ft / 4 m
Location: 43.658400 7.215760
Magnetic Var: 2.738 E

METAR

LFMN 160830Z 35011KT 9999 FEW026CB SCT066 16/13 Q1006 NOSIG

TAF

TAF TAF LFMN 160800Z 1609/1715 34008KT 9999 FEW025 SCT066 BECMG 1610/1612 21010KT TEMPO 1612/1616 21020KT FEW030C

Frequencies

REC - 129.60 MHz - NICE ATIS	GND - 121.70 MHz - NICE GROUND
TWR - 118.70 MHz - NICE TOWER	TWR - 123.15 MHz - NICE TOWER
APP - 134.47 MHz - NICE WEST APPROACH	APP - 120.65 MHz - NICE APPROACH
APP - 128.20 MHz - NICE APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,706 ft	44.86	ASPHALT	0 ft	417 ft
	45 m	2,958 m	42.12		0 m	127 m
22L	148 ft	9,706 ft	224.88	ASPHALT	0 ft	525 ft
	45 m	2,958 m	222.14		0 m	160 m
04L	148 ft	8,992 ft	44.86	ASPHALT	0 ft	161 ft
	45 m	2,741 m	42.12		0 m	49 m
22R	148 ft	8,992 ft	224.88	ASPHALT	564 ft	0 ft
	45 m	2,741 m	222.14		172 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	NI	109.95 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04R	DME	NA	110.70 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04L	LOC-ILS	NI	109.95 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04R	LOC-ILS	NA	110.70 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04L	GS	NI	109.95 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m
04R	GS	NA	110.70 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m