


2024/05/07 0914Z

KVAY KPHL

20.07 nm / 37.17 km



Notes

None

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KVAY	-	39.94104	0 ft	-	SOUTH JERSEY RGNL
APT	-	-74.85226	0 m		
KPHL	-	39.86081	0 ft	20	-
APT	-	-75.27519	0 m		

KPHL

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 36 ft / 11 m
Location: 39.874100 -75.236800
Magnetic Var: 11.990 W

METAR

KPHL 070854Z 33004KT 4SM BR SCT120 BKN160 16/16 A2981 RMK A02 SLP095 T01610156 56009

TAF

TAF AMD KPHL 070855Z 0709/0812 02003KT 3SM BR OVC100 FM071200 05004KT P6SM BKN045 FM071800 22005KT P6SM SCT060 FM080000 20004KT 4SM BR SCT120 BKN160 16/16 A2981 RMK A02 SLP095 T01610156 56009

Frequencies

REC - 133.40 MHz - D-ATIS	REC - 135.92 MHz - D-ATIS
COM - 122.95 MHz - PHILADELPHIA UNICOM	GND - 121.65 MHz - PHILADELPHIA GROUND
GND - 121.90 MHz - PHILADELPHIA GROUND	TWR - 118.50 MHz - PHILADELPHIA TOWER
TWR - 135.10 MHz - PHILADELPHIA TOWER	CLD - 118.85 MHz - CLEARANCE DELIVERY
DEP - 119.75 MHz - PHILADELPHIA DEPARTURE	DEP - 124.35 MHz - PHILADELPHIA DEPARTURE
APP - 123.80 MHz - PHILADELPHIA APPROACH	APP - 124.35 MHz - PHILADELPHIA APPROACH
APP - 126.85 MHz - PHILADELPHIA APPROACH	APP - 127.35 MHz - PHILADELPHIA APPROACH
APP - 128.40 MHz - PHILADELPHIA APPROACH	APP - 133.87 MHz - PHILADELPHIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09R	200 ft	11,981 ft	75.41	ASPHALT	0 ft	292 ft
	61 m	3,652 m	87.40		0 m	89 m
27L	200 ft	11,981 ft	255.44	ASPHALT	1,909 ft	397 ft
	61 m	3,652 m	267.43		582 m	121 m
09L	150 ft	9,482 ft	75.42	ASPHALT	0 ft	413 ft
	46 m	2,890 m	87.41		0 m	126 m
27R	150 ft	9,482 ft	255.44	ASPHALT	0 ft	397 ft
	46 m	2,890 m	267.43		0 m	121 m
17	150 ft	6,508 ft	159.13	ASPHALT	0 ft	200 ft
	46 m	1,984 m	171.12		0 m	61 m
35	150 ft	6,508 ft	339.14	ASPHALT	0 ft	200 ft
	46 m	1,984 m	351.13		0 m	61 m
08	150 ft	4,992 ft	75.44	ASPHALT	0 ft	197 ft
	46 m	1,521 m	87.43		0 m	60 m
26	150 ft	4,992 ft	255.45	ASPHALT	0 ft	0 ft
	46 m	1,521 m	267.44		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IVII	108.95 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
09R	DME	IPHL	109.30 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
26	DME	ILLH	111.55 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
27L	DME	IGLC	109.30 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
27R	DME	IPDP	108.95 MHz	18 nm	-	-	38 ft
				33 km	-		38 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IVII	108.95 MHz	18 nm	75.43	-	36 ft
				33 km	87.42		36 m
09R	LOC-ILS	IPHL	109.30 MHz	18 nm	75.43	-	36 ft
				33 km	87.42		36 m
17	LOC-ILS	IMMY	108.75 MHz	18 nm	159.14	-	36 ft
				33 km	171.13		36 m
27L	LOC-ILS	IGLC	109.30 MHz	18 nm	255.43	-	36 ft
				33 km	267.42		36 m
27R	LOC-ILS	IPDP	108.95 MHz	18 nm	255.43	-	36 ft
				33 km	267.42		36 m
09L	GS	IVII	108.95 MHz	10 nm	75.43	3.00	36 ft
				19 km	87.42		36 m
09R	GS	IPHL	109.30 MHz	10 nm	75.43	3.00	36 ft
				19 km	87.42		36 m
17	GS	IMMY	108.75 MHz	10 nm	159.14	3.00	36 ft
				19 km	171.13		36 m
27L	GS	IGLC	109.30 MHz	10 nm	255.43	3.00	36 ft
				19 km	267.42		36 m
27R	GS	IPDP	108.95 MHz	10 nm	255.43	3.00	36 ft
				19 km	267.42		36 m