

KJFK

John F. Kennedy Intl


KJFX

WALKER CO BEVILL FLD

2024/05/09 0057Z

KJFK MXE **V419** EMI **J48** CSN **V140** HOODE FANPO **Q40** BFOLO KJFX

769.85 nm / 1425.77 km



Notes

Basic altitude profile:

- Ascent Rate: 1800ft/min
- Ascent Speed: 260kts
- Cruise Altitude: 8000ft
- Cruise Speed: 340kts
- Descent Rate: 1500ft/min
- Descent Speed: 200kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KJFK APT	-	40.64010 -73.77650	0 ft 0 m	-	John F. Kennedy Intl
MXE VOR	-	39.91800 -75.67080	8,000 ft 2,438 m	97	MODENA
HERES FIX	V419 AWY-LO	39.55360 -76.80010	8,000 ft 2,438 m	56	-
EMI VOR	V419 AWY-LO	39.49500 -76.97860	8,000 ft 2,438 m	8	WESTMINSTER
CSN VOR	J48 AWY-HI	38.64120 -77.86550	8,000 ft 2,438 m	65	CASANOVA
HOODE FIX	V140 AWY-LO	38.45600 -78.18050	8,000 ft 2,438 m	18	-
FANPO FIX	-	38.42370 -78.23090	8,000 ft 2,438 m	3	-
MAULS FIX	Q40 AWY-HI	37.88040 -79.33030	8,000 ft 2,438 m	61	-
FEEDS FIX	Q40 AWY-HI	37.27480 -80.50920	8,000 ft 2,438 m	66	-
YICUT FIX	Q40 AWY-HI	36.84270 -81.39930	8,000 ft 2,438 m	49	-
ALEAN FIX	Q40 AWY-HI	36.73190 -81.62390	8,000 ft 2,438 m	12	-
OJESS FIX	Q40 AWY-HI	35.91680 -83.18160	8,000 ft 2,438 m	89	-
JAARE FIX	Q40 AWY-HI	35.73880 -83.54160	8,000 ft 2,438 m	20	-
NIOLA FIX	Q40 AWY-HI	34.78320 -85.27060	8,000 ft 2,438 m	102	-
BFOLO FIX	Q40 AWY-HI	34.05940 -86.52510	8,000 ft 2,438 m	75	-
KJFX APT	-	33.90200 -87.31380	0 ft 0 m	40	WALKER CO BEVILL FLD

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.820 W

METAR

KJFK 082351Z 24016KT 10SM FEW060 BKN250 24/15 A2952 RMK A02 PK WND 24027/2314 SLP994 T02440150 10267 20194 55001

TAF

KJFK 082334Z 0900/1006 24012KT P6SM FEW060 BKN250 FM090100 27011KT P6SM SCT250 FM090500 32008KT P6SM FEW250 FM091

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.50		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
31R	DME	IRTH	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm	30.68	-	12 ft
				33 km	43.50		12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm	30.67	-	12 ft
				33 km	43.49		12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm	120.87	-	12 ft
				33 km	133.69		12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm	210.67	-	12 ft
				33 km	223.49		12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm	210.68	-	12 ft
				33 km	223.50		12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm	300.84	-	12 ft
				33 km	313.66		12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm	300.87	-	12 ft
				33 km	313.69		12 m
04L	GS	IHIQ	110.90 MHz	10 nm	30.68	3.00	12 ft
				19 km	43.50		12 m
04R	GS	IJFK	109.50 MHz	10 nm	30.67	3.00	12 ft
				19 km	43.49		12 m
13L	GS	ITLK	111.50 MHz	10 nm	120.87	3.00	12 ft
				19 km	133.69		12 m
22L	GS	IIWY	110.90 MHz	10 nm	210.67	3.00	12 ft
				19 km	223.49		12 m
22R	GS	IJOC	109.50 MHz	10 nm	210.68	3.00	12 ft
				19 km	223.50		12 m
31L	GS	IMOH	111.35 MHz	10 nm	300.84	3.00	12 ft
				19 km	313.66		12 m
31R	GS	IRTH	111.50 MHz	10 nm	300.87	3.00	12 ft
				19 km	313.69		12 m