

LIBD

Bari Palese Macchie


LIRP

PISA

2024/05/14 2156Z

LIBD AME **M872** PES **UL168** PREKI KATAR LIRP

322.45 nm / 597.18 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 34000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIBD	-	41.13787	0 ft	-	Bari Palese Macchie
APT	-	16.75832	0 m		
AME	-	41.50000	16,700 ft	46	AMENDOLA NDB
NDB	-	15.83778	5,090 m		
PES	M872	42.43611	18,500 ft	92	PESCARA VOR-DME
VOR	AWY-LO	14.18444	5,639 m		
PREKI	UL168	42.87750	26,500 ft	54	-
FIX	AWY-HI	13.11917	8,077 m		
KATAR	-	43.05167	22,800 ft	22	-
FIX	-	12.67778	6,949 m		
LIRP	-	43.68388	0 ft	106	PISA
APT	-	10.39272	0 m		

LIBD

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 173 ft / 53 m
Location: 41.137900 16.758300
Magnetic Var: 4.393 E

METAR

LIBD 142120Z VRB02KT CAVOK 18/15 Q1011

TAF

TAF LIBD 141700Z 1418/1518 09010KT 9999 SCT030 BECMG 1418/1420 VRB05KT BECMG 1503/1505 17013KT TEMPO 1510/1512 17

Frequencies

REC - 124.05 MHz - ATIS
TWR - 122.10 MHz - BARI TOWER

TWR - 118.30 MHz - BARI TOWER
APP - 136.10 MHz - BARI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	9,260 ft	69.40	ASPHALT	1,240 ft	0 ft
	45 m	2,823 m	65.00		378 m	0 m
25	148 ft	9,260 ft	249.42	ASPHALT	0 ft	0 ft
	45 m	2,823 m	245.02		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	BAP	111.35 MHz	18 nm	-	-	183 ft
				33 km	-		183 m
07	LOC-ILS	BAP	111.35 MHz	18 nm	69.39	-	175 ft
				33 km	65.00		175 m
07	GS	BAP	111.35 MHz	10 nm	69.39	3.32	175 ft
				19 km	65.00		175 m

LIRP

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 43.682800 10.395600
Magnetic Var: 3.410 E

METAR

LIRP 142115Z 17003KT CAVOK 18/15 Q1008 NOSIG

TAF

LIRP 141700Z 1418/1518 24007KT 9999 FEW040 BECMG 1500/1502 09007KT 7000 -RA SCT050 OVC070 TEMPO 1503/1506 4000 SH

Frequencies

GND - 121.60 MHz - PISA GROUND
TWR - 119.10 MHz - PISA TOWER
APP - 122.10 MHz - PISA APPROACH

TWR - 122.10 MHz - PISA TOWER
APP - 124.27 MHz - PISA APPROACH
APP - 126.07 MHz - PISA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,825 ft	36.73	ASPHALT	463 ft	0 ft
	45 m	2,995 m	33.32		141 m	0 m
22L	148 ft	9,825 ft	216.74	ASPHALT	833 ft	190 ft
	45 m	2,995 m	213.33		254 m	58 m
04L	148 ft	8,984 ft	36.71	ASPHALT	791 ft	0 ft
	45 m	2,738 m	33.30		241 m	0 m
22R	148 ft	8,984 ft	216.73	ASPHALT	0 ft	190 ft
	45 m	2,738 m	213.32		0 m	58 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	LOC-ILS	IPI	109.70 MHz	18 nm	36.76	-	7 ft
				33 km	33.35		7 m
04R	GS	IPI	109.70 MHz	10 nm	37.45	3.00	3 ft
				19 km	34.04		3 m