

WIII

Jakarta Soekarno-Hatta Intl


OEJN

Jeddah-King Abdulaziz Intl

2024/06/05 1005Z

WIII TULIP KAT TVM **UL425** BOSUT OEJN

4376.53 nm / 8105.34 km



Notes

Requested: WIII TULIP M766 KAT P570 TVM UL425 BOSUT OEJN

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WIII APT	-	-6.12569 106.65700	0 ft 0 m	-	Jakarta Soekarno-Hatta Intl
TULIP FIX	-	-5.42354 105.63000	0 ft 0 m	74	-
KAT VOR	-	7.16126 79.86850	0 ft 0 m	1718	KATUNAYAKE
TVM DME	-	8.47481 76.92470	0 ft 0 m	192	TRIVANDRUM VOR-DME
ANODA FIX	UL425 AWY-HI	9.96833 72.39940	0 ft 0 m	282	-
ODOLI FIX	UL425 AWY-HI	11.61810 69.88310	0 ft 0 m	178	-
EGOGI FIX	UL425 AWY-HI	12.18330 69.00000	0 ft 0 m	62	-
APUNA FIX	UL425 AWY-HI	12.80970 68.01670	0 ft 0 m	68	-
DONSA FIX	UL425 AWY-HI	14.58830 65.19330	0 ft 0 m	196	-
MANDU FIX	UL425 AWY-HI	16.68330 61.77810	0 ft 0 m	234	-
ASPUX FIX	UL425 AWY-HI	17.73440 60.00110	0 ft 0 m	119	-
BOVOS FIX	UL425 AWY-HI	18.37500 57.97890	0 ft 0 m	121	-
DEDSO FIX	UL425 AWY-HI	18.96970 56.01140	0 ft 0 m	117	-
ITUVO FIX	UL425 AWY-HI	19.05420 55.72440	0 ft 0 m	17	-
NOVNO FIX	UL425 AWY-HI	19.55360 53.98280	0 ft 0 m	103	-
GOBRO FIX	UL425 AWY-HI	19.60610 53.79470	0 ft 0 m	11	-
DAVOX FIX	UL425 AWY-HI	19.73330 52.80470	0 ft 0 m	56	-
ASTIN FIX	UL425 AWY-HI	20.06940 49.88890	0 ft 0 m	165	-
DENKU FIX	UL425 AWY-HI	20.18970 48.72530	0 ft 0 m	66	-
EGREN FIX	UL425 AWY-HI	20.37670 46.73940	0 ft 0 m	112	-
WDR VOR	UL425 AWY-HI	20.50530 45.20540	0 ft 0 m	86	WADI AL DAWASIR
KATIX FIX	UL425 AWY-HI	20.03670 42.90170	0 ft 0 m	132	-
BSH VOR	UL425 AWY-HI	19.97770 42.62460	0 ft 0 m	16	BISHA
GODSA FIX	UL425 AWY-HI	20.21610 40.67780	0 ft 0 m	110	-
AMBAL FIX	UL425 AWY-HI	20.41820 40.27350	0 ft 0 m	25	-
BOSUT FIX	UL425 AWY-HI	20.78460 39.53280	0 ft 0 m	47	-
OEJN APT	-	21.68260 39.15520	0 ft 0 m	57	Jeddah-King Abdulaziz Intl

WIII

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 3

Elevation: 34 ft / 10 m
Location: -6.119810 106.657000
Magnetic Var: 0.528 E

METAR

WIII 050930Z 02007KT 9999 FEW020 32/24 Q1009 NOSIG

TAF

TAF WIII 050500Z 0506/0612 05010KT 9000 SCT020 BECMG 0514/0516 18005KT 5000 HZ BECMG 0602/0604 04010KT 8000 NSW

Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.72		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.72		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m

OEJN

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 3

Elevation: 49 ft / 15 m
Location: 21.682800 39.155100
Magnetic Var: 3.900 E

METAR

OEJN 050900Z 27008KT CAVOK 38/23 Q1003 NOSIG

TAF

TAF OEJN 050500Z 0506/0612 32012KT CAVOK BECMG 0518/0520 VRB03KT BECMG 0606/0608 32012KT

Frequencies

TWR - 118.20 MHz - JEDDAH TOWER	TWR - 124.30 MHz - JEDDAH TOWER
GND - 121.90 MHz - JEDDAH GROUND	GND - 121.60 MHz - JEDDAH GROUND
REC - 126.20 MHz - JEDDAH ATIS	DEP - 124.00 MHz - JEDDAH DEPARTURE
APP - 119.10 MHz - JEDDAH APPROACH	APP - 124.00 MHz - JEDDAH APPROACH
APP - 123.80 MHz - JEDDAH DIRECTOR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	197 ft	13,170 ft	159.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	155.99		0 m	121 m
34R	197 ft	13,170 ft	339.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	336.00		0 m	121 m
16C	197 ft	13,168 ft	159.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	155.98		0 m	122 m
34C	197 ft	13,168 ft	339.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	335.98		0 m	122 m
16R	194 ft	12,511 ft	159.87	ASPHALT	0 ft	394 ft
	59 m	3,813 m	155.97		0 m	120 m
34L	194 ft	12,511 ft	339.87	ASPHALT	0 ft	390 ft
	59 m	3,813 m	335.97		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16C	DME	IJDC	109.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
16L	DME	IDFJ	108.50 MHz	18 nm	-	-	27 ft
				33 km	-		27 m
16R	DME	IJDD	109.30 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
34C	DME	IJDW	109.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
34L	DME	IJDL	109.10 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
34R	DME	IEAL	108.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
16C	LOC-ILS	IJDC	109.70 MHz	18 nm	159.88	-	49 ft
				33 km	155.98		49 m
16L	LOC-ILS	IDFJ	108.50 MHz	18 nm	159.89	-	49 ft
				33 km	155.99		49 m
16R	LOC-ILS	IJDD	109.30 MHz	18 nm	159.87	-	49 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	155.97		49 m
34C	LOC-ILS	IJDW	109.50 MHz	18 nm	339.88	-	49 ft
				33 km	335.98		49 m
34L	LOC-ILS	IJDL	109.10 MHz	18 nm	339.87	-	49 ft
				33 km	335.97		49 m
34R	LOC-ILS	IEAL	108.30 MHz	18 nm	339.89	-	49 ft
				33 km	335.99		49 m
16C	GS	IJDC	109.70 MHz	10 nm	159.88	3.00	49 ft
				19 km	155.98		49 m
16L	GS	IDFJ	108.50 MHz	10 nm	159.89	3.00	49 ft
				19 km	155.99		49 m
16R	GS	IJDD	109.30 MHz	10 nm	159.87	3.00	49 ft
				19 km	155.97		49 m
34C	GS	IJDW	109.50 MHz	10 nm	339.88	3.00	49 ft
				19 km	335.98		49 m
34L	GS	IJDL	109.10 MHz	10 nm	339.87	3.00	49 ft
				19 km	335.97		49 m
34R	GS	IEAL	108.30 MHz	10 nm	339.89	3.00	49 ft
				19 km	335.99		49 m