



2024/05/06 0440Z

CYQU YZH R6 XD YEG J515 VLR CYWG

930.09 nm / 1722.52 km



Notes

Requested: CYQU YZH R6 XD YEG J515 VLR CYWG

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYQU APT	-	55.18310 -118.88700	0 ft 0 m	-	GRANDE PRAIRIE
YZH NDB	-	55.29840 -114.77300	0 ft 0 m	141	SLAVE LAKE
XD NDB	R6 AWY-LO	53.64370 -113.51300	0 ft 0 m	108	EDMONTON
YEG VOR	-	53.18560 -113.86700	0 ft 0 m	30	EDMONTON
CAMRA FIX	J515 AWY-HI	53.03100 -112.50800	0 ft 0 m	49	-
REFEX FIX	J515 AWY-HI	52.70170 -110.00000	0 ft 0 m	93	-
YXE VOR	J515 AWY-HI	52.18110 -106.72000	0 ft 0 m	124	SASKATOON
ELTAX FIX	J515 AWY-HI	51.95700 -105.59500	0 ft 0 m	43	-
YOUNG FIX	J515 AWY-HI	51.85560 -105.10700	0 ft 0 m	19	-
YQV VOR	J515 AWY-HI	51.26410 -102.46900	0 ft 0 m	104	YORKTON
VLR VOR	J515 AWY-HI	50.42240 -98.72370	0 ft 0 m	150	LANGRUTH
CYWG APT	-	49.90710 -97.23930	0 ft 0 m	64	WINNIPEG INTL

CYQU

Region: CANADA
Timezone: AMERICA/EDMONTON
Runways: 2

Elevation: 2,192 ft / 668 m
Location: 55.183100 -118.887000
Magnetic Var: 15.497 E

METAR

CYQU 060400Z 07012KT 25SM FEW120 SCT240 13/M02 A2943 RMK AC1CI3 SLP980 DENSITY ALT 3100FT

TAF

TAF AMD TAF AMD CYQU 060307Z 0603/0613 06015G25KT P6SM SCT120 BKN240 BECMG 0606/0608 06010KT FM061100 07008KT P6SM

Frequencies

REC - 128.60 MHz - ATIS

COM - 118.10 MHz - MF

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	8,486 ft	134.90	ASPHALT	400 ft	0 ft
	45 m	2,586 m	119.40		122 m	0 m
30	148 ft	8,486 ft	314.92	ASPHALT	0 ft	0 ft
	45 m	2,586 m	299.43		0 m	0 m
07	200 ft	6,182 ft	89.86	ASPHALT	0 ft	0 ft
	61 m	1,884 m	74.36		0 m	0 m
25	200 ft	6,182 ft	269.88	ASPHALT	0 ft	0 ft
	61 m	1,884 m	254.39		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	LOC-ILS	IQU	109.90 MHz	18 nm	314.92	-	2,192 ft
				33 km	299.42		2,192 m
30	GS	IQU	109.90 MHz	10 nm	314.92	3.00	2,192 ft
				19 km	299.42		2,192 m

CYWG

Region: CANADA
Timezone: AMERICA/WINNIPEG
Runways: 2

Elevation: 783 ft / 239 m
Location: 49.907100 -97.239300
Magnetic Var: 2.584 E

METAR

CYWG 060400Z 13007KT 15SM FEW250 11/02 A2991 RMK CI2 SLP134

TAF

TAF CYWG 052340Z 0600/0624 14008KT P6SM SCT080 FM060200 16008KT P6SM FEW080 BECMG 0602/0604 13012KT SKC FM061600 1

Frequencies

REC - 120.20 MHz - ATIS	CLD - 121.30 MHz - CLNC DEL
GND - 121.90 MHz -	TWR - 126.90 MHz - INTL AIR
TWR - 118.30 MHz -	TWR - 125.40 MHz -
APP - 119.50 MHz - ARR	DEP - 119.90 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	200 ft	11,010 ft	188.48	ASPHALT	0 ft	98 ft
	61 m	3,356 m	185.90		0 m	30 m
36	200 ft	11,010 ft	8.48	ASPHALT	0 ft	0 ft
	61 m	3,356 m	5.89		0 m	0 m
13	200 ft	8,696 ft	138.57	ASPHALT	0 ft	0 ft
	61 m	2,651 m	135.99		0 m	0 m
31	200 ft	8,696 ft	318.59	ASPHALT	0 ft	0 ft
	61 m	2,651 m	316.00		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	LOC-ILS	INP	109.50 MHz	18 nm	138.58	-	783 ft
				33 km	136.00		783 m
31	LOC-ILS	IHV	110.30 MHz	18 nm	318.58	-	783 ft
				33 km	316.00		783 m
36	LOC-ILS	IWG	109.90 MHz	18 nm	8.48	-	783 ft
				33 km	5.90		783 m
13	GS	INP	109.50 MHz	10 nm	138.58	3.00	783 ft
				19 km	136.00		783 m
31	GS	IHV	110.30 MHz	10 nm	318.58	3.00	783 ft
				19 km	316.00		783 m
36	GS	IWG	109.90 MHz	10 nm	8.48	3.00	783 ft
				19 km	5.90		783 m