

# 00R

LIVINGSTON MUNI


# KTPL

DRAUGHON MILLER CENTRAL TEXAS RGNL

2024/05/29 0310Z

00R SUXOE KTPL

126.27 nm / 233.85 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 30500ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
00R	-	30.68590	0 ft	-	LIVINGSTON MUNI	
APT	-	-95.01790	0 m			
SUXOE	-	30.93970	12,400 ft	68	-	
FIX	-	-96.30360	3,780 m			
KTPL	-	31.15260	0 ft	58	DRAUGHON MILLER CENTRAL TEXAS RGNL	
APT	-	-97.40760	0 m			

## KTPL

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 2

Elevation: 682 ft / 208 m  
Location: 31.152200 -97.407400  
Magnetic Var: 2.938 E

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

REC - 134.97 MHz - AWOS 3

COM - 123.00 MHz - DRAUGHON-MILLER UNICOM

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	150 ft	7,014 ft	162.70	ASPHALT	0 ft	151 ft
	46 m	2,138 m	159.76		0 m	46 m
33	150 ft	7,014 ft	342.71	ASPHALT	0 ft	0 ft
	46 m	2,138 m	339.77		0 m	0 m
02	100 ft	4,745 ft	27.50	ASPHALT	0 ft	0 ft
	30 m	1,446 m	24.56		0 m	0 m
20	100 ft	4,745 ft	207.50	ASPHALT	0 ft	0 ft
	30 m	1,446 m	204.56		0 m	0 m

## Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	ITPL	111.50 MHz	18 nm	-	-	675 ft
				33 km	-		675 m
15	LOC-ILS	ITPL	111.50 MHz	18 nm	162.71	-	682 ft
				33 km	159.77		682 m
15	GS	ITPL	111.50 MHz	10 nm	162.71	2.90	682 ft
				19 km	159.77		682 m