


2024/05/01 2216Z

OMAA DASLA **Z994** BUNDU AFNAN OTBD

176.51 nm / 326.89 km



## Notes

Requested: OMAA TOXIG Z994 DASLA Z994 VEBAT Z994 BUNDU UB415 KUPSA UQ215 AFNAN OTBD

Unmatched points: TOXIG Z994 UB415 KUPSA UQ215

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMAA	-	24.43305	0 ft	-	ABU DHABI INTL
APT	-	54.65118	0 m		
DASLA	-	24.62972	0 ft	61	-
FIX	-	53.54667	0 m		
VEBAT	Z994	24.80833	0 ft	39	-
FIX	AWY-LO	52.85000	0 m		
BUNDU	Z994	25.00667	0 ft	22	-
FIX	AWY-LO	52.49000	0 m		
AFNAN	-	25.14833	0 ft	31	-
FIX	-	51.93250	0 m		
OTBD	-	25.26106	0 ft	21	DOHA INTL
APT	-	51.56500	0 m		

## OMAA

Region: UNITED ARAB EMIRATES  
Timezone: ASIA/DUBAI  
Runways: 2

Elevation: 83 ft / 25 m  
Location: 24.443400 54.652700  
Magnetic Var: 2.280 E

## METAR

OMAA 012200Z 22018KT 1300 R31R/1200D +TSRA FEW015 SCT030CB 24/22 Q1010 WS ALL RWY BECMG VRB45G55KT 0800 BKN015 BKN

## TAF

TAF OMAA 011700Z 0118/0300 04008KT 8000 FEW045 BECMG 0119/0121 14011KT PROB40 TEMPO 0120/0214 VRB35G45KT 0800 TSN

## Frequencies

APP - 124.40 MHz -	APP - 124.62 MHz -
ABU DHABI RADAR CENTRAL PRIMARY	ABU DHABI RADAR CENTRAL SECONDARY
APP - 128.10 MHz - ABU DHABI RADAR WEST PRIMARY	APP - 124.65 MHz - ABU DHABI RADAR WEST SECONDARY
APP - 135.15 MHz - ABU DHABI RADAR NORTH PRIMARY	APP - 135.35 MHz -
APP - 118.42 MHz -	ABU DHABI RADAR NORTH SECONDARY
ABU DHABI DIRECTOR NORTH PRIMARY	APP - 121.15 MHz -
APP - 118.00 MHz -	ABU DHABI DIRECTOR NORTH SECONDARY
ABU DHABI DIRECTOR SOUTH PRIMARY	APP - 121.15 MHz -
APP - 133.55 MHz - ABU DHABI RADAR EAST PRIMARY	ABU DHABI DIRECTOR SOUTH SECONDARY
APP - 135.35 MHz - ABU DHABI RADAR EAST SECONDARY	APP - 132.67 MHz - ABU DHABI RADAR EAST PRIMARY
REC - 124.62 MHz -	REC - 127.50 MHz - ABU DHABI INFORMATION PRIMARY
ABU DHABI INFORMATION SECONDARY	TWR - 119.20 MHz - ABU DHABI TOWER SOUTH PRIMARY
TWR - 120.42 MHz -	TWR - 118.67 MHz - ABU DHABI TOWER NORTH PRIMARY
ABU DHABI TOWER SOUTH SECONDARY	GND - 121.95 MHz - ABU DHABI GROUND NORTH
GND - 123.97 MHz - ABU DHABI GROUND SOUTH	CLD - 125.10 MHz - ABU DHABI DELIVERY
GND - 119.42 MHz - ABU DHABI GROUND SECONDARY	REC - 119.67 MHz - ABU DHABI ATIS (DEP)
REC - 119.97 MHz - ABU DHABI ATIS (ARR)	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	197 ft	13,478 ft	127.99	ASPHALT	0 ft	394 ft
	60 m	4,108 m	125.71		0 m	120 m
31L	197 ft	13,478 ft	308.01	ASPHALT	0 ft	397 ft
	60 m	4,108 m	305.73		0 m	121 m
13L	197 ft	13,460 ft	127.99	ASPHALT	0 ft	397 ft
	60 m	4,103 m	125.71		0 m	121 m
31R	197 ft	13,460 ft	308.01	ASPHALT	0 ft	387 ft
	60 m	4,103 m	305.73		0 m	118 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IAE	108.90 MHz	18 nm	-	-	98 ft
				33 km	-		98 m
31R	DME	IAW	109.30 MHz	18 nm	-	-	96 ft
				33 km	-		96 m
13R	DME	IAE	108.90 MHz	18 nm	-	-	98 ft
				33 km	-		98 m
31L	DME	IAW	109.30 MHz	18 nm	-	-	96 ft
				33 km	-		96 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	LOC-ILS	IAS	110.30 MHz	18 nm	128.00	-	83 ft
				33 km	125.72		83 m
13R	LOC-ILS	IAE	109.15 MHz	18 nm	128.00	-	83 ft
				33 km	125.72		83 m
31L	LOC-ILS	IAW	109.30 MHz	18 nm	308.00	-	83 ft
				33 km	305.72		83 m
31R	LOC-ILS	IAN	108.75 MHz	18 nm	308.00	-	83 ft
				33 km	305.72		83 m
13L	GS	IAS	110.30 MHz	10 nm	128.00	3.00	83 ft
				19 km	125.72		83 m
13R	GS	IAE	109.15 MHz	10 nm	128.00	3.00	83 ft
				19 km	125.72		83 m
31L	GS	IAW	109.30 MHz	10 nm	308.00	3.00	83 ft
				19 km	305.72		83 m
31R	GS	IAN	108.75 MHz	10 nm	308.00	3.00	83 ft
				19 km	305.72		83 m

## OTBD

Region: QATAR  
Timezone: ASIA/QATAR  
Runways: 1

Elevation: 37 ft / 11 m  
Location: 25.261100 51.565100  
Magnetic Var: 2.775 E

## METAR

OTBD 012200Z 15006KT 9999 -RA FEW030 FEW040TCU OVC100 24/22 Q1007 NOSIG

## TAF

TAF OTBD 011701Z 0118/0224 36015G25KT 8000 SCT040 TEMPO 0118/0206 VRB25G40KT 4400 TSRA SCT040CB PROB30 TEMPO 0118

## Frequencies

REC - 126.45 MHz - ATIS  
TWR - 118.65 MHz -  
APP - 121.10 MHz -  
TWR - 121.80 MHz - GND  
TWR - 118.90 MHz -  
APP - 119.40 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	151 ft	15,014 ft	158.21	ASPHALT	2,461 ft	0 ft
	46 m	4,576 m	155.43		750 m	0 m
33	151 ft	15,014 ft	338.21	ASPHALT	0 ft	459 ft
	46 m	4,576 m	335.44		0 m	140 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	DME	IBD	109.50 MHz	18 nm	-	-	35 ft
				33 km	-		35 m
15	LOC-ILS	AMD	108.50 MHz	18 nm	158.21	-	37 ft
				33 km	155.43		37 m
33	LOC-ILS	IBD	109.50 MHz	18 nm	338.21	-	37 ft
				33 km	335.43		37 m
15	GS	AMD	108.50 MHz	10 nm	158.21	3.00	37 ft
				19 km	155.43		37 m
33	GS	IBD	109.50 MHz	10 nm	338.21	3.00	35 ft
				19 km	335.43		35 m