


2024/05/16 1809Z

VCBI HG VCCK

76.61 nm / 141.88 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

| Ident Type | Via | Lat Lon | Alt | Dist (nm) | Name |
|---------------|-----|------------|----------|--------------|----------------------------|
| VCBI | - | 7.18125 | 0 ft | - | Bandaranaike International |
| APT | - | 79.88380 | 0 m | | |
| HG | - | 6.14333 | 1,900 ft | 67 | - |
| FIX | - | 80.32310 | 579 m | | |
| VCCK | - | 5.99368 | 0 ft | 8 | KOGGALA |
| APT | - | 80.32030 | 0 m | | |

VCBI

Region: SRI LANKA
Timezone: ASIA/COLOMBO
Runways: 1

Elevation: 30 ft / 9 m
Location: 7.181250 79.883800
Magnetic Var: 1.611 W

METAR

VCBI 161710Z VRB01KT 9000 FEW016 26/25 Q1009 NOSIG

TAF

TAF VCBI 161700Z 1618/1724 VRB03KT 9000 FEW016 BKN060 TX32/1707Z TN24/1700Z PROB30 TEMPO 1622/1703 VRB10G25KT 7000

Frequencies

| | |
|-------------------------------------|-------------------------------------|
| REC - 127.20 MHz - ATIS | GND - 121.90 MHz - COLOMBO GROUND |
| TWR - 118.70 MHz - COLOMBO TOWER | TWR - 123.80 MHz - COLOMBO TOWER |
| APP - 120.90 MHz - COLOMBO APPROACH | APP - 132.40 MHz - COLOMBO DIRECTOR |

Runways

| Ident | Width | Length | Bearing (true) (mag) | Surface | Threshold Offset | Overrun Length |
|-------|--------|-----------|-------------------------|---------|---------------------|-------------------|
| 04 | 148 ft | 11,001 ft | 37.22 | ASPHALT | 0 ft | 407 ft |
| | 45 m | 3,353 m | 38.83 | | 0 m | 124 m |
| 22 | 148 ft | 11,001 ft | 217.22 | ASPHALT | 0 ft | 390 ft |
| | 45 m | 3,353 m | 218.83 | | 0 m | 119 m |

Approach Nav aids

| Runway | Type | Ident | Frequency | Range | Bearing (true) (mag) | Slope | Elevation |
|--------|---------|-------|------------|-------|-------------------------|-------|-----------|
| 04 | DME | IKW | 109.90 MHz | 18 nm | - | - | 39 ft |
| | | | | 33 km | - | | 39 m |
| 22 | DME | IKA | 110.30 MHz | 18 nm | - | - | 24 ft |
| | | | | 33 km | - | | 24 m |
| 04 | LOC-ILS | IKW | 109.90 MHz | 18 nm | 37.22 | - | 30 ft |
| | | | | 33 km | 38.83 | | 30 m |
| 22 | LOC-ILS | IKA | 110.30 MHz | 18 nm | 217.22 | - | 30 ft |
| | | | | 33 km | 218.83 | | 30 m |
| 04 | GS | IKW | 109.90 MHz | 10 nm | 37.22 | 3.00 | 30 ft |
| | | | | 19 km | 38.83 | | 30 m |
| 22 | GS | IKA | 110.30 MHz | 10 nm | 217.22 | 3.00 | 30 ft |
| | | | | 19 km | 218.83 | | 30 m |