


2024/05/21 1852Z

SVBM DOLPO **UL795** URSUS **A509** ELLEE KMIA

1132.61 nm / 2097.59 km



## Notes

Basic altitude profile:

- Ascent Rate: 1200ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 330ft
- Cruise Speed: 435kts
- Descent Rate: 1200ft/min
- Descent Speed: 220kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SVBM	-	10.04230	0 ft	-	BARQUISIMETO INTL
APT	-	-69.35890	0 m	-	
DOLPO	-	11.06080	300 ft	72	-
FIX	-	-70.01970	91 m	-	-
LOKUR	UL795	11.60800	300 ft	39	-
FIX	AWY-HI	-70.39680	91 m	-	-
OPTAS	UL795	11.67530	300 ft	4	-
FIX	AWY-HI	-70.44360	91 m	-	-
MAGTA	UL795	12.22640	300 ft	40	-
FIX	AWY-HI	-70.82610	91 m	-	-
ESIPO	UL795	12.49810	300 ft	19	-
FIX	AWY-HI	-71.01530	91 m	-	-
SENSO	UL795	13.87850	300 ft	99	-
FIX	AWY-HI	-71.94110	91 m	-	-
BIBIP	UL795	14.32980	300 ft	32	-
FIX	AWY-HI	-72.24660	91 m	-	-
ONDER	UL795	14.62000	300 ft	20	-
FIX	AWY-HI	-72.44330	91 m	-	-
PUTAR	UL795	15.35000	300 ft	52	-
FIX	AWY-HI	-72.94330	91 m	-	-
MAXIN	UL795	15.55330	300 ft	14	-
FIX	AWY-HI	-73.08330	91 m	-	-
DIBOK	UL795	16.36170	300 ft	58	-
FIX	AWY-HI	-73.64170	91 m	-	-
GELOG	UL795	18.56170	300 ft	158	-
FIX	AWY-HI	-75.17830	91 m	-	-
URSUS	UL795	24.00010	300 ft	392	-
FIX	AWY-HI	-79.06980	91 m	-	-
ELLEE	A509	24.88060	300 ft	62	-
FIX	AWY-HI	-79.69000	91 m	-	-
KMIA	-	25.79620	0 ft	63	Miami Intl
APT	-	-80.28970	0 m	-	

## KMIA

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 4

Elevation: 11 ft / 3 m  
Location: 25.796200 -80.289700  
Magnetic Var: 7.276 W

## METAR

KMIA 211753Z 15008KT 10SM SCT040TCU BKN065 32/21 A2989 RMK A02 SLP123 CB DSNT S AND W MOV E TCU N-OHD-SW T03170211

## TAF

TAF KMIA 211720Z 2118/2224 11010KT P6SM VCTS SCT030CB BKN050 TEMPO 2119/2122 3SM TSRA BKN025CB BKN030 FM220100 VR

## Frequencies

REC - 119.15 MHz - D-ATIS	REC - 133.67 MHz - D-ATIS
COM - 123.00 MHz - UNICOM	CLD - 135.35 MHz - CLEARANCE DELIVERY
GND - 121.80 MHz - MIAMI GROUND	GND - 127.50 MHz - MIAMI GROUND
TWR - 118.30 MHz - MIAMI TOWER	TWR - 123.90 MHz - MIAMI TOWER
APP - 120.50 MHz - MIAMI APPROACH	APP - 124.85 MHz - MIAMI APPROACH
APP - 125.75 MHz - MIAMI APPROACH	DEP - 119.45 MHz - MIAMI DEPARTURE
DEP - 125.50 MHz - MIAMI DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	151 ft	13,027 ft	87.37	CONCRETE	1,371 ft	384 ft
	46 m	3,971 m	94.65		418 m	117 m
27	151 ft	13,027 ft	267.39	CONCRETE	276 ft	374 ft
	46 m	3,971 m	274.66		84 m	114 m
08R	200 ft	10,515 ft	87.38	CONCRETE	0 ft	407 ft
	61 m	3,205 m	94.65		0 m	124 m
26L	200 ft	10,515 ft	267.39	CONCRETE	0 ft	407 ft
	61 m	3,205 m	274.67		0 m	124 m
08L	151 ft	8,607 ft	87.38	CONCRETE	0 ft	387 ft
	46 m	2,624 m	94.66		0 m	118 m
26R	151 ft	8,607 ft	267.39	CONCRETE	0 ft	387 ft
	46 m	2,624 m	274.67		0 m	118 m
12	151 ft	9,366 ft	119.61	CONCRETE	0 ft	397 ft
	46 m	2,855 m	126.89		0 m	121 m
30	151 ft	9,366 ft	299.62	CONCRETE	948 ft	0 ft
	46 m	2,855 m	306.90		289 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IROY	109.30 MHz	18 nm	-	-	8 ft
				33 km	-		8 m
08R	DME	IMFA	110.30 MHz	18 nm	-	-	8 ft
				33 km	-		8 m
12	DME	IGEM	108.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
26L	DME	IVIN	109.10 MHz	18 nm	-	-	12 ft
				33 km	-		12 m
26R	DME	ICNV	109.30 MHz	18 nm	-	-	8 ft
				33 km	-		8 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	DME	IDCX	111.70 MHz	18 nm	-	-	8 ft
				33 km	-		8 m
08R	LOC-ILS	IMFA	110.30 MHz	18 nm	87.37	-	4 ft
				33 km	94.65		4 m
09	LOC-ILS	IBUL	110.90 MHz	18 nm	87.37	-	4 ft
				33 km	94.65		4 m
12	LOC-ILS	IGEM	108.90 MHz	18 nm	119.60	-	4 ft
				33 km	126.88		4 m
26L	LOC-ILS	IVIN	109.10 MHz	18 nm	267.37	-	4 ft
				33 km	274.65		4 m
27	LOC-ILS	IMIA	109.50 MHz	18 nm	267.37	-	4 ft
				33 km	274.65		4 m
30	LOC-ILS	IDCX	111.70 MHz	18 nm	299.60	-	4 ft
				33 km	306.88		4 m
08L	LOC-LOC	IROY	109.30 MHz	18 nm	87.36	-	4 ft
				33 km	94.64		4 m
26R	LOC-LOC	ICNV	109.30 MHz	18 nm	267.36	-	4 ft
				33 km	274.64		4 m
08R	GS	IMFA	110.30 MHz	10 nm	87.37	3.00	4 ft
				19 km	94.65		4 m
09	GS	IBUL	110.90 MHz	10 nm	87.37	3.00	4 ft
				19 km	94.65		4 m
12	GS	IGEM	108.90 MHz	10 nm	119.60	3.00	4 ft
				19 km	126.88		4 m
26L	GS	IVIN	109.10 MHz	10 nm	267.37	3.00	4 ft
				19 km	274.65		4 m
27	GS	IMIA	109.50 MHz	10 nm	267.37	3.00	4 ft
				19 km	274.65		4 m
30	GS	IDCX	111.70 MHz	10 nm	299.60	3.00	4 ft
				19 km	306.88		4 m