


2024/05/16 0715Z

MYNN BURRL MYER

70.87 nm / 131.26 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 11000ft
- Cruise Speed: 420kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MYNN	-	25.03870	0 ft	-	Lynden Pindling Intl
APT	-	-77.46680	0 m	-	
BURRL	-	24.98950	4,000 ft	11	Rock Sound
FIX	-	-77.26730	1,219 m	-	
MYER	-	24.89170	0 ft	59	
APT	-	-76.17780	0 m	-	

## MYNN

Region: BAHAMAS  
Timezone: AMERICA/NASSAU  
Runways: 2

Elevation: 16 ft / 5 m  
Location: 25.038700 -77.466800  
Magnetic Var: 8.782 W

## METAR

MYNN 160700Z 17011KT 9999 SCT015 28/25 A2989

## TAF

TAF MYNN 160505Z 1606/1706 17007KT 9999 FEW040 BECMG 1612/1614 20006KT SCT025 SCT180 PROB30 TEMPO 1614/1620 9999

## Frequencies

REC - 118.70 MHz - ATIS	CLD - 118.30 MHz - NASSAU CLEARANCE
GND - 121.70 MHz - NASSAU GROUND	TWR - 119.50 MHz - NASSAU TOWER
APP - 121.00 MHz - NASSAU APPROACH	APP - 125.30 MHz - NASSAU APPROACH
DEP - 121.00 MHz - NASSAU DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	151 ft	11,136 ft	134.80	CONCRETE	210 ft	0 ft
	46 m	3,394 m	143.58		64 m	0 m
32	151 ft	11,136 ft	314.81	CONCRETE	0 ft	0 ft
	46 m	3,394 m	323.59		0 m	0 m
10	151 ft	8,282 ft	89.67	CONCRETE	0 ft	0 ft
	46 m	2,524 m	98.45		0 m	0 m
28	151 ft	8,282 ft	269.68	CONCRETE	0 ft	0 ft
	46 m	2,524 m	278.46		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	LOC-ILS	IZQA	110.10 MHz	18 nm	134.83	-	7 ft
				33 km	143.61		7 m
14	GS	IZQA	110.10 MHz	10 nm	135.66	3.00	8 ft
				19 km	144.44		8 m