

# LTAI

Antalya International Airport


# LTBA

Istanbul Ataturk

2024/05/05 1813Z

LTAI LEMDA **UA16** KFK KFK **UA16** SOMGU LTBA

268.66 nm / 497.56 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LTAI APT	-	36.89960 30.79750	0 ft 0 m	-	Antalya International Airport
LEMDA FIX	-	37.98220 30.65690	23,300 ft 7,102 m	65	-
KFK DME	UA16 AWY-HI	38.71760 30.61760	34,000 ft 10,363 m	44	AFYON TACAN
KFK VOR	-	38.80410 30.54680	32,700 ft 9,967 m	6	AFYON
KARGI FIX	UA16 AWY-HI	39.42920 30.05440	23,300 ft 7,102 m	43	-
SOMGU FIX	UA16 AWY-HI	39.55330 29.95560	21,400 ft 6,523 m	8	-
LTBA APT	-	40.97610 28.81420	0 ft 0 m	100	Istanbul Ataturk

## LTAI

Region: TURKEY  
Timezone: EUROPE/ISTANBUL  
Runways: 3

Elevation: 175 ft / 53 m  
Location: 36.899600 30.797500  
Magnetic Var: 5.663 E

## METAR

LTAI 051750Z 04004KT 360V070 9999 SCT030 20/10 Q1008 NOSIG RMK RWY18C 36004KT 330V070 RWY36R VRB02KT RWY18L VRB01KT

## TAF

TAF LTAI 051640Z 0518/0618 34009KT 9999 SCT030 BECMG 0518/0521 34015G25KT CAVOK BECMG 0607/0610 34009KT

## Frequencies

CLD - 120.20 MHz - ANTALYA DELIVERY  
REC - 136.12 MHz - ANTALYA ATIS  
APP - 119.02 MHz - ANTALYA APPROACH  
APP - 124.42 MHz - ANTALYA APPROACH  
TWR - 119.80 MHz - ANTALYA TOWER  
TWR - 126.10 MHz - ANTALYA TOWER  
GND - 121.75 MHz - ANTALYA GROUND  
GND - 121.90 MHz - ANTALYA GROUND

TWR - 121.65 MHz - ANTALYA DELIVERY  
REC - 118.27 MHz - ANTALYA ATIS  
APP - 124.35 MHz - ANTALYA APPROACH  
TWR - 125.00 MHz - ANTALYA TOWER  
TWR - 120.12 MHz - ANTALYA TOWER  
GND - 119.85 MHz - ANTALYA GROUND  
GND - 121.70 MHz - ANTALYA GROUND

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18L	148 ft	11,165 ft	186.29	CONCRETE	0 ft	197 ft
	45 m	3,403 m	180.63		0 m	60 m
36R	148 ft	11,165 ft	6.29	CONCRETE	0 ft	197 ft
	45 m	3,403 m	0.62		0 m	60 m
18C	148 ft	11,165 ft	186.25	CONCRETE	0 ft	197 ft
	45 m	3,403 m	180.58		0 m	60 m
36C	148 ft	11,165 ft	6.24	CONCRETE	0 ft	197 ft
	45 m	3,403 m	0.58		0 m	60 m
18R	148 ft	9,819 ft	186.25	CONCRETE	0 ft	295 ft
	45 m	2,993 m	180.59		0 m	90 m
36L	148 ft	9,819 ft	6.25	CONCRETE	0 ft	295 ft
	45 m	2,993 m	0.59		0 m	90 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36C	DME	IAYT	110.30 MHz	18 nm	-	-	54 ft
				33 km	-		54 m
18C	LOC-ILS	IATY	108.70 MHz	18 nm	186.24	-	175 ft
				33 km	180.58		175 m
36C	LOC-ILS	IAYT	110.30 MHz	18 nm	6.24	-	175 ft
				33 km	0.58		175 m
36R	LOC-ILS	IALY	108.10 MHz	18 nm	6.29	-	175 ft
				33 km	0.63		175 m
18L	LOC-LOC	ILRA	109.75 MHz	18 nm	186.29	-	175 ft
				33 km	180.63		175 m
18C	GS	IATY	108.70 MHz	10 nm	186.24	3.00	175 ft
				19 km	180.58		175 m
36C	GS	IAYT	110.30 MHz	10 nm	6.24	3.00	175 ft
				19 km	0.58		175 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36R	GS	IALY	108.10 MHz	10 nm	6.29	3.00	175 ft
				19 km	0.63		175 m

## LTBA

Region: TURKEY  
Timezone: EUROPE/ISTANBUL  
Runways: 1

Elevation: 163 ft / 50 m  
Location: 40.976100 28.814200  
Magnetic Var: 6.065 E

## METAR

LTBA 051750Z 04009KT CAVOK 13/05 Q1017 RMK RWY23 05009KT

## TAF

TAF LTBA 051640Z 0518/0618 02006KT CAVOK BECMG 0605/0608 21010KT BECMG 0614/0617 04006KT

## Frequencies

REC - 130.25 MHz - D-ATIS ARRIVAL	REC - 128.20 MHz - D-ATIS DEPARTURE
TWR - 118.02 MHz - YESILKOY TOWER	TWR - 118.10 MHz - YESILKOY TOWER
TWR - 118.17 MHz - YESILKOY TOWER	TWR - 118.37 MHz - YESILKOY TOWER
TWR - 119.80 MHz - YESILKOY TOWER	TWR - 121.35 MHz - YESILKOY TOWER
TWR - 121.60 MHz - YESILKOY TOWER	TWR - 121.97 MHz - YESILKOY TOWER
TWR - 123.52 MHz - YESILKOY TOWER	TWR - 125.30 MHz - YESILKOY TOWER
TWR - 125.90 MHz - YESILKOY TOWER	TWR - 126.05 MHz - YESILKOY TOWER
TWR - 126.80 MHz - YESILKOY TOWER	APP - 118.95 MHz - YESILKOY APPROACH
APP - 119.35 MHz - YESILKOY APPROACH	APP - 119.47 MHz - YESILKOY APPROACH
APP - 120.12 MHz - YESILKOY APPROACH	APP - 120.45 MHz - YESILKOY APPROACH
APP - 120.50 MHz - YESILKOY APPROACH	APP - 120.70 MHz - YESILKOY APPROACH
APP - 121.10 MHz - YESILKOY APPROACH	APP - 121.25 MHz - YESILKOY APPROACH
APP - 122.47 MHz - YESILKOY APPROACH	APP - 122.57 MHz - YESILKOY APPROACH
APP - 122.67 MHz - YESILKOY APPROACH	APP - 124.45 MHz - YESILKOY APPROACH
APP - 126.42 MHz - YESILKOY APPROACH	APP - 127.10 MHz - YESILKOY APPROACH
APP - 127.82 MHz - YESILKOY APPROACH	APP - 128.72 MHz - YESILKOY APPROACH
APP - 130.30 MHz - YESILKOY APPROACH	APP - 131.12 MHz - YESILKOY APPROACH
APP - 132.05 MHz - YESILKOY APPROACH	APP - 132.32 MHz - YESILKOY APPROACH
APP - 132.47 MHz - YESILKOY APPROACH	APP - 132.77 MHz - YESILKOY APPROACH
APP - 132.95 MHz - YESILKOY APPROACH	APP - 133.07 MHz - YESILKOY APPROACH
APP - 133.22 MHz - YESILKOY APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft	8,513 ft	58.45	ASPHALT	492 ft	207 ft
	60 m	2,595 m	52.38		150 m	63 m
23	197 ft	8,513 ft	238.47	ASPHALT	0 ft	197 ft
	60 m	2,595 m	232.40		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IIST	110.30 MHz	18 nm	-	-	82 ft
				33 km	-		82 m
23	DME	IATA	111.90 MHz	18 nm	-	-	163 ft
				33 km	-		163 m
05	LOC-ILS	IIST	110.30 MHz	18 nm	58.46	-	163 ft
				33 km	52.40		163 m
23	LOC-ILS	IATA	111.90 MHz	18 nm	238.46	-	163 ft
				33 km	232.40		163 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	GS	IIST	110.30 MHz	10 nm	58.46	3.00	163 ft
				19 km	52.40		163 m
23	GS	IATA	111.90 MHz	10 nm	238.46	3.20	163 ft
				19 km	232.40		163 m